

GCIRCBUL10*39

Following information was collected and classified by
Danièle RIVAUD and Françoise MARAIS, Documentation, CETIOM,
174, avenue Victor Hugo - 75116 Paris

Economie - Economy - Wirtschaft

ASKEW M.F., 1993. - Growing oilseed rape under the Reformed Common Agricultural Policy. - *Bulletin GCIRC*, n° 9, fév., p. 76-77.

ASKEW M.F., 1993. - ADAS, an executive agency of Ministry of Agriculture, Fisheries and Food and Welsh Office Agricultural Division. - *Bulletin GCIRC*, n° 9, fév., p. 78.

BARTKOWIAK BRODA I., KRZYMANSKI J., 1993. - Oilseed rape in Poland 1992. - *Bulletin GCIRC*, n° 9, fév., p. 58.

BONDESEN O.B., 1993. - The CAP reform and the consequences for rapeseed in Denmark. - *Bulletin GCIRC*, n° 9, fév., p. 42-43.

BRITISH STANDARDS INSTITUTION, 1993. - Nomenclature for oilseeds. - *British Standard*, n° BS 6406, ii + 13 pp.

FABRY A., VASAK J., 1993. - Le colza sur le marché de la CSFR et son impact sur sa production. - *Bulletin GCIRC*, n° 9, fév., p. 134-137.

JAMET J.P., 1993. - Les conséquences économiques de la réforme de la PAC dans le secteur des oléagineux. - *Bulletin GCIRC*, n° 9, fév., p. 51-53.

MATTHEWS R., 1993. - Rapeseed in the U.K. - *Bulletin GCIRC*, n° 9, fév., p. 59-60.

MORE D.E., 1993. - Canadian Update. - *Bulletin GCIRC*, n° 9, fév., p. 31-33.

PAHKALA K., HOVINEN S., HOLLO J., 1993. - Spring turnip rape dominates oilseed cultivation in Finland. - *Bulletin GCIRC*, n° 9, fév., p. 44-46.

PUSTJENS M., 1993. - C.A.P. and oilseed rape growing in the Netherlands. - *Bulletin GCIRC*, n° 9, fév., p. 57.

RATHKE J.A.F., 1993. - Perspektiven für Ölsaaten und deren Verarbeitung aus Sicht der Europäischen Gemeinschaft. - *Fett Wissenschaft Technologie*, Vol. 95, n° 4, p. 137-143.

1993. - Décision de la commission du 18 mars 1993 autorisant la République française à permettre temporairement la commercialisation de semences de colza ne satisfaisant pas aux exigences de la directive 69/208/CEE du Conseil. - *Journal Officiel CEE*, n° L 91, avril, p. 29-30.

Agronomie - Agronomy - Agronomie

- ABBATE V., COSENTINO S., 1993. - La produzione del colza (*Brassica napus* L. var *oleifera* DC.) in ambiente mediterraneo. - *Rivista di Agronomia*, Vol. 27, n°2, p. 125-134.
- ABDALLA A.M.M., 1992. - Investigations into factors influencing growth and yield of oilseed rape in north-east Scotland. - *Dissertation Abstracts International*, Vol. 53, n° 4, p. 1651B-1652B.
- AHMADI M.R., 1993. - Untersuchung der Saatzeitwirkung auf Korn- und Ölertrag von Sommerraps in Karadj. - *Bulletin GCIRC*, n° 9, fév., p. 56.
- ANDERSSON B., BENGTTSSON A., 1992. - Influence of row spacing, tractor hoeing and herbicide treatment on weeds and yield in winter oilseed rape (*Brassica napus* L.). - *Swedish J. Agri. Res.*, Vol. 22, n° 1, p. 19-27.
- ANDERSSON G., OLSSON G., 1991. - Oil plant cultivation and breeding in Sweden over the past 50 years. - *Sveriges Utsädesförenings Tidskrift*, Vol. 101, n° 4, p. 203-214.
- ANDREWS C.J., MORRISON M.J., 1992. - Freezing and ice tolerance tests for winter Brassica. - *Agronomy Journal*, Vol. 84, n° 6, p. 960-962.
- ASHRAF M., NAQVI M.I., 1992. - Effect of varying Na/Ca ratios in saline sand culture on some physiological parameters of four Brassica species. - *Acta Physiologiae Plantarum*, Vol. 14, n° 4, p. 197-205.
- AUFHAMMER W., 1993. - Keimung und Feldaufgang von Wintergerste und Winterraps nach einer Saatgutbehandlung mit Wachstumsretardantien. - *Bodenkultur*, Vol. 44, n° 3, p. 229-242.
- BALASSY Z., 1991. - Investigations on frictional properties of some agricultural materials. - *Zeszyty Problemowe Postepow Nauk Rolniczych*, n° 397, p. 65-68.
- BARSZCZAK Z., 1993. - Effect of moisture, nitrogen rates, and soil acidity on seed yield and chemical composition of winter oilseed rape cultivars. - *J. Plant Nutrition*, Vol. 16, n° 1, p. 85-96.
- BASAK N.C., 1990. - Performance of some rapeseed lines under two different fertilizer levels. - *Bangladesh Journal of Agricultural Research*, Vol. 15, n° 1, p. 70-74.
- BAUMGARTEL G., 1993. - Stickstoffdüngung und Nitratreste nach der Ernte im Rapsanbau. - *Raps*, Vol. 11, n° 2, p. 90-92.
- BENGTTSSON A., 1992. - The response of winter oilseed rape to seed rate and seedbed nitrogen fertilizing at direct drilling. - *Swedish J. Agri. Res.*, Vol. 22, n° 3, p. 97-102.
- BHOLA A.L., MEHTA O.P., 1991. - Role of different input factors in rapeseed and mustard production. - *Haryana Journal of Agronomy*, Vol. 7, n° 2, p. 133-135.
- BILSBORROW P.E., EVANS E.J., 1993. - The influence of spring nitrogen on yield, yield components and glucosinolate content of autumn-sown oilseed rape (*Brassica napus*). - *J. Agri. Sci.*, Vol. 120, n° 2, p. 219-224.
- BILSBORROW P.E., EVANS E.J., MURRAY F., 1993. - Glucosinolates changes in developing pods of single and double low varieties of autumn-sown oilseed rape (*B. napus*). - *Annals of Applied Biology*, Vol. 122, n° 1, p. 135-143.
- BODNARYK R.P., 1992. - Effects of wounding on glucosinolates in the cotyledons of oilseed rape and mustard. - *Phytochemistry*, Vol. 31, n° 8, p. 2671-2677.
- BOUTTIER C., MORGAN D.G., 1992. - Development of oilseed rape buds, flowers, and pods in vitro. - *J. Experimental Botany*, Vol. 43, n° 253, p. 1089-1096.
- BRAUER D., KLEIN H., 1993. - Die Situation in Anbau und Verwertung von Winterraps in Deutschland. - *Fett Wissenschaft Technologie*, Vol. 95, p. 515-519.
- BUDZYNSKI W., 1990. - Effect of sowing date on the yield of various cultivars of winter rape. - *Acta Academiae Agriculturae ac Technicae Olstenensis, Agricultura*, n° 51, p. 33-42.
- BULLOCK D.G., 1991. - Nitrogen, potassium, sulfur, and boron fertilization of canola. - *J. Production Agriculture*, Vol. 4, n° 4, p. 550-555.
- CAMPOS DE QUIROZ H., 1993. - La calidad de aceite y subproductos del raps. - *IPA Carillanca*, Vol. 12, n° 1, p. 15-19.
- CEDELL T., 1993. - Oil crop cultivation in Sweden in 1992, *Bulletin GCIRC*, n° 9, fév., p. 91-94.

- CEN Y.P., 1993. - The effect of exposure to enhanced UV-B radiation on the penetration of monochromatic and polychromatic UV-B radiation in leaves of *Brassica napus*. - *Physiologia Plantarum*, Vol. 87, n° 3, p. 249-255.
- CHALMERS A.G., DARBY R.J., 1992/1992, 29 JUIN - 01 JUIL. - Nitrogen application to oilseed rape and implications for potential leaching loss. - *Aspects of Applied Biology, Nitrate and Farming Systems*. n° 30, p. 425-430.
- CHAMPOLIVIER L., 1993, 30 nov. - Mise au point d'indicateurs du statut nutritionnel : la teneur en nitrate des organes de colza. - *Les Rencontres Annuelles du CETIOM*. Paris, France. 5 p.
- CHUESIN D.N., 1991. - Allyl isothiocyanate release and the allelopathic potential of *Brassica napus*. - *American Journal of Botany*, Vol. 78, n° 8, p. 1083-1090.
- CHRISTEN O., HANUS H., 1993. - Single ear yield from different shoot categories of winter wheat following either wheat or rapeseed. - *European Journal of Agronomy*, Vol. 2, n° 2, p. 105-112.
- CHRISTIAN D.G., GOODLASS G., 1992. - Nitrogen uptake by cover crops. - *Aspects of Applied Biology*, n° 30, p. 291-300.
- COUVREUR L., MEEUS P., 1991. - L'utilisation du triapenthenol sur colza d'hiver en Belgique. - *Meded. Fac. Landbouwwet*. Vol. 56, n° 3a, p. 743-751.
- CRAMER N., 1993. - Umweltverträglichkeit der N-Versorgung des Rapses. - *Raps*, Vol. 11, n° 1, p. 04-07.
- CREACH A., LESSIRE R., CASSAGNE C., 1992. - Biosynthesis of very long-chain fatty acids by subcellular fractions of developing rapeseeds. - *Metabolism, Structure and Utilization of Plant Lipids. 10th International Symposium on Plant Lipids. JERBA, TUNISIE*. p. 428-431.
- CUMMINS I., MURPHY D.J., 1990. - Mechanism of oil body synthesis and maturation in developing seeds. - *Plant Lipid Biochemistry, Structure and Utilization. Proceedings of the Ninth International Symposium on Plant Lipids. Kent, Grande-Bretagne. juil.*, p. 231-233.
- DOLGER D., BRUNNER J., 1993. - Die Rapssorte nach Standort und Saatzeit auswählen ! - *Top Agrar*, n° 8, p. 50-53.
- DOMIER K.W., 1992. - Response of canola and flax to seedbed management practices. - *Paper - American Society of Agricultural Engineers*, n° 92-1561, 34 p.
- DONALD D., SHARP G.S., 1993. - Effect of nitrogen and sulphur fertilization on the yield and composition of winter oilseed rape. - *Communications in Soil Science and Plant Analysis*, Vol. 24, n° 9-10, p. 813-826.
- EÖRI T., 1993. - Raps in Ungarn - ein Kurzbericht. - *Bulletin GCIRC*, n° 9, fév., p. 54-55.
- ESKIN N.A.M., 1992. - Effect of variety and geographical location on the incidence of mucilage in canola seeds. - *Canadian Journal of Plant Science*, Vol. 72, n° 4, p. 1223-1225.
- FEI Y.E., 1993. - Improved method for the isolation of plant mitochondrial RNA from green leaves. - *BioTechniques*, Vol. 14, n° 2.
- FERRANTI F., FRENGUELLI G., 1993. - Anatomia delle foglie di tre cultivar di colza (*Brassica napus* L.) durante il ciclo ontogenetico. - *Annali della Facoltà di Agraria*, Vol. 44, n° 1, p. 451-464.
- FREDSHAVN J.R., 1993. - Modelling plant competition in monocultures of barley and oilseed rape. - *Acta Agriculturae Scandinavica*, Vol. 43, n° 1, p. 38-44.
- FRENGUELLI G., 1992. - Relationship between some morphological and anatomical characteristics and lodging resistance in rapeseed (*Brassica napus* L.). - *Agricoltura Mediterranea*, Vol. 122, n° 4, p. 299-305.
- FUCHS K., 1992. - Flow cytometric characterization of microspore development in *Brassica napus*. - *Canadian Journal of Botany*, Vol. 70, n° 2, p. 802-809.
- GEISLER G., 1992. - Untersuchungen zum Einfluss von Konkurrenz auf die Bestandesentwicklung von Sommerraps bei unterschiedlicher Gunst der Umweltbedingungen. - *J. Agronomy and Crop Science*, Vol. 169, n° 3, p. 193-208.
- GERWING P.D., 1992. - The relative persistence of trifluralin (545 EC and 5 G) and ethalfluralin in prairie soils. - *Canadian Journal of Soil Science*, Vol. 72, n° 3, p. 255-262.
- GOOD A.G., MACLAGAN J.L., 1993. - Effects of drought stress on the water relations in Brassica species. - *Canadian Journal of Plant Science*, Vol. 73, n° 2, p. 525-529.
- GRANT C.A., BAILEY L.D., 1993. - Fertility management in canola production. - *Canadian Journal of Plant Science*, Vol. 73, n° 3, p. 651-670.
- GROSSE F., LEON J., 1992. - Ertragsbildung und Ertragsstruktur bei Winterraps (*Brassica napus* L.). I. Genotypische Variabilität. - *J. Agronomy and Crop Science*, Vol. 169, n° 1-2, p. 70-93.

- HADJICHRISTODOULOU A., 1993. - Edge effects on yield, yield components and other physiological characteristics in cereals and oilseed crops. - *J. Agri. Sci.*, Vol. 120, n° 1, p. 07-12.
- HANUS H., SIELING K., 1993. - Fruchtfolgeaspekte beim Anbau von Raps. - *Raps*, Vol. 11, n° 1, p. 41-42.
- HARKER C.G., SOUTAR A., WALKER K.C., BOOTH E.J., 1993. - Oilseed rape allergy : fact or fiction ? - *Bulletin GCIRC*, n° 9, fév., p. 88-90.
- HAUSE G., 1992. - Microtubular and actin filament configurations during microspore and pollen development in *Brassica napus* cv. Topas. - *Canadian Journal of Botany*, Vol. 70, n° 7, p. 1369-1376.
- HE T., 1993. - Salt tolerance of rapid-cycling Brassica species in relation to potassium/sodium and selectivity at the whole plant and callus levels. - *J. Plant Nutrition*, Vol. 16, n° 7, p. 1263-1277.
- HILLS M.J., 1993. - Targeting of oleosins to the oil bodies of oilseed rape (*Brassica napus* L.). - *Planta*, Vol. 189, n° 1, p. 24-29.
- HILLS M.J., WATSON M.D., 1992. - In vitro studies of the synthesis of rape, (*Brassica napus* L.) oleosins (oil body proteins). - *Metabolism, Structure and Utilization of Plant Lipids. 10th International Symposium on Plant Lipids. JERBA, TUNISIE*. p. 409-412.
- HUHN M., 1993. - Comparison of harvest index and grain/straw-ratio with applications to winter oilseed rape. - *J. Agronomy and Crop Science*, Vol. 170, n° 4, p. 270-280.
- INTA, 1992. - Cosecha de colza-canola : para que no se filtren los granos. - Hoja Informativa - INTA Manfredi, n° 15, 4 p.
- JASIEWICZ C., 1990. - Effect of liming as well as of the rate and form of nitrogen fertilizer application on the content of copper in rape. - *Zeszyty Naukowe Akademii Rolniczej im. H. Kollataja w Krakowie, Rolnictwo*, n° 28, p. 125-133.
- JIANG L.X., 1991. - Studies on pollen preservation methods and pollen germination conditions of rape (*Brassica napus*). - *Acta Agriculturae Zhejiangensis*, Vol. 3, n° 2, p. 68-72.
- JOHNSON D.G., 1992. - Effects of low growth temperature on metabolism of polar glycerolipids in *Brassica napus* leaves. - *Dissertation Abstracts International*, Vol. 52, n° 11, p. 5614B.
- JOHNSON FLANAGAN A.M., 1992. - Frost, abscisic acid, and desiccation hasten embryo development in *Brassica napus*. - *Plant Physiology*, Vol. 99, n° 2, p. 700-706.
- KANDASAMY M.K., 1993. - Ablation of papillar cell function in Brassica flowers results in the loss of stigma receptivity to pollination. - *The Plant Cell*, Vol. 5, n° 3, p. 263-275.
- KEDDIE J.S., 1992. - Sequence of an oleosin cDNA from *Brassica napus*. - *Plant Molecular Biology*, Vol. 19, n° 6, p. 1079-1083.
- KIRKLAND K.J., 1992. - Effect of triapenthenol plant-growth regulator on canola height, yield, side branches and pod density. - *Canadian Journal of Plant Science*, Vol. 72, n° 4, p. 1153-1156.
- KJELKLSTRÖM C., 1993. - Comparative growth analysis of *Brassica napus* and *Brassica juncea* under Swedish conditions. - *Canadian Journal of Plant Science*, Vol. 73, n° 3, p. 795-801.
- KLEIN H., BRAUER D., 1993. - Die Situation in Anbau und Verwertung von Winterraps in Deutschland. - *Bulletin GCIRC*, n° 9, fév., p. 16-23.
- LARDON A., TRIBOI BLONDEL A.M., 1993. - A model for studying pollinisation and pod development on *Brassica napus* : the culture of isolated flowers. - *Sexual Plant Reproduction*, Vol. 6, n° 1, p. 52-56.
- LE TACON F., BARLIER J., 1992. - Aspects agronomiques de la culture du colza à des fins non alimentaires. - *Les Nouvelles filières industrielles des produits végétaux : les biocarburants*. Nancy, France. 7 p.
- LEBRAT M., 1993, 10 déc. - Essai conduites colza 1992-1993. - *Réunion bilan de campagne Bourgogne Franche-Comté Rhône-Alpes Auvergne. Dijon, France*. p. 12-13.
- LEE DOWING W., MAUXION F., VARTANIAN N., 1992. - A *Brassica napus* transcript encoding a protein related to the Kuenitz protease inhibitor family accumulates upon water stress in leaves, not in seeds. - *The Plant Journal*, Vol. 2, n° 5, p. 685-693.
- LELIVELT C.L.C., 1993. - Studies of pollen grain germination, pollen tube growth, micropylar penetration and seed set in intraspecific and intergeneric crosses within three Cruciferae species. - *Euphytica*, Vol. 67, n° 3, p. 185-197.
- LENCIONI L., LOTTI G., 1992. - Influenza dello zolfo sullo sviluppo delle piante di colza e sulla composizione dell'olio. - *Agrochimica*, Vol. 36, n° 1-2, p. 185-192.

- LI S.Q., YANG H.Y., 1992. - Release of pollen protoplasts in large quantities in *Brassica napus* and *B. campestris* var *purpurea*. - *Zhiwuxue Bao*, Vol. 34, n° 5, p. 339-345.
- LIANG Z.S., 1992. - Study on types of water stress adaptation in both *Brassica napus* L. and *Brassica juncea* L. - *Acta Botanica Boreali-Occidentalia Sinica*, Vol. 12, n° 1, p. 38-45.
- LIPAUSKA H., 1992. - The effect of exogenous sugar supply and nitrogen deficiency on dry matter allocation in rape seedlings grown in vitro. - *Biochemie und Physiologie der Pflanzen*, Vol. 188, n° 4, p. 261-266.
- LIU C.Z., 1992. - Effect of zinc on Zn content, seed yield and some qualities of rape. - *International Symposium on the Role of Sulphur, Magnesium and Micronutrients in Balanced Plant Nutrition*. Washington, U.S.A. p. 333-336.
- LIU L.X., LITSTER J.D., 1993. - Coating mass distribution from a spouted bed seed coater : experimental and modelling studies. - *Powder Technology*, Vol. 74, n° 3, p. 259-270.
- LUCAS J.L., 1993, 10 déc. - Essais itinéraires techniques colza. - *Réunion bilan de campagne Bourgogne Franche-Comté Rhône-Alpes Auvergne*. Dijon, France. p. 14-17.
- LUCAS J.L., 1993, 10 déc. - Fertilisation azotée de printemps du colza d'hiver. - *Réunion bilan de campagne Bourgogne Franche-Comté Rhône-Alpes Auvergne*. Dijon, France. 2 p.
- LUDEKE F.H., 1992. - Growth and development of oilseed rape (*Brassica napus*) cultivars with reference to their seed glucosinolate content. - *Dissertation Abstracts International*, Vol. 53, n° 3, p. 1118B.
- LUFTENSTEINER W., 1993. - Winterraps 1993/94. Was tut sich in Österreich ? - *Raps*, Vol. 11, n° 3, p. 110-112.
- MACKAY H.V., BISHOP J.D., 1992. - Brent goose damage to oilseed rape and implications for integrated management. - *Brighton Crop Protection Conference. Pests and Diseases*, Vol. 3, p. 1039-1044.
- MAHLER R.L., MURRAY G.A., 1993. - Relationship between soil sulfate-sulfur and seed yields of winter rapeseed. - *Agronomy Journal*, Vol. 85, n° 1, p. 128-133.
- MAKOWSKI H.N., SCHULZ R.R., 1993. - Welche Stickstoffdüngung lohnt bei den heutigen Rapspreisen ? - *Raps*, Vol. 11, n° 4, p. 182-183.
- MAKOWSKI N., 1993. - Raps, ein Ozonkiller ? - *Raps*, Vol. 11, n° 4, p. 164-165.
- MAKOWSKI N., 1991. - Winterraps, ein umweltfreundlicher nachwachsender Rohstoff. - *Feldwirtschaft*, Vol. 32, n° 4, p. 181-182.
- MANTHEY R., 1993. - Aktueller Stand der in Deutschland zugelassenen Körner-Winterraps-Sorten. - *Raps*, Vol. 11, n° 3, p. 114, 116-117.
- MARKOWSKI A., FILEK M., 1991. - Changes of fatty acids in polar lipids from different parts of rape plants (*Brassica napus* var. *oleifera*) before and after vernalization. - *Acta Physiologiae Plantarum*, Vol. 13, n° 1, p. 21-26.
- MATTHEY J., SAUERMAN W., 1993. - Bundesweiter Schwefel- Düngungs- versuch zu Winterraps. - *Raps*, Vol. 11, n° 2, p. 87-89.
- MERRIEN A., 1993, 13 JANV. - Glucosinolates : principaux facteurs de variation. - *Colloque Glucosinolates : 10 années de recherche*. Orléans, France. 2 p.
- MERRIEN A., 1993, 14 JANV. - Glucosinolates chez le colza : cinétique d'accumulation et principaux facteurs de variation. - *Colloque Glucosinolates : 10 années de recherche*. Orléans, France. p. 31-35.
- MERRIEN A., 1993. - La fertilisation soufrée du colza d'hiver. - *Oléoscope - Supplément au Bulletin du CETIOM*, n° spécial 6, février, 16 p.
- MESSEAN A., 1993. - Conséquence de la réforme de la PAC sur le programme de recherche du CETIOM. - *Bulletin GCIRC*, n° 9, fév., p. 49-50.
- METAYER D., RAIMBAULT J., 1993. - Colza érucique : qu'est-ce qui fait varier la compétitivité ? - *Oléoscope - Bulletin du CETIOM*, n° 14, mars-avril, p. 22-23.
- MORITZ H., 1993. - Dauer- oder Rotationsbrache - was rechnet sich besser ? - *Top Agrar*, n° 9, sept., p. 34-36.
- MORRISON M.J., 1993. - Heat stress during reproduction in summer rape. - *Canadian Journal of Botany*, Vol. 71, n° 2, p. 303-308.
- NAMM.H., 1992. - Biochemical analysis for screening cold tolerance in Brassica seedling. - *Research Reports of the Rural Development Administration, Biotechnology*, Vol. 34, n° 1, p. 15-20.

- OGILVY S.E., BASTIMAN B., 1992. - The effect of rate and timing of autumn nitrogen on the pre-flowering dry matter production and seed yield of winter oilseed rape. - *Aspects of Applied Biology*, n° 30, p. 413-423.
- PAGE R.A., HARWOOD J.L., 1992. - In search of the cDNA of beta-ketoacyl-*acp* synthase II in oilseed rape. - *Metabolism, Structure and Utilization of Plant Lipids. 10th International Symposium on Plant Lipids. Jerba, Tunisie*. p. 201-204.
- PAHL H., 1993. - Winterraps hält seinen festen Platz im Anbauprogramm. - *Raps*, Vol. 11, n° 2, p. 52-57.
- PALLEAU J.P., 1993, 10 déc./1993, 30 nov. - Bilan de la campagne colza 1992/1993. - *Réunion bilan de campagne Bourgogne Franche-Comté Rhône-Alpes Auvergne/Les Rencontres Annuelles du CETIOM Dijon, France/Paris, France*. p. 03-05/4 p.
- PALMER C.E., 1993. - The relationship of Phosphinothricin to growth and metabolism in cell cultures of *Brassica napus* L. - *J. Plant Physiology*, Vol. 141, n° 1, p. 105-110.
- PERRY H.J., 1993. - Changes in the lipid content of developing seeds of *Brassica napus*. - *Phytochemistry*, Vol. 32, n° 6, p. 1411-1415.
- PERRY H.J., BLIGNY R., 1992. - Lipid metabolism in development of oilseed rape seeds. - *Metabolism, Structure and Utilization of Plant Lipids. 10th International Symposium on Plant Lipids. Jerba, Tunisie*. p. 360-363.
- PHAM DELEGUE M.H., MESQUIDA J., 1991. - Quantitative and qualitative analysis of rapeseed flower nectar (*Brassica napus* L. var. *oleifera* Metzger). - *Acta Horticulturae*, n° 288, p. 430-434.
- RAJPUT R.L., 1991. - Response of rapeseed (*Brassica napus*) and mustard (*B. juncea*) varieties to date of sowing. - *Indian Journal of Agronomy*, Vol. 36, n° suppl., p. 153-155.
- RANA M.C., 1992. - Economics of phosphorus manuring in gobhi sarson (*Brassica napus* subsp. *oleifera* var. *annua*) under different weed-control methods. - *Indian Journal of Agronomy*, Vol. 37, n° 2, p. 293-298.
- REAU R., PAILLARD C., WAGNER D., JUNG L., 1993, 30 nov. - Modélisation des bilans d'azote au champ et raisonnement de la fertilisation du colza. - *Les Rencontres Annuelles du CETIOM. Paris, France*. 4 p.
- REAU R., WAGNER D., 1993, 30 nov. - Dynamique de l'azote minéral dans le sol sous jachère nue et colza fertilisé. - *Les Rencontres Annuelles du CETIOM. Paris, France*. 2 p.
- REAU R., WAGNER D., 1993, 10 déc./1993, 30 nov. - Charte environnement. Bilan de la conduite du colza énergétique. - *Réunion bilan de campagne Bourgogne Franche-Comté Rhône-Alpes Auvergne/Les Rencontres Annuelles du CETIOM Dijon, France/Paris, France*. p. 10-11/2 p.
- REAU R., WAGNER D., 1993, 10 déc. - Comparaison technico-économique de conduites culturales du colza d'hiver (1991-1992-1993). - *Réunion bilan de campagne Bourgogne Franche-Comté Rhône-Alpes Auvergne. Dijon, France*. p. 18-23.
- REAU R., WAGNER D., LETERME P., POUZET A., 1993 - Colza et environnement. - *Oléoscope - Supplément au Bulletin du CETIOM*, n° spécial 7, juillet, 25 p.
- REVIRON M.P., VARTANIAN N., 1992. - Characterization of a novel protein induced by progressive of rapid drought and salinity in *Brassica napus* leaves. - *Plant Physiology*, Vol. 100, n° 3, p. 1486-1493.
- ROY K.M., 1991. - Physiological analysis of population density effect on rape (*Brassica campestris* L.) II. Yield and yield components. - *Acta Agronomica Hungarica*, Vol. 40, n° 3-4, p. 347-353.
- ROY K.M., PAUL N.K., 1991. - Physiological analysis of population density effect on rape (*Brassica campestris* L.). I : Growth analysis. - *Acta Agronomica Hungarica*, Vol. 40, n° 3-4, p. 339-346.
- SAUERMAN W., 1993. - Einflüsse auf den Glucosinolatgehalt. Ergebnisse 2-jähriger Untersuchungen aus den Landessortenversuchen. - *Raps*, Vol. 11, n° 2, p. 82-86.
- SAUERMAN W., 1993. - Vorfruchteffekte von Winterraps. - *Raps*, Vol. 11, n° 3, p. 118-120.
- SCHNUG E., MERRIEN A., 1993. - PIPPA : un programme d'interprétation des analyses de plantes pour le colza et les céréales. - *Oléoscope - Bulletin du CETIOM*, n° 16, juillet-août, p. 26-27.
- SCHONBERGER H., 1993. - Strategien zur N-Düngung für Getreide und Raps. - *Top Agrar*, n° 2, fév., p. 88-93.
- SCHRÖDER G., 1993. - Aspekte der Magnesiumdüngung zum Winterraps. - *Raps*, Vol. 11, n° 1, p. 08, 10-11.

- SCHNUG E., 1990. - Einfluss der Schwefelversorgung auf den Glucosinolatgehalt in vegetativer und generativer Substanz von Einfach- und Doppelnullrapssorten. - *Verband Deutscher Landwirtschaftlicher Untersuchungs- und Forschungsanstalten*, n° 32, p. 605-608.
- SHEPHERD M.A., JOHNSON P.A., 1992. - The effect of crop rotation on nitrate leaching losses ; sandland and limestone aquifers. - *Aspects of Applied Biology*, n° 30, p. 183-190.
- SHEPHERD T., DAVIES H.V., 1993. - Carbon loss from the roots of forage rape (*Brassica napus* L.) seedlings following pulse-labelling with $^{14}\text{CO}_2$. - *Annals of Botany*, Vol. 72, n° 2, p. 155-163.
- SIMONIN P., 1993. - Colza, quelles conduites adopter ? L'exemple lorrain : des économies possibles par le raisonnement. - *Oléoscope - Bulletin du CETIOM*, n° 13, janv.-fév., p. 10-11.
- SINGH S., SAWHNEY V.K., 1992. - Plant hormones in *Brassica napus* and *Lycopersicon esculentum* pollen. - *Phytochemistry*, Vol. 31, n° 12, p. 4051-4053.
- SLOCOMBE S.P., FAIRBAIRM D., 1992. - Investigation of temporal and tissue-specific regulation of the stearoyl-acyl carrier protein (ACP) desaturase in oilseed rape. - *Metabolism, Structure and Utilization of Plant Lipids. 10th International Symposium on Plant Lipids. Jerba, Tunisie.* p. 436-439.
- SPINK J.H., 1992. - Winter oilseed rape : effect of partial defoliation. - *HGCA Oilseeds Project Report*, n° OS4, 21 pp.
- SRIVASTAVA H.S., 1992. - Triadimenol increases nitrate levels and nitrate reductase activity in canola leaves. - *J. Experimental Botany*, Vol. 43, n° 254, p. 1267-1271.
- STEPNIEWSKI A., 1992. - Effect of temperature on Young's modulus of rapeseed. - *Agricultural Engineering and Rural Development*. - Beijing, China, Vol. 3, p. 197-199.
- SVATON F., 1993. - The seed growing quality and the yield of winter rape in relation to seed size. - *Rostlinna Vyroba*, Vol. 39, n° 5, p. 395-400.
- TAYLOR A.G., 1991. - Seed coating system to upgrade Brassicaceae seed quality by exploiting sinapine leakage. - *Seed Science and Technology*, Vol. 19, n° 2, p. 423-433.
- TELMER C.A., 1993. - Microspore development in *Brassica napus* and the effect of high temperature on division in vivo and in vitro. - *Protoplasma*, Vol. 172, n° 2-4, p. 154-165.
- TERRAS F.R.G., 1993. - A new family of basic cysteine-rich plant antifungal proteins from Brassicaceae species. - *FEBS Letters*, Vol. 316, n° 3, p. 233-240.
- THOMAS D.L., 1991. - Influence of timing and method of harvest on rapeseed yield. - *J. Production Agriculture*, Vol. 4, n° 2, p. 266-272.
- TOMMEY A.M., EVANS E.J., 1992. - The influence of pre-floral growth and development on the pathway of floral development, dry matter distribution and seed yield in oilseed rape (*Brassica napus*). - *Annals of Applied Biology*, Vol. 121, n° 3, p. 687-696.
- VAN DEYNZE A.E., BEVERSDORF W.D., 1993. - Temperature effects on seed color in black- and yellow-seeded rapeseed. - *Canadian Journal of Plant Science*, Vol. 73, n° 2, p. 383-387.
- VARTANIAN N., HERVOCHON P., 1992. - Proline accumulation during drought rhizogenesis in *Brassica napus* var. *oleifera*. - *J. Plant Physiology*, Vol. 140, n° 5, p. 623-628.
- VASAK J., FABRY A., ZUKALOVA H., 1993. - Some ecological problems in winter rape cultivation. - *Rostlinna Vyroba*, Vol. 39, n° 5, p. 385-393.
- VINCENC J., BELAN F., 1993. - The effect of immissions and soil contamination on the content of heavy metals in winter rape. - *Rostlinna Vyroba*, Vol. 39, n° 5, p. 453-457.
- VISENTIN M., IORI R., 1992. - Trypsin inhibitory activity in some rapeseed genotypes. - *Phytochemistry*, Vol. 31, n° 11, p. 3677-3680.
- VULLILOUD P., 1993. - Densité de semis en culture de colza d'automne. - *Bulletin GCIRC*, n° 9, fév., p. 125-133.
- WAGNER D., LETERME P., 1993. - Colza, quelles conduites adopter ? Conduite du colza : les gains passent par plus de vigilance. - *Oléoscope - Bulletin du CETIOM*, n° 13, janv.-fév., p. 12-16.
- WALKER K.C., BOOTHE J., 1992. - Sulphur research on oilseed rape in Scotland. - *Sulphur in Agriculture*, Vol. 16, p. 15-19.
- WATANABE M., 1992. - Induction of a specific isoenzyme of glutamate dehydrogenase during isolation and the first 48 h of culture of *Brassica napus* leaf protoplasts. - *Physiologia Plantarum*, Vol. 86, n° 2, p. 231-235.

- WENDLER C., PUTZER A., 1992. - Effect of glufosinate (phosphinothricin) and inhibitors of photorespiration on photosynthesis and ribulose-1,5-bisphosphate carboxylase activity. - *J. Plant Physiology*, Vol. 139, n° 6, p. 666-671.
- WHITFIELD D.M., 1992. - Effect of temperature and ageing on CO₂ exchange of pods of oilseed rape (*Brassica napus*). - *Field Crops Res.*, Vol. 28, n° 4, p. 271-280.
- WHITFIELD D.M., 1992. - Effects of temperature and ageing on CO₂ exchange of pods of oilseed rape (*Brassica napus*). - *Field Crops Res.*, Vol. 28, n° 4, p. 271-280.
- WIEDENHOEFT M.H., 1993. - Management and environment effects on dry matter yields of three Brassica species. - *Agronomy Journal*, Vol. 85, n° 3, p. 549-553
- WILLIAMS J.P., 1992. - Low temperature-induced fatty acid desaturation in *Brassica napus* : thermal deactivation and reactivation of the process. - *Biochimica et Biophysica Acta*, Vol. 1128, n° 2-3, p. 275-279.
- WILSON M.I., GREENBERG B.M., 1993. - Protection of the D1 photosystem II reaction center protein from degradation in ultraviolet radiation following adaptation of *Brassica napus* L. to growth in ultraviolet-B. - *Photochemistry and Photobiology*, Vol. 57, n° 3, p. 556-563.
- XU Y., 1992. - Influence of boron and potassium application on the yield and quality of rape seed. - *International Symposium on the Role of Sulphur, Magnesium and Micronutrients in Balanced Plant Nutrition*. Washington, Etats-Unis. p. 94-97.
- YAN D.Y., 1992. - Using several chemicals to increase the fruit set rate of Kyoho rape. - *J. Shenyang Agricultural University*, Vol. 23, n° 2, p. 127-130.
- YAN L.V., 1990. - Rapeseed : a profitable crop. - *Kormovye Kul'tury*, n° 4, p. 17-18.
- ZANEWICH K.P., 1993. - Distribution of endogenous gibberellins in vegetative and reproductive organs of Brassica. - *J. Plant Growth Regulation*, Vol. 12, n° 1, p. 41-46.
- ZHAO F., BILSBORROW P.E., 1993. - Sulphur turnover in the developing pods of single and double low varieties of oilseed rape (*Brassica napus* L.). - *J. Sci. Food Agri.*, Vol. 62, n° 2, p. 111-119.
- ZHAO F., EVANS E.J., 1993. - Influence of sulphur and nitrogen on seed yield and quality of low glucosinolate oilseed rape (*Brassica napus* L.). - *J. Sci. Food Agri.*, Vol. 63, n° 1, p. 29-37.
- ZHAO F.J., 1993. - Sulphur uptake and distribution in double and single low varieties of oilseed rape (*Brassica napus* L.). - *Plant and Soil*, Vol. 150, n° 1, p. 69-76.
- ZHAO J.Y., 1990. - Studies on dynamics of glucosinolate content in vegetative and reproductive organs of oilseed rape. - *J. Zhejiang Agricultural Sciences*, Vol. 6, n° 189, p. 257-260.
- ZHENGUO S., 1993. - Effect of boron on the nitrate reductase activity in oilseed rape plants. - *J. Plant Nutrition*, Vol. 16, n° 7, p. 1229-1239.
- ZUKALOVA H., VASAK J., 1993. - Variability of basic qualitative traits of winter rape Jet Neuf in relation to application of the preparation Relan PGR. - *Rostlinna Vyroba*, Vol. 39, n° 5, p. 459-464.

Sélection - Breeding - Züchtung

- AGNIHOTRI A., SHIVANNA K.R., 1990. - Production of *Brassica napus* raphanobrassica hybrids by embryo rescue: an attempt to introduce shattering resistance in *B. napus*. - *Plant Breeding*, Vol. 105, n° 4, p. 292-299.
- BAUER WESTON B., KELLER W., 1993. - Production and characterization of asymmetric somatic hybrids between *Arabidopsis thaliana* and *Brassica napus*. - *Theoretical and Applied Genetics*, Vol. 86, n° 2-3, p. 150-158.
- BENGTSSON A., 1990. - Single low and double low winter rape cultivars. - *Svensk Frotidning*, Vol. 59, n° 5, p. 84-85 et 96.
- BLOMSTEDT C.K., 1992. - The isolation and purification of surface specific proteins of somatic and reproductive protoplasts of lily and rapeseed. - *Physiologia Plantarum*, Vol. 85, n° 2, p. 396-402.
- BONHOMME S., BUDAR F., 1992. - Sequence and transcript analysis of the Nco2.5 Ogur-specific fragment correlated with cytoplasmic male sterility in *Brassica* cybrids. - *MGG. Molecular & General Genetics*, Vol. 235, n° 2-3, p. 340-348.
- BREEN J.P., CROUCH M.L., 1992. - Molecular analysis of a cruciferin storage protein gene family of *Brassica napus*. - *Plant Molecular Biology*, Vol. 19, n° 6, p. 1049-1055.
- CHEN J.L., 1991. - Evaluation of micro-spore-derived embryos as models for studying lipid biosynthesis in seed of rapeseed. - *Euphytica*, Vol. 58, n° 2, p. 145-155.
- CHEN J.L., BEVERSDORF W.D., 1992. - Cryopreservation of isolated microspores of spring rapeseed (*Brassica napus* L.) for in vitro embryo production. - *Plant Cell, Tissue and Organ Culture*, Vol. 31, n° 2, p. 141-149.
- CRAWLEY M.J., 1993. - Ecology of transgenic oilseed rape in natural habitats. - *Nature*, Vol. 363, n° 6430, p. 620-623.
- DALE P.J., 1993. - The release of transgenic plants into agriculture. - *J. Agri. Sci.*, Vol. 120, n 1, p. 01-05.
- DE BLOCK M., DEBROUWER D., 1993. - Engineered fertility control in transgenic *Brassica napus* L.: histochemical analysis of anther development. - *Planta*, Vol. 189, n° 2, p. 218-225.
- DELOURME R., EBER F., 1992. - Linkage between an isozyme marker and a restorer gene in radish cytoplasmic male sterility of rapeseed (*Brassica napus* L.). - *Theoretical and Applied Genetics*, Vol. 85, n° 2-3, p. 222-228.
- DENIS M., DELOURME R., GOURRET J.P., MARIANI C., RENARD M., 1993. - Expression of engineered nuclear male sterility in *Brassica napus*: genetics, morphology, cytology, and sensitivity to temperature. - *Plant Physiology*, Vol. 101, n° 4, p. 1295-1304.
- DUSBABKOVA J., NECASEK J., 1992. - Segregation in the progeny of transformed rapeseed (*Brassica napus*). - *Biologia Plantarum*, Vol. 34, n° 1-2, p. 53-61.
- ENGQVIST G.M., 1993. - Correlation studies for agronomic characters in segregating families of spring oilseed rape (*Brassica napus*). - *Hereditas*, Vol. 118, n° 3, p. 211-216.
- ERICKSON L., KEMBLE R., 1993. - The effect of genotype on pollen transmission of mitochondria in rapeseed (*Brassica napus*). - *Sexual Plant Reproduction*, Vol. 6, n° 1, p. 33-39.
- FRAUEN M., PAULMANN W., 1993. - Ergebnisse der Hybridzüchtung und andere Züchtungsergebnisse. - *Bulletin GCIRC*, n° 9, fév., p. 24-30.
- GRETENKORT M.A., 1993. - A comparison of the disease reactions of stems and detached leaves of soil and in vitro grown plants and regenerants of oilseed rape to *Leptosphaeria maculans* and protocols for selection for novel disease resistance. - *J. Phytopathology*, Vol. 137, n° 2, p. 89-104.
- GRONTOFT M., 1993. - A rapid screening method for testing the resistance of cotyledons to downy mildew in *Brassica napus* and *Brassica campestris*. - *Plant Breeding*, Vol. 110, n° 3, p. 207-211.
- GROSS D., 1993. - Phytoalexins of the Brassicaceae. - *Zeit. Pflanzenkrankheiten und Pflanzenschutz*, Vol. 100, n° 4, p. 433-442.
- GUPTA S.K., LABANA K.S., 1992. - Inheritance of physiological traits in oilseed rape. - *Indian Journal of Genetics and Plant Breeding*, Vol. 52, n° 3, p. 330-333.
- HE T., 1993. - Cellular response of two rapidcycling *Brassica* species, *B. napus* and *B. carinata* to seawater salinity. - *Physiologia Plantarum*, Vol. 87, n° 1, p. 54-60.

- JOHNSON FLANAGAN A.M., 1993. - A method to study seed degreening using haploid embryos of *Brassica napus* cv. Topas. - *J. Plant Physiology*, Vol. 141, n° 4, p. 487-493.
- KERLAN M.C., CHEVRE A.M., RENARD M., 1992. - Risk assessment of outcrossing of transgenic rapeseed to related species. I : Interspecific hybrid production under optimal conditions with emphasis on pollination and fertilization. - *Euphytica*, Vol. 62, n° 2, p. 145-153.
- KIGHTLEY S., 1993. - Restructuring of winter rape variety testing in the United Kingdom. - *Bulletin GCIRC*, n° 9, fév., p. 70-72.
- KRALING K., RÖBBELEN G., THIES W., 1991. - Genetic variation of the content of sinapoyl ester in seeds of rape, *B. napus*. - *Plant Breeding*, Vol. 106, n° 3, p. 254-257.
- KUCERA V., VYVADILOVA M., 1993. - Variability of economic traits of winter dihaploid lines derived from the Darmor variety. - *Rostlinna Vyroba*, Vol. 39, n° 5, p. 421-427.
- KUMAR A., ELSTON J., 1992. - Genotypic differences in leaf water relations between *Brassica juncea* and *Brassica napus*. - *Annals of Botany*, Vol. 70, n° 1, p. 03-09.
- L'HOMMEY., BROWN G.G., 1993. - Organizational differences between cytoplasmic male sterile and male fertile *Brassica* mitochondrial genomes are confined to a single transposed locus. - *Nucleic Acids Research*, Vol. 21, n° 8, p. 1903-1909.
- LEON J., 1993. - Bedeutung der Ertragsphysiologie für die Züchtung von Raps. - *Fett Wissenschaft Technologie*, Vol. 95, n° 8, p. 283-287.
- LEWIS L.J., WOODS D.L., 1993. - Field performance of self-compatible and an equal proportion mixture of self-compatible and self-incompatible summer rape lines at two Alberta locations in 1989. - *Canadian Journal of Plant Science*, Vol. 73, n° 3, p. 829-833.
- LUO K.E., 1992. - Plant regeneration from petiole protoplasts of *Brassica napus*. - *Zhiwuxue Bao*, Vol. 34, n° 3, p. 237-239.
- MACLELLAN D., 1993. - Glucosinolate metabolism in zygotic and microspore-derived embryos of *Brassica napus* L. - *J. Plant Physiology*, Vol. 141, n° 2, p. 153-159.
- MANDEL R.M., 1991, 21-26 juil. - Bolting and floral induction in annual [cv. Westar] and cold-requiring biennial *Brassica* spp. [rape cv. WW1033, Glacier and Crystal and *B. campestris* cv. Rapido] : effects of photoperiod and exogenous gibberelin. Progress in Plant Growth Regulation. - *Proceeding of the 14th International Conference on Plant Growth Substances*. - Amsterdam, Pays-Bas. p. 371-379.
- MATHIAS R., RÖBBELEN G., 1991. - Effective diploidization of microspore-derived haploids of rape (*Brassica napus* L.) by in vitro colchicine treatment. - *Plant Breeding*, Vol. 106, n° 1, p. 82-84.
- MOHR N.A., 1990. - Nectar production of selected cultivars of *Brassica campestris* L. and *Brassica napus* L. - *J. Apicultural Research*, Vol. 29, n° 2, p. 95-100.
- MURPHY D.J., ROSSE J.H.E., 1993. - Brassica and oilseeds research in Norwich, Britain. - *Bulletin GCIRC*, n° 9, fév., p. 61-69.
- OZMINKOWSKI R.H., 1993. - Expression of self-incompatibility and fertility of *Brassica napus* L. resynthesized by interspecific somatic hybridization. - *Euphytica*, Vol. 65, n° 2, p. 153-160.
- PAUK J., 1991. - Protoplast culture and plant regeneration of different agronomically important Brassica species and varieties. - *J. Agri. Sci. Finl.*, Vol. 63, n° 5, p. 371-378.
- PAULMANN W., 1993. - Stand der Entwicklung von Hybridsorten bei Raps. - *Raps*, Vol. 11, n° 1, p. 43-44, 46.
- PERRY H.J., 1993. - Radiolabelling studies of acyl lipids in developing seeds of *Brassica napus* : use of acetate precursor. - *Phytochemistry*, Vol. 33, n° 2, p. 2329-2333.
- PICARD A.L., PHAM DELEGUE M.H., 1991. - Transgenic rapeseed (*Brassica napus* L. var oleifera Metzger) : effect on the foraging behaviour of honeybees. - *Acta Horticulturae*, n° 288, p. 435-439.
- PIHAKASKI-MAUNSBACH K., 1993. - Cellular changes in early development of regenerating thin cell layer-explants of rapeseed analyzed by light and electron microscopy. - *Physiologia Plantarum*, Vol. 87, n° 2, p. 167-176.
- PINNISCH R., 1992. - Hybridity and seed yield versus male sterility index (MSI) in pol CMS summer rape hybrid seed production plots. - *Canadian Journal of Plant Science*, Vol. 72, n° 4, p. 1231-1234.
- PINOCHET X., LANCESSEUR E., 1993. - Premier bilan des essais variétaux. Colza 1992-1993. - *Oléoscope - Bulletin du CETIOM suppl.* n° 16, juillet-août, p. 01-04.

- PINOCHET X., LANCESSEUR E., 1993, 30 nov.- Colza. Variétés : l'offre s'élargit. - *Les Rencontres Annuelles du CETIOM. Paris, France.* 3 p.
- POULSEN G.B., 1993. - Abundance and polymorphism of simple repetitive DNA sequences in *Brassica napus* L. - *Theoretical and Applied Genetics*, Vol. 85, n° 8, p. 994-1000.
- POULSEN M.H., RAHMAN M.H., 1993. - Survey on current rapeseed breeding in Denmark. - *Bulletin GCIRC*, n° 9, fév., p. 34-36.
- RAKOW G., 1992. - AC Tristar summer rape. - *Canadian Journal of Plant Science*, Vol. 72, n° 4, p. 1239-1240.
- RAKOW G., 1993. - AC Elect summer rape. - *Canadian Journal of Plant Science*, Vol. 73, n° 1, p. 181-182.
- RAKOW G., 1993. - AC Excel summer rape. - *Canadian Journal of Plant Science*, Vol. 73, n° 1, p. 183-184.
- RAKOW G., DOWNEY R.K., 1993. - Tribute summer rape. - *Canadian Journal of Plant Science*, Vol. 73, n° 1, p. 189-191.
- RAKOW G., DOWNEY R.K., 1993. - Profit summer rape. - *Canadian Journal of Plant Science*, Vol. 73, n° 1, p. 187-188.
- RENARD M., 1993, 14 Janv. - Les colzas de demain : types variétaux et teneurs en glucosinolates. - *Colloque Glucosinolates : 10 années de recherche. Orléans, France.* p. 26.
- RENARD M., DELOURME R., 1993, 10 déc. - Le point sur les hybrides de colza d'hiver. - *Réunion bilan de campagne Bourgogne Franche-Comté Rhône-Alpes Auvergne. Dijon, France.* p. 06-09.
- RIBOUD B., LANCESSEUR E., LETERME P., 1993. - Comparaison des variétés : le point sur les méthodes. - *Oléoscope - Supplément au Bulletin du CETIOM*, n° spécial 5, janvier, 19 p.
- RODIN J., 1992. - Characterization of a *Brassica napus* gene encoding a cruciferin subunit : estimation of sizes of cruciferin gene families. - *Plant Molecular Biology*, Vol. 20, n° 3, p. 559-563.
- SAFFORD R., MORAN M.T., 1993. - Regulated expression of the rat medium chain hydrolase gene in transgenic rape seed. - *Transgenic Research*, Vol. 2, n° 4, p. 191-198.
- SAKAI T., 1993. - Evidence for a mitochondrial sub-genome containing radish atpA in a *Brassica napus* cybrid. - *Plant Science*, Vol. 90, n° 1, p. 95-103.
- SHARMA K.K., YEUNG E.C., 1993. - Histology of shoot bud ontogeny from seedling root segments of *Brassica napus* L. - *Annals of Botany*, Vol. 71, n° 5, p. 461-466.
- SHARMA T.R., 1993. - Transfer of resistance to *Alternaria brassicae* in *Brassica juncea* through interspecific hybridization among Brassicas. - *J. Genetics and Breeding*, Vol. 46, n° 4, p. 373-378.
- SKU W., 1991. - Secondary embryogenesis from thin cell layers of *Brassica napus* ssp. *oleifera*. - *New Phytologist*, Vol. 119, n° 3, p. 427-432.
- SODHI Y.S., 1993. - Identification of a stable maintainer line for Polima' cytoplasmic male sterility in rapeseed (*B. napus* L.). - *Plant Breeding*, Vol. 110, n° 4, p. 334-337.
- STRUS D., BELLIN U., RÖBBELEN G., 1991. - Development of B-genome chromosome addition lines of *B. napus* using different interspecific Brassica hybrids. - *Plant Breeding*, Vol. 106, n° 3, p. 209-214.
- TAIRBEKO M.G., 1993. - Development of isolated plant cells under space-flight conditions (the 'protoplast' experiment). - *Biology Bulletin of the Russian Academy of Sciences*, Vol. 19, n° 1, p. 1-10.
- WARWEL S., 1993. - Transgene Ölsaaten - Züchtungsziele bei Raps aus chemisch-technischer Sicht. - *Fett Wissenschaft Technologie*, Vol. 95, n° 9, p. 329-333.
- XINJIE X.I.A., 1993. - Structure and evolution of a highly repetitive DNA sequence from *Brassica napus*. - *Plant Molecular Biology*, Vol. 21, n° 2, p. 213-224.
- YUSUF R.I., 1993. - Effect of several production factors on two varieties of rapeseed in the central United States. - *J. Plant Nutrition*, Vol. 16, n° 7, p. 1279-1288.
- ZENKTELER M., 1990. - In-vitro fertilization of ovules of some species of Brassicaceae. - *Plant Breeding*, Vol. 105, n° 3, p. 221-228.
- ZHANG J.Z., 1993. - Two classes of isocitrate lyase genes are expressed during late embryogeny and postgermination in *Brassica napus* L. - *MGG Molecular & General Genetics*, Vol. 238, n° 1-2, p. 177-184.
- ZHOU H.Y., 1991. - A study of plantlet regeneration from protoplasts of *Brassica napus*. - *Acta Agronomica Sinica*, Vol. 17, n° 5, p. 340-345.

Désherbage - Weed-Control - Unkrautbekämpfung

- BECKIE H.J., 1993. - Effective kill of trifluralin susceptible and resistant green foxtail (*Setaria viridis*). - *Weed Technology*, Vol. 7, n° 1, p. 15-22.
- BECKIE H.J., 1993. - Effect of ethalfluralin and other herbicides on trifluralin-resistant green foxtail (*Setaria viridis*). - *Weed Technology*, Vol. 7, n° 1, p. 06-14.
- BLACKSHAW R.E., 1992. - Combined postemergence grass and broadleaf weed control in canola (*Brassica napus*). - *Weed Technology*, Vol. 6, n° 4, p. 892-897.
- DEKKER J., YOSHIDA S., 1993. - Pleiotropy in triazine-resistant *Brassica napus* : leaf and environmental influences on photosynthetic regulation. - *Zeit. Naturforschung*, Vol. 48, n° 3-4, p. 283-287.
- DEKKER J.H., 1992. - Pleiotropy in triazine-resistant *Brassica napus* : ontogenetic and diurnal influences on photosynthesis. - *Plant Physiology*, Vol. 100, n° 4, p. 2052-2058.
- ERICHSEN E., 1993. - Unkrautbekämpfung in Raps. Was lohnt noch ? - *Top Agrar*, n° 8, p. 54-56.
- KLAUS M., 1992. - Die integrierte Unkrautbekämpfung : dargestellt am Beispiel des Winterrapses. - *Gesunde Pflanzen*, Vol. 44, n° 8, p. 251-255.
- KROSTITZ J., 1993. - Raps herbizide noch gezielter einsetzen. - *Raps*, Vol. 11, n° 3, p. 125-126, 128.
- MACMULLAN P.M., CHOW P.N.P., 1993. - Efficacious adjuvants for fluazifop or sethoxydim in flax and canola. - *Crop Protection*, Vol. 12, n° 7, p. 544-548.
- O'DONOVAN J.T., 1991. - Quackgrass (*Elytrigia repens*) interference in canola (*Brassica campestris*). - *Weed Science*, Vol. 39, n° 3, p. 397-401.
- REGNAULT Y., MIRCOVICH C., 1993, 30 nov. - Colza. Clefs de raisonnement du désherbage dans le système de culture. - *Les Rencontres Annuelles du CETIOM*. Paris, France. 6 p.
- TURLEY D., 1993. - Grass weed control in winter oilseed rape. - *Information Notes ADAS*, August, 8 p.
- WALL D.A., 1992. - Flurtamone for wild mustard (*Sinapis arvensis*) control in canola (*Brassica napus* and *B. campestris*). - *Weed Technology*, Vol. 6, n° 4, p. 878-883.

Insectes - Insects - Insekten

- AXELSEN J., 1992. - The developmental time of the pod gall midge, *Dasyneura brassicae* Winn. (Dipt., Cecidomyiidae). - *J. Applied Entomology*, Vol. 114, n° 3, p. 263-267.
- AXELSEN J., 1992. - The population dynamics and mortalities of the pod gall midge (*Dasyneura brassicae* Winn.) (Dipt., cecidomyiidae) in winter rape and spring rape (*Brassica napus* L.) in Denmark. - *J. Applied Entomology*, Vol. 114, n° 5, p. 463-471.
- BELZUNCES L.P., COLIN M.E., 1992. - Synergies entre insecticides et fongicides appliqués à des doses sublétales chez l'abeille. Approche expérimentale en laboratoire. - *Phytoma*, n° 446, janv., p. 20-22 et 24.
- BODNARYK R.P., 1992. - Leaf epicuticular wax, an antixenotic factor in Brassicaceae that affects the rate and pattern of feeding of flea beetles, *Phyllotreta cruciferae* (Goeze). - *Canadian Journal of Plant Science*, Vol. 72, n° 4, p. 1295-1303.
- CZERNIAKOWSKI Z., 1992. - The dynamics of occurrence and development of the cabbage gall weevil (*Ceuthorrhynchus pleurostigma* Mrsch.) on winter rape crops. - *Materialy Sesji Naukowej IOR*, Vol. 32, n° 1, p. 136-142.
- DEBOUZIE D., WIMMER F., 1992. - Models for winter rape crop invasion by the stem weevil *Ceuthorrhynchus napi* Gyll. (Col., Curculionidae). - *J. Applied Entomology*, Vol. 114, n° 3, p. 298-304.

- ERICHSEN E., 1993. - Auftreten und Überwachung von Rapsschädlingen in Mecklenburg-Vorpommern (und noch ein Wort zur Gelbschale). - *Gesunde Pflanzen*, Vol. 45, n° 1, p. 12-15.
- EVANS K., 1993. - The population dynamics in microplots of Brassica and beet cyst nematodes in rotations which include oilseed rape. - *Nematologica*, Vol. 39, n° 3, p. 411-414.
- EVANS K.A., 1992. - Electroantennogram responses of the cabbage seed weevil, *Ceuthorrhynchus assimilis*, to oilseed rape, *Brassica napus* spp. oleifera, volatiles. - *J. Chemical Ecology*, Vol. 18, n° 9, p. 1641-1659.
- GARRAWAY R., LEAKE L.D., 1992. - The action of oilseed rape metabolites on olfactory nerve activity and behaviour of *Deroceras reticulatum*. - Brighton Crop Protection Conference. Pests and Diseases, Vol. 2, p. 593-596.
- GREEN D.B., HOLLIDAY M., 1993. - Evaluation of seed treatments for spring oilseed rape against flea beetles. - *Tests of Agrochemicals and Cultivars*, Vol. 122, n° 14, p. 18-19.
- HEYLAND K.U., HAMBUCHEN A., 1991. - Die langfristige Abundanzdynamik von Heterodera schachtii (Schmidt) unter dem Einfluss produktionstechnischer Massnahmen. - *Bodenkultur*, Vol. 42, n° 2, p. 157-175.
- KOUBAITI K., LERIN J., 1992. - Fecundity and egg laying dynamics of *Baris coerulescens* Scop. (Col., Curculionidae) on oilseed rape : effects of cultivar and plant size under controlled conditions. - *J. Applied Entomology*, Vol. 114, n° 3, p. 289-297.
- LAMB R.J., MACVETTY P.B.E., 1993. - Susceptibility of inbred lines of oilseed rape, *Brassica napus* to feeding damage by the crucifer flea beetle, *Phyllotreta cruciferae* (Goeze) [Coleoptera : chrysomelidae], and its inheritance. - *Canadian Journal of Plant Science*, Vol. 73, n° 2, p. 615-623.
- LAUENSTEIN G., 1993. - Schwellenwerte für die Bekämpfung von Rapsschädlingen. - *Raps*, Vol. 11, n° 1, p. 27-31.
- MOENS R., COUVREUR R., 1992. - Influence de la teneur en glucosinolates des variétés de colza d'hiver sur les dégâts de limaces. - *Bulletin de Recherches Agronomiques de Gembloux*, Vol. 27, n° 3, p. 289-307.
- MOJTAHEDI H., SANTO G.S., 1993. - Managing Meloidogyne chitwoodi on potato with rapeseed as green manure. - *Plant Disease*, Vol. 77, n° 1, p. 42-46.
- MROWCZYNSKI M., 1992. - Injuries of winter rapeseed variety types by pests. Part I. Autumn pests. - *Prace Naukowe IOR*. Tome 34, n° 1-2, p. 05-31.
- MROWCZYNSKI M., 1992. - Injuries of winter rapeseed variety types by pests. Part II. Stem pests. - *Prace Naukowe IOR*. Tome 34, n° 1-2, p. 32-44.
- MROWCZYNSKI M., 1992. - Injuries of winter rapeseed variety types by pests. Part III. Inflorescence and silique pests. - *Prace Naukowe IOR*. Tome 34, n° 1-2, p. 45-62.
- PALANISWAMY P., LAMB R.J., 1992. - Screening for antixenosis resistance to flea beetles, *Phyllotreta cruciferae* (Goeze) (Coleoptera : Chrysomelidae) in rapeseed and related crucifers. - *Canadian Entomologist*, Vol. 124, n° 5, p. 895-906.
- PALOSZ T., SIENKOWSKI A., 1992. - Results of trap plant application in winter rape protection against insect pests. - *Materialy Sesji Naukowej IOR*. Vol. 32, n° 2, p. 188-194.
- PENG C., WEISS J., 1992. - Evidence of an aggregation pheromone in the flea beetle, *Phyllotreta cruciferae* (Goeze) (Coleoptera : Chrysomelidae). - *J. Chemical Ecology*, Vol. 18, n° 6, p. 875-884.
- SCHRAMM H., 1991. - Biologische Grundlagen zur integrierten Bekämpfung von Phoma lingam (Teleomorph : *Leptosphaeria maculans* (Desmaz.) Ces. & De Not.), dem Erreger der Wurzelhals- und Stengelfäule an Winterraps. - *Zeit. Pflanzenkrankheiten und Pflanzenschutz*, Vol. 98, n° 6, p. 581-596.
- SCHULZ R.R., 1993. - Biologie und Bekämpfung des Rapserrdflohs. - *Raps*, Vol. 11, n° 4, p. 176-177.
- SEDIVY J., KOCOUREK F., 1993. - Signalization of the occurrence by the brassica seed midge (*Dasyneura brassicae* Winn.). - *Rostlinna Vyroba*, Vol. 39, n° 5, p. 411-419.
- SHAW M.W., ALLAN R.M., 1993. - A relationship between dry matter and damage by larvae of the turnip root fly *Delia floralis* in cultivars of the swedish turnip *Brassica napus*. - *Entomol. Exp. Appl.*, Vol. 67, n° 2, p. 129-133.
- STECK U., 1993. - Wieviel Pflanzenschutz im Raps noch lohnt. - *Top Agrar*, n° 2, fév., p. 80-81, 83.
- STECK U., 1993. - Pflanzenschutz in Raps. - *Raps*, Vol. 11, n° 4, p. 171-172.

VAUGHN T.T., HOY C.W., 1993. - Effects of leaf age, injury, morphology, and cultivars on feeding behavior of *Phyllotreta cruciferae* (Coleoptera : chrysomelidae). - *Environmental Entomology*, Vol. 22, n° 2, p. 418-424.

WALIGORA D., KRZYMANSKA J., 1992. - Glucosinolates - Biologically active compounds. -

Materialy Sesji Naukowej IOR, Vol. 32, n° 2, p. 236-241.

WALTERS K.F.A., LANE A., 1992. - Incidence of pollen beetles in winter oilseed rape and evaluation of thresholds for control. - *Brighton Crop Protection Conference. Pests and Diseases*, Vol. 2, p. 545-550.

Maladies - Diseases - Krankheiten

AHMAD I., DAY J.P., 1991. - Haploid culture and UV mutagenesis in rapid-cycling *Brassica napus* for the generation of resistance to chlorsulfuron and *Alternaria brassicicola*. - *Annals of Botany*, Vol. 67, n° 6, p. 521-525.

AMELUNG D., DAEBELER F., 1993. - Umfallkrankheit am Winterraps. - *Raps*, Vol. 11, n° 1, p. 32.

ARCHER S.A., MITCHELL S.J., WHEELER B.E.J., 1992. - The effects of rotation and other cultural factors on Sclerotinia in oilseed rape, peas and potatoes. - *Brighton Crop Protection Conference. Pests and Diseases*, Vol. 1, p. 99-108.

BALESDENT M.H., 1992. - Intraspecific variation in soluble mycelial protein and esterase patterns of *Leptosphaeria maculans* French isolates. - *Mycological Research*, Vol. 96, n° 8, p. 677-684.

BALL A.M., 1992. - A detached cotyledon test for the isolation of mutants of *Pyrenopeziza brassicae* defective in pathogenicity determinants. - *J. Phytopathology*, Vol. 136, n° 3, p. 204-210.

BOLTON B.J.G., ADAM N.M., 1992. - The use of Tebuconazole for disease control and subsequent effects on lodging in oilseed rape. - *Brighton Crop Protection Conference. Pests and Diseases*, Vol. 2, p. 675-680.

BOWERMAN P., GLADDERS P., 1993. - Evaluation of fungicides against *Sclerotinia sclerotiorum*. - *Tests of Agrochemicals and Cultivars*, Vol. 122, n° 14, p. 42-43.

BROSCHWITZ B., STEINBACH P., 1993. - Einfluss stengelbewohnender tierischer Schaderreger auf den Befall von Winterraps mit *Phoma lingam* und *Botrytis cinerea*. - *Gesunde Pflanzen*, Vol. 25, n° 3, p. 106-110.

CETIOM, 1993. - Sclerotinia du colza : une contamination bien maîtrisée. - *Oléoscope - Bulletin du CETIOM*, n° 13, janv.-fév., p. 20-21.

FITT B.D.L., INMAN A.J., 1992. - Splash dispersal of spores of *Pseudocercospora capsellae* (white leaf spot) from oilseed rape leaves of different inclination, flexibility and age. - *Zeit. Pflanzenkrankheiten und Pflanzenschutz*, Vol. 99, n° 3, p. 234-244.

GARBE V., KLODT BUSSMANN E., KNOLL D., 1993. - Europäischer Ringversuch zur Optimierung des Rapsanbaus. Zweijährige Ergebnisse aus Deutschland. - *Raps*, Vol. 11, n° 2, p. 76, 78-80.

GINDRAT D., 1993. - La sclérotiniose : sensibilité du *Sclerotinia sclerotiorum* au carbendazime et à la vinclozoline. - *Revue Suisse d'Agriculture*, Vol. 25, n° 2, p. 115-119.

GRAVELAND R., 1992. - Gall development on hairy root cultures infected with *Plasmodiophora brassicae*. - *Mycological Research*, Vol. 96, n° 3, p. 225-228.

GRETENKORT M.A., 1993. - The use of ergosterol as a quantitative measure of the resistance of cultured tissues of *Brassica napus* spp. oleifera to *Leptosphaeria maculans*. - *J. Phytopathology*, Vol. 138, n° 3, p. 217-224.

- GUGEL R.K., PETRIE G.A., 1992. - History, occurrence, impact, and control of blackleg of rapeseed. - *Canadian Journal of Plant Pathology*, Vol. 14, n° 1, p. 36-45.
- HALL R., 1992. - Epidemiology of blackleg of oilseed rape. - *Canadian Journal of Plant Pathology*, Vol. 14, n° 1, p. 46-55.
- HARLING R., KENNEDY S.H., 1991. - Biological control of *Plasmodiophora brassicae* using a bait crop. - *Meded. Fac. Landbouwwet*, Vol. 56, n° 2a, p. 159-170.
- HUBER D.M., CHRISTMAS E.P., 1992. - Rhizoctonia crown rot of canola in Indiana. - *Plant Disease*, Vol. 76, n° 12, p. 1251-1253.
- INMAN A.J., FITT B.D.L., 1992. - A species of *Unguicularia* on oilseed rape, its importance in studies of the epidemiology of light leaf spot (*Pyrenopeziza brassicae*). - *Plant Pathology*, Vol. 41, n° 5, p. 646-652.
- INMAN A.J., FITT B.D.L., 1992. - Epidemiology in relation to control of white leaf spot (*Mycosphaerella capsellae*) on oilseed rape. - *Brighton Crop Protection Conference. Pests and Diseases*, Vol. 2, p. 681-686.
- INMAN A.J., FITT B.D.L., EVANS R.L., 1993. - White leaf spot (*Mycosphaerella capsellae*) on oilseed rape in the UK ? - *Bulletin GCIRC*, n° 9, fév., p. 79-87.
- JOHNSON R.D., LEWIS B.G., 1990. - DNA polymorphism in *Leptosphaeria maculans*. - *Physiological and Molecular Plant Pathology*, Vol. 37, n° 6, p. 417-424.
- KARAKAYA A., 1993. - Powdery mildew of Brassica spp. in Wyoming. - *Plant Disease*, Vol. 77, n° 10, p. 1063.
- KATARIA H.R., 1993. - Interactions of fungicide and insecticide combinations against Rhizoctonia damping-off and root rot in canola. - *Annals of Applied Biology*, Vol. 123, n° 2, p. 233-246.
- KHARBANDA P.D., 1992. - Performance of fungicides to control blackleg of Canada. - *Canadian Journal of Plant Pathology*, Vol. 14, n° 2, p. 169-177.
- KHULBE R.D., 1992. - Seed-borne infection, pathogenic importance and control of *Epicoccum nigrum* Ehrenb, ex Schlecht. in rape seed (*Brassica napus* L.) in Kuman Hills, U.P., India. - *Proceedings of the Indian National Science Academy. Part B : Biological Sciences*, Vol. 58, n° 2-3, p. 135-140.
- KOPPL H., SCHMIDT H., 1993. - Erprobung eines Sclerotinia-Warndienstes - Erfahrungen in Oberösterreich 1992. - *Raps*, Vol. 11, n° 2, p. 66-69.
- KROSTITZ J., 1993. - Die Anpassung des Pflanzenschutzes beim Raps an neue Preis-Kostenverhältnisse. - *Raps*, Vol. 11, n° 2, p. 58-61, 64-65.
- LAGARDE F., 1993. - Colza 1992-1993 : le phoma en première ligne. - *Oléoscope - Bulletin du CETIOM*, n° 17, septembre-octobre, p. 20-21.
- LUTH P., 1993. - Zum Einfluss bakterieller Antagonisten auf die Sclerotinia-Verseuchung eines Bodens sowie auf den durch *Sclerotinia sclerotiorum* beeinträchtigten Winterraps-ertrag. - *Zentralblatt für Mikrobiologie*, Vol. 148, n° 1, p. 32-38.
- MAISONNEUVE C., DEVERCHERE J., 1993. - Virus du colza, où sont-ils présents en France ? - *Oléoscope - Bulletin du CETIOM*, n° 17, septembre-octobre, p. 18-19.
- MENGISTU A., RIMMER R.S., 1993. - Protocols for in vitro sporulation, ascospore release, sexual mating, and fertility in crosses of *Leptosphaeria maculans*. - *Plant Disease*, Vol. 77, n° 5, p. 538-540.
- MEYER W., 1992. - DNA fingerprinting for differentiating aggressivity groups of the rape seed pathogen *Leptosphaeria maculans*. - *Mycological Research*, Vol. 96, n° 8, p. 651-657.
- MITHEN R., 1992. - Leaf glucosinolate profiles and their relationship to pest and disease resistance in oilseed rape. - *Euphytica*, Vol. 63, n° 1-2, p. 71-83.
- MORALES V.M., 1993. - Chromosome size polymorphism in *Leptosphaeria maculans*. - *Phytopathology*, Vol. 83, n° 5, p. 503-509.
- NORDIN K., 1992. - Forecasting the incidence of Sclerotinia stem rot on spring-sown rapeseed. - *Zeit. Pflanzenkrankheiten und Pflanzenschutz*, Vol. 99, n° 3, p. 245-255.
- PALLEAU J.P., 1993. - Enquête «pourritures sur colza». Des pistes mais pas de résultats tranchés. - *Oléoscope - Bulletin du CETIOM*, n° 16, juillet-août, p. 06-07.
- PETRIE G.A., 1993. - Distribution of virulent blackleg on standing rapeseed/canola crops in Saskatchewan, 1982-1991. - *Canadian Plant Disease Survey*, Vol. 73, n° 2, p. 117-121.

PETRIE G.A., 1993. - Post-harvest surveys of blackleg on stubble of rapeseed/canola crops in Saskatchewan, 1981-1991. - *Canadian Plant Disease Survey*, Vol. 73, n° 2, p. 123-128.

RASMUSSEN U., GIESE H., 1992. - Induction and purification of chitinase in *Brassica napus* L. ssp. oleifera infected with *Phoma lingam*. - *Planta*, Vol. 187, n° 3, p. 328-334.

SCHAFER C., WOSTEMEYER J., 1992. - Random primer dependent PCR differentiates aggressive from non-aggressive isolates of the oilseed rape pathogen *Phoma lingam* (*Leptosphaeria maculans*). - *J. Phytopathology*, Vol. 136, n° 2, p. 124-136.

SPAK J., KUBELKOVA D., 1993. - Seed transmission of turnip yellow mosaic virus in winter turnip and winter oilseed rapes. - *Annals of Applied Biology*, Vol. 123, n° 1, p. 33-35.

SWEET J.B., POPE S.J., THOMAS J.E., 1992. - Resistance to *Sclerotinia sclerotiorum* in linseed, oilseed rape and sunflower cultivars, and its role in integrated control. - *Brighton Crop Protection Conference. Pests and Diseases*, Vol. 1, p. 117-126.

THOMAS P.E., 1993. - Potential role of winter rapeseed culture on the epidemiology of potato leaf roll disease. - *Plant Disease*, Vol. 77, n° 4, p. 420-423.

TURKINGTON T.K., MORRALL R.A.A., 1993. - Use of petal infestation to forecast *Sclerotinia* stem rot of canola : the influence of inoculum variation over the flowering period and canopy density. - *Phytopathology*, Vol. 83, n° 6, p. 682-689.

VAN DEN BERG C.G.J., 1993. - Comparison of scales for rating severity of blackleg in canola. - *Canadian Journal of Plant Pathology*, Vol. 15, n° 1, p. 49-53.

VAN DEN BERG C.G.J., PLATFORD R.G., 1993. - Distribution, prevalence and incidence of canola diseases in 1992. - *Canadian Plant Disease Survey*, Vol. 73, n° 1, p. 81-87.

VAN PAEMEL H., 1993. - Colza d'hiver. Transmission des viroses et nuisibilité... des confirmations. - *Oléoscope - Bulletin du CETIOM*, n° 13, janv.-fév., p. 17.

VOORRIPS R.E., 1992. - Root hair infection by *Plasmodiophora brassicae* in clubroot-resistant and susceptible genotypes of *Brassica oleracea*, *B. rapa* and *B. napus*. - *Netherlands Journal of Plant Pathology*, Vol. 98, n° 6, p. 361-368.

WINTER W., BURKHARD L., 1993. - Maladies du colza : sensibilité des variétés; efficacité des fongicides et mesures prophylactiques. - *Revue Suisse d'Agriculture*, Vol. 25, n° 5, p. 287-294.

WINTER W., GINDRAT D., 1993. - Maladies fongiques du colza en Suisse : identification, manifestations, conditions de développement, comportement des variétés. - *Revue Suisse d'Agriculture*, Vol. 25, n° 2, p. 93-100.

XI K., KUTCHER H.R., 1991. - Effect of seed treatment and fertilizer coated with flutriafol on blackleg of canola (oilseed rape) in western Canada. - *Canadian Journal of Plant Pathology*, Vol. 13, n° 4, p. 336-346.

YANG J., 1992. - Histopathology of resistant mustard and susceptible canola hypocotyls infected by *Rhizoctonia solani*. - *Mycological Research*, Vol. 96, n° 3, p. 171-179.

ZWATZ B., 1993. - Erfahrungen mit dem Phoma-Prognose-Modell in Österreich. - *Raps*, Vol. 11, n° 4, p. 173-175.

Analyse - Analysis - Analyse

- DREUX M., ELFAKIR C., EVRARD J., MERCIER J.P., QUINSAC A., RIBAILLIER D., ROLLIN P., 1993, 22-24 nov. - Production of progoitrin from dehulled rapeseed meal. - *2nd European Symposium on Industrial Crops and Products, Pisa, Italia*. 2 p.
- GARDRAT C., 1993, 14 JANV. - Recherche d'isothiocyanates et de nitriles dans les huiles et les tourteaux. - *Colloque Glucosinolates : 10 années de recherche. Orléans, France*. p. 74-80.
- GARDRAT C., QUINSAC A., JOSEPH B., ROLLIN P., 1993. - Synthesis of indole glucosinolates, sugar variants of naturally occurring glucobrassicin. - *Heterocycles*, Vol. 35, n° 2, p. 1015-1027.
- HU X., DAUN J.K., 1993. - Characterization of wax sediments in refined canola oils. - *J.A.O.C.S.*, Vol. 70, n° 5, p. 535-537.
- JOSEPH B., VIAUD M.C., ROLLIN P., 1993, 14 Janv. - Synthèse chimique de glucosinolates naturels ou artificiels : des outils nouveaux pour les analystes et les biologistes. - *Colloque Glucosinolates : 10 années de recherche. Orléans, France*. p. 47-51.
- KING J.W., 1993. - Analysis of fats and oils by SFE and SFC. - *INFORM*, Vol. 4, n° 9, p. 1089-1090, 1092-1095, 1097-1098.
- LETERME P., 1993, 14 JANV. - Glucosinolates : un large choix variétal. - *Colloque Glucosinolates : 10 années de recherche. Orléans, France*. p. 27-30.
- LIU H., BILIADERIS C.G., 1993. - Phase transitions of canola oil sediment. - *J.A.O.C.S.*, Vol. 70, n° 5, p. 441-448.
- MACGREGOR D.I., 1993. - Rapid low cost glucosinolates analysis of canola and rapeseed seed and meal. - *10th Project Report : Research on Canola Seed, Oil and Meal*. p. 02-09.
- MAILER R.J., DAUN J., 1993. - Cultivar identification in *Brassica napus* L. by reversed-phase high-performance liquid chromatography of ethanol extracts. - *J.A.O.C.S.*, Vol. 70, n° 9, p. 863-866
- NOUREDDINI H., TEOH B.C., CLEMENTS L.D., 1992. - Densities of vegetable oils and fatty acids. - *J.A.O.C.S.*, Vol. 69, n° 12, p. 1184-1188.
- NOUREDDINI H., TEOH B.C., CLEMENTS L.D., 1992. - Viscosities of vegetable oils and fatty acids. - *J.A.O.C.S.*, Vol. 69, n° 12, p. 1189-1191.
- OWUSU-ANSAH Y.J., 1993. - A pilot plant study of microwave inactivation of myrosinase in canola seeds. - *10th Project Report : Research on Canola Seed, Oil and Meal*. p. 11-19.
- PALMIERI S., 1993, 14 JANV. - Myrosinase and the hydrolytic degradation of natural and synthetic glucosinolates. - *Colloque Glucosinolates : 10 années de recherche. Orléans, France*. p. 57-62.
- PINKERTON A., RANDALL P.J., WALLACE P.A., 1993. - Determination of total glucosinolates in oilseed rape by X-ray spectrometric analysis for oxidised sulphur (S6+). - *J. Sci. Food Agri.*, Vol. 61, n° 1, p. 79-86.
- QUINSAC A., 1993, 14 Janv. - Séparation et identification par CPL des glucosinolates dans le colza et autres crucifères : création et utilisation d'une banque de standards. - *Colloque Glucosinolates : 10 années de recherche. Orléans, France*. p. 36-46.
- QUINSAC A., 1993, 14 Janv. - Dosage de la 5-vinyloxazolidine-2-thione (5-VOT) dans les milieux biologiques. - *Colloque Glucosinolates : 10 années de recherche. Orléans, France*. p. 69-73.
- QUINSAC A., 1993. - L'analyse des glucosinolates évolue. - *Oléoscope - Bulletin du CETIOM*, n° 18, novembre-décembre, p. 09.
- REVA V.A., KULIBALI M.T., 1993. - The behaviour of rapeseed cruciferin on chromatofocusing. - *Die Nahrung*, Vol. 37, n° 5, p. 463-469.
- RODRIGUEZ M.D., 1992. - Estudio comparativo de los métodos m-hidroxifenilfenol y 3.5-dimetilfenol para determinar sustancias pécticas en el nabo (*Brassica napus*). - *Alimentaria*, n° 232, p. 79-83.
- ROLLIN P., 1993, 21 oct. - Valorisation du tourteau de colza contribution de la chimie organique de synthèse. - *Colloque Annuel, Valicentre. Tours, France*. p. 09-13.

SCHNUG E., MURRAY F., 1993. - Preparation techniques of small sample sizes for sulphur and indirect total glucosinolate analysis in Brassica seeds by X-ray fluorescence spectroscopy. - *Fett Wissenschaft Technologie*, Vol. 95, n° 9, p. 334-337.

STEINER J., 1993. - Rapeseed, canola methodology. - *INFORM*, Vol. 4, n° 5, p. 623 et 625.

THOLEN J.T., BUZZA G., 1993. - Measurement of the glucosinolate content in rapeseed using the TRUBLUGLU meter. - *Plant Breeding*, Vol. 110, n° 2, p. 137-143.

TULLIEZ J., 1993, 14 Janv. - Les glucosinolates indoliques peuvent-ils jouer chez l'homme un rôle protecteur vis-à-vis de la cancérogénèse chimique ? - *Colloque Glucosinolates : 10 années de recherche*. Orléans, France. p. 104-105.

VOSKERUSA J., 1993. - The contribution of different alkenylglucosinolates component of the rapeseed. - *Rostlinna Vyroba*, Vol. 39, n° 5, p. 401-409.

WATHELET J.P., 1993, 13 Janv. - L'analyse des glucosinolates : une progression continue vers des méthodes rapides, fiables, normalisées. - *Colloque Glucosinolates : 10 années de recherche*. Orléans, France. p. 09-25.

WHITE J., 1993. - Glucosinolate testing of farm saved rapeseed in the UK 1992. - *Bulletin GCIRC*, n° 9, fév., p. 73-75.

WILLIAMS J.P., 1993. - Computer simulation model for the biosynthesis of galactosyldiacylglycerols and fatty acid desaturation in plants. Determination of rates of desaturase activity in mono-galactosyldiacylglycerol. - *Plant Physiology*, Vol. 101, n° 3, p. 977-983.

1992. - Graines de colza. Détermination de la teneur en chlorophylle : méthode spectrométrique. - *Norme NF ISO 10519*, déc., 12 p.

Technologie - Technology - Technologie

CENKOWSKI S., 1992. - Effect of maturity stage on mechanical properties of canola seeds. - *Transactions of the ASAE*, Vol. 35, n° 4, p. 1243-1248.

CLINQUART A., ISTASSE L., 1993. - Influence de l'extrusion de mélanges de graines de lin et d'orge, de graines de pois et de colza, et de fèves de soja, sur la dégradabilité dans le rumen de leurs fractions azotée et lipidique et sur leur composition en acides gras. - *Annales de Zootechnie*, Vol. 42, n° 2, p. 130-131.

DRIGALLA P., PUDEL F., 1993. - Untersuchungen zur direkten Hydrierung von TOP-Rapsöl. - *Fett Wissenschaft Technologie*, Vol. 95, n° 7, p. 241-248.

FELL P.J., SOULSBY S., 1992. - Oilseed rape - A new allergen ? - *Clinical and Experimental Allergy*, Vol. 22, n° 4, p. 501-505.

HEIDENREICH E., LOWE R., 1993. - Rapssaaten und Rapsprodukte im Mischfutter. - *Fett Wissenschaft Technologie*, Vol. 95, n° 2, p. 69-74.

JOHNSON FLANAGAN A.M., 1991. - The impact of freezing during maturation on storage products in canola seeds. - *Physiologia Plantarum*, Vol. 81, n° 3, p. 301-308.

LEGER L.W., ARNTFIELD S.D., 1993. - Thermal gelation of the 12S canola globulin. - *J.A.O.C.S.*, Vol. 70, n° 9, p. 853-861.

LILLEBOE D., 1993. - Late harvest ? It could mean changes in your natural air drying approach. - *The Sunflower*, Vol. 19, n° 5, p. 12-14.

MACCURDY S.M., 1992. - Infrared processing of dry peas, canola, and canola screenings. - *J. Food Sci.*, Vol. 57, n° 4, p. 941-944.

O'SULLIVAN J.N., 1990. - Purification and properties of lipase from oilseed rape (*Brassica napus* L.). - *Plant Lipid Biochemistry, Structure and Utilization*. - *Proceedings of the Ninth International Symposium on Plant Lipids*. Kent, Grande-Bretagne. juil., p. 313-315.

OOMAH B.D., 1992. - Microwave oven drying for moisture determination in flax, canola and yellow mustard seeds. - *Lebensmittel Wissenschaft Technologie*, Vol. 25, n° 6, p. 523-526.

SOSADA M., 1993. - Optimal conditions for fractionation of rapeseed lecithin with alcohols. - *J.A.O.C.S.*, Vol. 70, n° 4, p. 405-410.

SZOT B., 1992. - Rapeseed damage as influenced by the dynamic load. - *International Agrophysics*, Vol. 6, n° 1-2, p. 103-114.

TAYLOR D.C., 1992. - Biosynthesis of acyl lipids containing very-long chain fatty acids in microspore-derived and zygotic embryos of *Brassica napus* L. - *Plant Physiology*, Vol. 99, n° 4, p. 1609-1618.

TRANI M., LORTIE R., 1993. - Enzymatic synthesis of trierucin from high-erucic acid rapeseed oil. - *J.A.O.C.S.*, Vol. 70, n° 10, p. 961-964.

VOGT T., 1993. - Purification and characterization of sinapine synthase from seeds of *Brassica napus*. - *Archives of Biochemistry and Biophysics*, Vol. 300, n° 2, p. 622-628.

WHITE N.D.G., JAYAS D.S., 1993. - Microfloral infection and quality deterioration of sunflower seeds as affected by temperature and moisture content during storage and the suitability of the seeds for insect or mite infestation. - *Canadian Journal of Plant Science*, Vol. 73, n°1, p. 303-313.

WHITFIELD H.V., MURPHY D.J., 1993. - Sub-cellular localization of fatty acid elongase in developing seeds of *Lunaria annua* and *Brassica napus*. - *Phytochemistry*, Vol. 32, n° 2, p. 255-258.

Huile - Oil - Öl

AJANA H., HAFIDI A., 1993. - Evolution de la composition de la fraction phospholipidique isolée par dialyse, au cours du raffinage d'huiles végétales. - *Revue Française des Corps Gras*, Vol. 39, n° 11-12, p. 333-338.

ATKINSON J.L., FISHER E.N., 1993. - The metabolizable energy value of canola oil and soapstocks for broiler chicks and turkey poults. - *10th Project Report : Research on Canola Seed, Oil and Meal*, p. 250-259.

CHARLET A., 1993. - Etude comparative des émissions d'un moteur diesel fonctionnant au gazole et différentes huiles végétales. - *Entropie, Moteurs Alternatifs à Combustion Interne*, Vol. 29, n° 174-175, p. 109-113.

CREACH A., LESSIRE R., 1993. - Solubilization of acyl-CoA elongases from developing rapeseed (*Brassica napus* L.). - *J.A.O.C.S.*, Vol. 70, n° 11, p. 1129-1133.

CREACH A., LESSIRE R., 1993. - Kinetics of C18:1-CoA elongation and transacylation in rapeseeds. - *Plant Physiology and Biochemistry*, Vol. 31, n° 6, p. 923-930.

FORSSELL P., PAROVUORI P., 1993. - Enzymatic transesterification of rapeseed oil and lauric acid in a continuous reactor. - *J.A.O.C.S.*, Vol. 70, n° 11, p. 1105-1109.

GUSTAFSSON I.B., 1993. - The taste of dietary fat based on rapeseed oil was superior to that based on sunflower oil when used for frying and baking. - *J. Sci. Food Agri.*, Vol. 62, n° 3, p. 273-281.

HAMILTON R.J., 1993. - Structure and general properties of mineral and vegetable oils used as spray adjuvants. - *Pesticide Science*, Vol. 37, n° 2, p. 141-146.

HASSAN M., 1993. - Minimisation du taux d'injection pilote dans un moteur diesel-gaz faible puissance. - *Entropie, Moteurs Alternatifs à Combustion Interne*, Vol. 29, n° 174-175, p. 101-108.

HAWRSH Z.J., 1992. - Propyl gallate and ascorbyl palmitate affect stability of canola oils in accelerated storage. - *J. Food Sci.*, Vol. 57, n° 5, p. 1234-1238.

HAWRYSH Z.J., 1993. - Quality evaluations of snack foods fried in canola oil products. - *10th Project Report : Research on Canola Seed, Oil and Meal.*, p. 214-234.

HEMMERLEIN N., KORTE V., 1991. - Performance, exhaust emissions and durability of modern diesel engines running on rapeseed oil. - *Transactions of the ASAE*, Vol. 100, n° 4, p. 400-415.

HIRSINGER F., 1992. - Vegetable oils and fats in the chemical industry. - *Plant Research and Development*, Vol. 36, p. 19-27.

- LEDAHUDEC J., POKORNY J., 1993. - Effect of nonvolatile oxidation products on sensory characteristics of frying oils. - *Die Nahrung*, Vol. 37, n° 1, p. 97-98.
- MACDONALD B.E., BRUCE V.M., 1993. - Comparison of the effect of canola and sunflower oil on platelet function and eicosanoid production in man. - *10th Project Report : Research on Canola Seed, Oil and Meal*. p. 235-240.
- MARKOWSKI A., FILEK M., 1991. - Changes of fatty acids in polar lipids from different parts of rape plant (*Brassica napus* var. *oleifera*) before and after vernalization. - *Acta Physiologiae Plantarum*, Vol. 13, n° 1, p. 21-26.
- MENDY F., 1993, 30 nov. - Huile de colza - Complémentation laits pour prématurés. - *Les Rencontres Annuelles du CETIOM. Paris, France*. 3 p.
- MUTANEN M., FREESE R., 1992. - Rapeseed oil and sunflower oil diets enhance platelet in vitro aggregation and thromboxane production in healthy men when compared with milk fat or habitual diets. - *Thrombosis and Haemostasis*, Vol. 67, n° 3, p. 352-356.
- PERKINS L.A., 1991. - Durability testing of transesterified winter rape oil (*Brassica napus* L.) as fuel in small bore, multi-cylinder, DI, CI engines. - *Transactions of the ASAE*, Vol. 100, n° 4, p. 545-556.
- POITRAT E., 1993. - Systèmes biomasses : état des recherches sur les biocarburants. - *Systèmes solaires*, n° 90-91, p. 09-19.
- PRZYBYLSKI R., 1993. - Formation and partial characterization of canola oil sediment. - *J.A.O.C.S.*, Vol. 70, n° 10, p. 1009-1015.
- RENAUD S., DE LORGERIL M., 1993, 30 nov. - La prévention secondaire de l'infarctus par un régime méditerranéen incluant huile et margarine de colza. - *Les Rencontres Annuelles du CETIOM. Paris, France*. 2 p.
- RÖBBELEN G., KRALING K., 1992/1991, 25-27 Nov. - Rapeseed oils high in single fatty acid contents for oleochemical uses. - *Industrial Crops and Products. - First European Symposium on Industrial Crops and Products. Maastricht, The Netherlands*, Vol. 1, n° 2-4, p. 303-309.
- SCHARMER K., 1993. - Verwendung von Kraftstoffen aus Pflanzenölen unter Umweltsichtspunkten. - *Raps*, Vol. 11, n° 1, p. 20, 22-23.
- SCHMIDT A., KEFER K., 1992. - Rapsöl als Energieträger (3): Rapsöl als Dieselkraftstoffextender. Ergebnisse des Flottenversuches. - *Erdoel, Erdgas, Kohle*, Vol. 108, n° 11, p. 469-471.
- SCHMIDT A., STATTER W., 1992. - Rapsöl als Energieträger. II: Rapsöl als Dieselkraftstoffextender. Laboratoriums- und Prüfstandversuche. - *Erdoel, Erdgas, Kohle*, Vol. 108, n° 10, p. 415-418.
- SEPPANEN-LAAKSO T., LAAKSO I., VANHANEN H., VIHKARI J., 1993. - Rapeseed oil as a source of essential fatty acids. - *Bulletin GCIRC*, n° 9, fév., p. 47-48.
- SONNET P.E., FOGLIA T.A., 1993. - Fatty acid selectivity of lipases : erucic acid from rapeseed oil. - *J.A.O.C.S.*, Vol. 70, n° 4, p. 387-391.
- SOSULSKI K., SOSULSKI F.W., 1993. - Enzyme-aided vs two-stage processing of canola : technology, product quality and cost evaluation. - *J.A.O.C.S.*, Vol. 70, n° 9, p. 825-829.
- STAAT F., 1993. - Vegetable oil methyl esters as a diesel substitute. - *Lipid Technology*, Vol. 5, n° 4, p. 88-91.
- STAAT F., VERMEERSCH G., 1993. - Les esters méthyliques d'huile de colza comme carburants : bilan énergétique. - *Revue Française des Corps Gras*, Vol. 40, n° 5-6, p. 167-174.
- SUZUKI K., NISHIOKA A., 1993. - Behavior of chlorophyll derivatives in canola oil processing. - *J.A.O.C.S.*, Vol. 70, n° 9, p. 837-841.
- TAUTORUS C.L., LOW M.H., 1993. - Chemical aspects of chlorophyll breakdown products and their relevance to canola oil stability. - *10th Project Report : Research on Canola Seed, Oil and Meal*. p. 194-213.
- TAUTORUS C.L., LOW N.H., 1993. - Chemical aspects of chlorophyll breakdown products and their relevance to canola oil stability. - *J.A.O.C.S.*, Vol. 70, n° 9, p. 843-852.
- VERMEERSCH G., 1992. - Le diester : ses caractéristiques techniques. - *Pétrole et Techniques*, n° 375, p. 05-13.
- WOLFENBERGER U., STADLER E., SCHIESS I., 1993. - Rapsöl als Alternativtreibstoff für Dieselmotoren. - *Bulletin GCIRC*, n° 9, fév., p. 116-118.
- YOSHIDA H., 1993. - Influence of fatty acids of different unsaturation in the oxidation of purified vegetable oils during microwave irradiation. - *J. Sci. Food Agri.*, Vol. 62, n° 1, p. 41-47.

Tourteaux - Meal - Schrote

- ABEL H., MEYER U., 1993. - Futterwert von Vollfett-Rapssaat bei Milchkühen. - *Raps*, Vol. 11, n° 4, p. 178-180.
- AJUYAH A.O., HARDIN R.T., 1993. - Studies on canola seed in turkey grower diet : effects of omega-3 fatty acid composition of breast meat, breast skin and selected organs. - *Canadian Journal of Animal Science*, Vol. 73, n° 1, p. 177-181.
- BADSHAH A., 1993. - Effect of irradiation and other processing methods on in-vitro digestibility of rapeseed protein. - *J. Sci. Food Agri.*, Vol. 61, n° 2, p. 273-275.
- BELL J.M., 1993. - Nutritional evaluation of dehulled canola meal for swine. - *10th Project Report : Research on Canola Seed, Oil and Meal*. p. 64-72.
- BELL J.M., 1993. - Nutritional evaluation of dehulled canola meal fed to growing swine. - *10th Project Report : Research on Canola Seed, Oil and Meal*. p. 76-81.
- BELL J.M., 1993. - Nutritional evaluation of very low glucosinolate canola meal from BC86-18. - *10th Project Report : Research on Canola Seed, Oil and Meal*. p. 82-86.
- BELL J.M., KEITH M.O., 1993. - Combinations of canola meal and field peas for use in rations for market pigs. - *10th Project Report : Research on Canola Seed, Oil and Meal*. p. 91-100.
- BOILA R.J., INGALLS J.R., 1992. - In situ rumen digestion and escape of dry matter, nitrogen and amino acids in canola meals. - *Canadian Journal of Animal Science*, Vol. 72, n° 4, p. 891-901.
- BURGSTALLER G., JATSCH C., 1993. - Untersuchungen zum Polyensäuregehalt im Schlachtfett schwerer Schweine in Abhängigkeit vom Verabreichungszeitpunkt gleicher Rapsölmengen. - *Fett Wissenschaft Technologie*, Vol. 95, p. 533-537.
- CAMPBELL L.D., SLOMINSKI B.A., 1993. - Nutritive quality of low-glucosinolate canola meal for laying hens. - *10th Project Report : Research on Canola Seed, Oil and Meal*. p. 20-24.
- CARLIER J.P., 1993. - Tourteaux d'oléagineux et farines animales en alimentation animale. - *Revue Française des Corps Gras*, Vol. 40, n° 7-8, p. 227-236.
- CHENG K.J., MACALLISTER T.A., 1993. - Use of acidulated fatty acids to increase the rumen indegradable protein value of canola meal. - *10th Project Report : Research on Canola Seed, Oil and Meal*. p. 178-188.
- CHRISTISON G.I., BELL J.M., 1993. - Dehulled canola meal for weanling pigs. - *10th Project Report : Research on Canola Seed, Oil and Meal*. p. 73-75.
- CHRISTISON G.I., BELL J.M., 1993. - Palatability and digestibility of very low glucosinolate canola meal for weanling pigs. - *10th Project Report : Research on Canola Seed, Oil and Meal*. p. 87-90.
- CLASSEN H.L., 1993. - Nutritional evaluation of an extra low glucosinolate cultivar of canola (BC 86-18). - *10th Project Report : Research on Canola Seed, Oil and Meal*. p. 25-32.
- DACCORD R., 1993. - Protein value of rapeseed oil meal for ruminants. - *Bulletin GCIRC*, n° 9, fév., p. 119-120.
- EGGUM B.O., JENSEN S.K., SØRENSEN H., 1993. - The nutritive value of dehulled protein rich rapeseed meal produced by aqueous enzymatic extraction. - *Bulletin GCIRC*, n° 9, fév., p. 37-41.
- EMILE J.C., TRAINEAU R., 1993. - Valeur alimentaire du colza fourrager. - *Fourrages*, n° 133, p. 97-108.
- ETIENNE M., DOURMAD J.Y., EVRARD J., 1993, 02-04 Fév. - Effets de la consommation de tourteau de colza à très basse teneur en glucosinolates pendant la croissance et la gestation chez la truie. - *25^{èmes} Journées de la Recherche Porcine en France*. Paris, France. p. 193-202.
- ETIENNE M., DOURMAD J.Y., EVRARD J., BAUDET J.J., RIBAILLIER D., QUINSAC A., 1993, 14 Janv. - Utilisation du tourteau de colza à très basse teneur en glucosinolates pour l'alimentation de la truie. - *Colloque Glucosinolates : 10 années de recherche*. Orléans, France. p. 87-95.

- EVRARD J., 1993, 13 Janv.** - Le tourteau de colza : une matière première de choix en alimentation animale. - *Colloque Glucosinolates : 10 années de recherche. Orléans, France.* 1 p.
- GUIDOND., RIHST., 1993.** - Survey of glucosinolate content in Swiss rapeseed and rapeseed oil meal. - *Bulletin GCIRC, n° 9, fév.,* p. 123-124.
- INGALLS J.R., MOSHTAGHI NIA S.A., 1993.** - Effect of heating on canola meal protein degradation in the rumen and digestion in the lower gastrointestinal tract of steers. - *10th Project Report : Research on Canola Seed, Oil and Meal.* p. 160-164.
- JAHREIS G., RICHTER G.H., 1993.** - Untersuchungen zum Einsatz von Rapsaat bei Wiederkäuern. - *Fett Wissenschaft Technologie, Vol. 95,* p. 571-574.
- KENNELLY J.J., KHORASANI G.R., 1993.** - Part A : Enhancement of the nutritive value of canola protein by acid treatment. - *10th Project Report : Research on Canola Seed, Oil and Meal.* p. 101-106.
- KENNELLY J.J., KHORASANI G.R., 1993.** - Part B : Influence of acid treatment of canola meal on rumen fermentation and milk production in dairy cows. - *10th Project Report : Research on Canola Seed, Oil and Meal.* p. 107-122.
- KENNELLY J.J., KHORASANI G.R., 1993.** - Part C : Influence of acid treatment of canola meal on milk production of early-lactation dairy cows. - *10th Project Report : Research on Canola Seed, Oil and Meal.* p. 123-129.
- KENNELLY J.J., KHORASANI G.R., ROBINSON P.H., 1993.** - Effect of jet-sploding and extrusion on the nutritive value of canola meal and whole canola seed for dairy cattle. - *10th Project Report : Research on Canola Seed, Oil and Meal.* p. 130-159.
- KRACHT W., NURNBERG K., SCHUMANN W., 1993.** - Fütterung von Rapsverarbeitungsprodukten und Rapsaat an Mastschweine und Broiler. - *Fett Wissenschaft Technologie, Vol. 95,* p. 562-565.
- LARSEN T., 1993.** - Effect of dietary calcium level on mineral and trace element utilization from a rapeseed (*Brassica napus* L.) diet fed to ileum-fistulated pigs. - *British Journal of Nutrition, Vol. 69, n° 1,* p. 211-224.
- LARSEN T., SANDSTROM B., 1992.** - Effect of calcium, copper, and zinc levels in a rapeseed meal diet on mineral and trace element utilization in the rat. - *Biological Trace Element Research, Vol. 35, n° 2,* p. 167-184.
- LESSIRE M., 1993, 14 Janv.** - Perspectives d'utilisation du tourteau de colza chez le poulet de chair. - *Colloque Glucosinolates : 10 années de recherche. Orléans, France.* p. 96-103.
- MACALLISTER T.A., CHENG K.J., 1993.** - Use of lignosulfonate to decrease the rumen degradability of canola meal protein. - *Canadian Journal of Animal Science, Vol. 73, n° 1,* p. 211-215.
- MACKINNON J.J., COHEN R.D.H., 1993.** - Supplemental protein sources for feedlot cattle. - *10th Project Report : Research on Canola Seed, Oil and Meal.* p. 165-171.
- MACKINNON J.J., COHEN R.D.H., 1993.** - Protein and energy requirements for feedlot cattle. - *10th Project Report : Research on Canola Seed, Oil and Meal.* p. 172-177.
- MANSOUR E.H., 1992.** - Preparation and functional properties of rapeseed protein products. - *Acta Alimentaria, Vol. 21, n° 3-4,* p. 293-305.
- MANSOUR E.H., 1993.** - Effect of processing on the antinutritive factors and nutritive value of rapeseed products. - *Food Chemistry, Vol. 47, n° 3,* p. 247-252.
- MARQUARD R., 1993.** - Zuchtziele bei Raps im Hinblick auf die Qualität von Rapsschrot. - *Fett Wissenschaft Technologie, Vol. 95,* p. 557-561.
- MAWSON R., HEANEY R.K., 1993.** - Rapeseed meal-glucosinolates and their antinutritional effects Part 1. Rapeseed production and chemistry of glucosinolates. - *Die Nahrung, Vol. 37, n° 2,* p. 131-140.
- MAWSON R., HEANEY R.K., 1993.** - Rapeseed meal-glucosinolates and their antinutritional effects. Part II. Flavour and palatability. - *Die Nahrung, Vol. 37, n° 4,* p. 336-344.
- MICHALET DOREAU B., 1992.** - Aliments concentrés pour ruminants : dégradabilité in situ dans le rumen. - *INRA Productions Animales, Vol. 5, n° 5,* p. 371-377.
- PABST K., 1992.** - Verbesserung der Streichfähigkeit von Winterbutter durch Raps-Calciumsalze und Rapskuchen. - *Kieler Milchwirtschaftliche Forschungsberichte, Vol. 44, n° 4,* p. 317-325.
- RABOT S., 1993, 14 JANV.** - Dégradation bactérienne des glucosinolates. - *Colloque Glucosinolates : 10 années de recherche. Orléans, France.* p. 63-68.

ROLLIN P., 1993, 13 Janv. - Vers une valorisation non alimentaire du tourteau de colza. - *Colloque Glucosinolates : 10 années de recherche*. Orléans, France. 2 p.

SCHONE F., 1993. - Anforderungen der Tierernährung an die Rapszüchtung. - *Fett Wissenschaft Technologie*, Vol. 95, n° 4, p. 147-154.

SCHONE F., JAHREIS G., 1993. - Evaluation of rapeseed meals in broiler chicks : effect of iodine supply and glucosinolate degradation by myrosinase or copper. - *Sci. Food Agri.*, Vol. 61, n° 2, p. 245-252.

SCHONE F., KIRCHHEIM U., LANGE R., 1993. - Rapeseinsatz bei Schweinen. - *Fett Wissenschaft Technologie*, Vol. 95, p. 566-570.

SEOANE J.R., AMYOT A., 1993. - Performance of growing steers fed either hay or silage supplemented with canola or fish meal. - *Canadian Journal of Animal Science*, Vol. 73, n° 1, p. 57-65.

SOSULSKI K., 1993. - Oil quality, chemical characteristics and nutritional quality of presscakes from enzyme-treated canola. - *10th Project Report : Research on Canola Seed, Oil and Meal*. p. 44-63.

STOLL P., JOST M., 1993. - 00-rapeseed in pig nutrition. - *Bulletin GCIRC*, n° 9, fév., p. 121-122.

SUMMERS J.D., 1993. - Part A : Dietary sulphur and its influence on the performance of birds fed canola meal diets. - *10th Project Report : Research on Canola Seed, Oil and Meal*. p. 39-40.

SUMMERS J.D., 1993. - Part B : Interaction of sulphur and calcium in canola meal diets. - *10th Project Report : Research on Canola Seed, Oil and Meal*. p. 41-44.

TESFA A.T., 1993. - Effects of rape-seed oil supplementation on digestion, microbial protein synthesis and duodenal microbial amino acid composition in ruminants. - *Animal Feed Science and Technology*, Vol. 41, n° 4, p. 313-328.

ZYLA K., KORELESKI J., 1993. - In-vitro and in-vivo dephosphorylation of rapeseed meal by means of phytate-degrading enzymes derived from *Aspergillus niger*. - *J. Sci. Food Agri.*, Vol. 61, n° 1, p. 01-06.

- AGRESTE, 1993.** - Statistique agricole annuelle. Résultats provisoires 1992. - Ed. *MINISTÈRE DE L'AGRICULTURE ET DE LA FORET*, n° 41, 123 p.
- AGRESTE, 1993.** - Les matières premières de l'alimentation animale en 1991. - Ed. *MINISTÈRE DE L'AGRICULTURE ET DE LA FORET*, n° 30, 53 p.
- BUREAU J., EVRARD J., 1993.** - Utilisation des tourteaux de colza chez le porc et la volaille. - N° Spécial *Oléoscope 8*, Ed. *CETIOM*, 31 p.
- CETIOM, 1993.** - Campagne 1993-1994. Charte environnement pour la culture du colza destinée à la production de biocarburant. - Ed. *CETIOM*, 25 p.
- CETIOM, FOP, 1993.** - Colza d'hiver : le contexte économique, les techniques culturales, les débouchés. - Ed. *CETIOM*, 37 p.
- CETIOM, LOISON M., 1993.** - Cultures nouvelles et diversification. - N° Spécial *Oléoscope 10*, Ed. *CETIOM*, 32 p.
- FEDIOL, 1993.** - Statistiques 1992. - Ed. *FEDIOL*, 220 p.
- FOP, 1993.** - De la production à la consommation. Statistiques des oléagineux et protéagineux. France - Europe - Monde. - Ed. *FOP*, 127 p.
- ISTA, 1994.** - Oil World annual 1994. Advance issue. ISTA Price indices. - Ed. *ISTA PUBLICATIONS*, 92 p.
- JAMET J.P., 1993.** - Le diester. Les enjeux du diesel vert. Un avenir pour l'agriculture. - Ed. *Les Editions de l'Environnement*, 365 p.
- KUCHTOVA P., 1993.** - Avortements chez le colza d'hiver *Brassica napus* var. oleifera Metz. Relation avec la nutrition azotée. - Ed. *ENESAD DIJON / VSZ Ceska*, 100 p.
- LEVY R., 1993.** - Rapport Levy : les biocarburants. 200 p.
- PERNY R.A., PERES A., REGNAULT Y., RIBAILLIER D., 1993.** - Les principales crucifères adventices du colza d'hiver. Identification, nuisibilité, moyens de lutte. - Ed. *CETIOM / ANAMSO*, 19 p.
- PROLEA, 1993.** - Ecobilan du diester. Evaluation comparée des filières gazole et diester. Sur la base de l'étude réalisée par la Société Ecobilan pour le compte de l'ONIDOL (1991-1993). - Ed. *PROLEA*, 24 p.
- REAU R., WAGNER D., LETERME P., POUZET A., 1993.** - Colza et environnement. - N° Spécial *Oléoscope 7*, Ed. *CETIOM*, 25 p.
- REINHARDT G.A., 1993.** - Energie- und CO₂ - Bilanzierung nachwachsender Rohstoffe. Bilan énergétique et bilan CO₂ des matières renouvelables. - Ed. *VIEWEG*, 150 p.
- SEMUNDO, 1993.** - Spring rapeseed on the road of success. - Ed. *SEMUNDO*, 60 p.
- SILVESTRE J., 1992.** - Etude des conséquences de l'asphyxie racinaire sur la croissance et le développement du colza d'hiver. - Ed. *INP TOULOUSE*, 150 p.
- 1993.** - Résultats des essais variétaux de colza d'automne 1992. Suisse. - Ed. *STATION FEDERALE DE RECHERCHES AGRONOMIQUES DE CHANGINS*, 53 p.
- 1993.** - Congrès National FOP, La Rochelle. Cultiver notre énergie pour gagner. 12 & 13 mai 1993. - Ed. *FOP*, 90 p.
- 1993.** - Colloque glucosinolates. 10 années de recherche. Ardon, France, janvier 1993. - Ed. *CETIOM*, 108 p.
- 1993, 30 nov.** - Les Rencontres Annuelles du CETIOM. Colza. - Ed. *CETIOM*, 50 p.
- 1993.** - Réunion bilan de campagne : Bourgogne, Franche-Comté, Rhône-Alpes, Auvergne. - Ed. *CETIOM*, 53 p.
- 1993.** - Tenth project report. Research of Canola seed, oil and meal. - Ed. *CANOLA COUNCIL OF CANADA*, 270 p.