

GCIRCB11*34

Following information was collected and classified by
Danièle RIVAUD and Françoise MARAIS, Documentation, CETIOM,
174, avenue Victor Hugo - 75116 Paris

Economie - Economy - Wirtschaft

ASKEW M.F., 1994. - The impact of CAP reform on oilseed rape production at the farm level. - *Bulletin GCIRC*, n° 10, fév., p. 206-210.

BRAUER D., KLEIN H., 1994. - Die markt- und umweltgerechte Erzeugung von Ölsaaten in Mitteleuropa. - *Fett Wissenschaft Technologie*, Vol. 96, n° 3, p. 85-94.

COLTON R.T., 1994. - Canola in Australia in 1993. - *Bulletin GCIRC*, n° 10, fév., p. 215.

HEINZ E., 1994. - New plant oils : possible applications and economic perspectives. - *Bulletin GCIRC*, n° 10, fév., p. 212-214.

JAMET J.P., 1994. - Les qualités de la graine de colza. - *Bulletin GCIRC*, n° 10, fév., p. 204-205.

LAUSTSEN J.O.F., 1994. - A world market survey on rapeseed prospects. - *Bulletin GCIRC*, n° 10, fév., p. 200-203.

LINK P., ISENBERG H.H., 1994. - Absicherung der Preisrisiken im Rapsgeschäft in Kürze möglich. - *Raps*, Vol. 12, n° 4, p. 160-164.

MUENDEL H.H., 1991, 24-29 juin. - Progress and achievements in Brassica crop development through the BARD (Barani Agricultural Research and Development) project in Pakistan. - *Oil Crops : Subnetwork Workshops. Proceedings of Joint Meetings held in Shanghai, China and Saskatoon, Canada*. p. 112-115.

NINGKANG Q., 1991, 24-29 juin. - condition and development of rapeseed production in China. - *Oil Crops : Subnetwork Workshops. Proceedings of Joint Meetings held in Shanghai, China and Saskatoon, Canada*. p. 100-103.

OHLSSON I., 1991, 24-29 juin. - Rapeseed production in Sweden. - *Oil Crops : Subnetwork Workshops. Proceedings of Joint Meetings held in Shanghai, China and Saskatoon, Canada*. p. 92-95.

SOVERO M., 1991, 06-09 oct. - Rapeseed, a new oilseed crop for the United States. - *Proceedings of the Second National Symposium. New Crops : Exploration, Research, and Commercialization. Indianapolis, Indiana*. p. 302-307.

Agronomie - Agronomy - Agronomie

- ANGUS J.F., 1994. - Biofumigation : isothiocyanates released from Brassica roots inhibit growth of the take-all fungus. - *Plant and Soil*, Vol. 162, n° 1, p. 107-112.
- ANIOL H, 1994. - Stickstoffverteilung in erntereifen Rapsbeständen. - *Raps*, Vol. 12, n° 3, p. 144-147.
- ARJAURE G., JUNG L., LUCAS J.L., REAU R., 1994. - Colza. Techniques pour réduire la pollution par les nitrates. - *Oléoscope - Bulletin du CETIOM*, n° 23, sept.-oct., p. 23-24.
- AUGUSTINUSSEN E., 1991. - Nitrogen, potassium and magnesium fertilizer application to winter rape. - *Tidsskr. Planteavl.*, Vol. 95, n° 4, p. 375-382.
- BARSZCZAK Z., 1993, 15-16/04. - Effect of periodical drought stress and soil acidity on the seed yield of winter oilseed rape in relation to nitrogen rates. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne.* n° 6, p. 15-23, en polonais.
- BEK S., 1994. - Mineralization of ¹⁴C-labelled unripe straw in soil with and without rape (*Brassica napus*). - *Biology and Fertility of Soils*, Vol. 17, n° 1, p. 21-26.
- BENNETT R., 1993. - Aldoxine-forming microsomal enzyme systems involved in the biosynthesis of glucosinolates in oilseed rape (*Brassica napus*) leaves. - *Plant Physiology*, Vol. 102, n° 4, p. 1307-1312.
- BESNARD N.C., 1993. - Phytochelatins and glucosinolates accumulation in seedlings of *Brassica napus* treated with cadmium chloride. - *Phyton*, Vol. 32, n° 3, p. 19-24.
- BESTWICK L.A., 1993. - Purification and characterization of a nitrilase from *Brassica napus*. - *Physiologia Plantarum*, Vol. 89, n° 4, p. 811-816.
- BIELEWICZ J., 1993. - Pretreatment effects on equilibrium moisture contents of canola. - *J. Stored Products Research*, Vol. 29, n° 1, p. 37-44.
- BODNARYK R.P., 1994. - Potent effect of jasmonates on indole glucosinolates in oilseed rape and mustard. *Phytochemistry*, Vol. 35, n° 2, p. 301-305.
- BOOTH E.J., 1993. - The effect of site and foliar sulfur on oilseed rape : comparison of sulfur responsive and non-responsive seasons. - *Phyton*, Vol. 32, n° 3, p. 09-13.
- BOSAC C., 1993. - Impact of O₃ and SO₂ on reproductive development in oilseed rape (*Brassica napus* L.). I : Pollen germination and pollen tube growth. - *New Phytologist*, Vol. 124, n° 3, p. 439-446.
- BOSAC C., 1994. - Impact of O₃ and SO₂ on reproductive development in oilseed rape (*Brassica napus* L.). II : Reproductive site losses. - *New Phytologist*, Vol. 126, n° 1, p. 71-79.
- BRUNEL E., MESQUIDA J., RENARD M., 1994. - Répartition de l'entomofaune pollinisatrice sur des fleurs de colza (*Brassica napus* L.) et de navette (*Brassica campestris* L.) : incidence du caractère apétale de la navette. - *Apidologie*, Vol. 25, n° 1, p. 12-20.
- BUDZYNSKI W., 1993, 15-16/04. - Influence of the level and term of autumn nitrogen fertilization on the external conformation, wintering and yield of oilseed rape. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne.* n° 6, p. 41-50.
- BURY M., KOZAK M., 1993, 15-16/04. - Responses of two winter oilseed rape varieties (*Brassica napus* L.) to Baronet 70 WG applied in autumn. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne.* n° 6, p. 113-126.
- CECILIANI P., 1994. - Purification, inhibitory properties, amino acid sequence and identification of the reactive site of a new serine proteinase inhibitor from oil-rape (*Brassica napus*) seed. - *FEBS Letters*, Vol. 342, n° 2, p. 221-224.
- CHAMPOLIVIER L., 1994, 29-30/11, 1-2/12. - Diagnostic du statut nutritionnel du colza : la teneur en nitrate du jus d'organes. - *Les Rencontres Annuelles du CETIOM*. Paris, France. 4 p.
- CHAO C.S., 1994. - A comparative study of the protein and fat contents and their components in the seedcoat and embryo of yellow and black seed of oilseed rape. - *Acta Agronomica Sinica*, Vol. 20, n° 1, p. 114-119.
- CHILD R.D., EVANS D.E., 1993. - Growth responses in oilseed rape (*Brassica napus* L.) to combined applications of the triazole chemicals triapenthenol and tebuconazole and interactions with gibberelin. - *Plant Growth Regulation*, Vol. 13, n° 2, p. 203-212.

- CHOLLET D., 1994, 29-30/11, 1-2/12. - Bilan de campagne colza 1993-1994. - *Les Rencontres Annuelles du CETIOM*. Paris, France. 4 p.
- CHOPRA N., 1992. - Salt tolerance of raya (*Brassica napus* var. glauca) varieties. - *Indian Journal of Agronomy*, Vol. 37, n° 1, p. 93-96.
- COUPE S.A., 1994. - Characterization of a mRNA that accumulates during development of oilseed rape pods. - *Plant Molecular Biology*, Vol. 24, n° 1, p. 223-227.
- COUPE S.A., 1993. - Identification and characterization of a proline-rich mRNA that accumulates during pod development in oilseed rape (*Brassica napus* L.). - *Plant Molecular Biology*, Vol. 23, n° 6, p. 1223-1232.
- DARBY R.J., YEOMAN D.P., 1994. - Effects of methods of cereal straw disposal, seedbed preparation and sowing method on the establishment, yield and oil content of winter oilseed rape (*Brassica napus*). - *J. Agri. Sci.*, Vol. 122, n° 3, p. 393-404.
- DUBERT F., 1994. - Induction of generative development of winter rape (*Brassica napus* L. var. oleifera) in relation to vernalization conditions and age of vernalized plants. - *J. Agronomy and Crop Science*, Vol. 172, n° 2, p. 119-125.
- ENGQVIST G.M., BECKER H.C., 1993. - Prediction of F6 line performance from F3 families in spring oilseed rape. I : Yield and other agronomic traits. - *Euphytica*, Vol. 69, n° 1-2, p. 141-147.
- FABRY A., VASAK J., 1994. - Möglichkeiten zur Erhöhung der Konkurrenzfähigkeit bei Raps in der Tschechischen Republik. - *Bulletin GCIRC*, n° 10, fév., p. 94-98.
- FIELDSEND J., MILFORD G.F.J., 1994. - Changes in glucosinolates during crop development in single- and double-low genotypes of winter oilseed rape (*Brassica napus*) : I. Production and distribution in vegetative tissues and developing pods during development and potential role in the recycling of sulphur within the crop. - *Annals of Applied Biology*, Vol. 124, n° 3, p. 531-542.
- FIELDSEND J., MILFORD G.F.J., 1994. - Changes in glucosinolates during crop development in single- and double-low genotypes of winter oilseed rape (*Brassica napus*) : II. Profiles and tissue-water concentrations in vegetative tissues and developing pods. - *Annals of Applied Biology*, Vol. 124, n° 3, p. 543-555.
- FILEK W., DUBERT F., 1994. - Effect of completion of vernalization on generative development of winter rape (*Brassica napus* L. var. oleifera) plants. - *J. Agronomy and Crop Science*, Vol. 172, n° 1, p. 29-37.
- FUCHS C., 1994. - Partial purification and some properties of *Brassica napus* lipase. - *Zeit. Naturforschung*, Vol. 49, n° 5-6, p. 293-301.
- GABRIELLE B., DENOROY P., 1994, 29-30/11, 1-2/12. - Dynamique de l'azote dans une culture de colza, modélisation des écobilans. - *Les Rencontres Annuelles du CETIOM*. Paris, France. 3 p.
- GESCHLBAUER G., 1994. - Positive Tendenz für Stilllegungsrapen. - *Raps*, Vol. 12, n° 3, p. 121-123.
- GINSBURG S., MATILE P., 1993. - Identification of catabolites of chlorophyll-porphyrin in senescent rape cotyledons. - *Plant Physiology*, Vol. 102, n° 2, p. 521-527.
- GOOD A.G., 1994. - The effects of drought stress on free amino acid accumulation and protein synthesis in *Brassica napus*. - *Physiologia Plantarum*, Vol. 90, n° 1, p. 09-14.
- GROOTE P., 1993. - The development of the aleurone layer in canola (*Brassica napus*). - *Canadian Journal of Botany*, Vol. 71, n° 9, p. 1193-1201.
- GROSSMANN K., 1994. - Influence of the triazole growth retardant BAS 111..W on phytohormone levels in senescing intact pods of oilseed rape. - *Plant Growth Regulation*, Vol. 14, n° 2, p. 115-118.
- HABEKOTTE B., 1993. - Quantitative analysis of pod formation, seed set and seed filling in winter oilseed rape (*Brassica napus* L.) under field conditions. - *Field Crops Research*, Vol. 35, n° 1, p. 21-33.
- HAMAN J., 1994. - Strength of shell in compression test of rapeseed. - *International Agrophysics Physical Properties of Grain Crops*, Vol. 8, n° 2, p. 245-250.
- HANEKLAUS S., 1993. - Macroscopic symptomatology of sulfur deficiency symptoms in *Brassica napus*. - *Phyton*, Vol. 32, n° 3, p. 55-58.
- HANEKLAUS S., MESSICK D.L., SCHNUG E., 1994. - Schwefel und Raps. - *Raps*, Vol. 12, n° 2, p. 56-57.
- HANSEN F., DIEPENBROCK W., 1994. - Pflanzenbauliche Aspekte der Energie- und Stickstoffbilanz des Rapsanbaus. - *Fett Wissenschaft Technologie*, Vol. 96, n° 4, p. 129-136.

HAUSER C., 1992. - Accumulation of abscisic acid in cell suspension cultures of oilseed rape treated with the growth retardant BAS 111..W [phenoxydimethyl triazolylhexanol] : effects on osmotic potential and potassium, water and sugar contents. - *J. Plant Physiology*, Vol. 140, n° 6, p. 747-753.

HAWKESFORD M.J., 1993. - Sulphate/proton cotransport in plasma-membrane vesicles isolated from roots of *Brassica napus* L. : increased transport in membranes isolated from sulphur-starved plants. - *Planta*, Vol. 190, n° 3, p. 297-304.

HAYNES R.J., 1993. - Nitrogen fixation, accumulation of soil nitrogen and nitrogen balance for some field-grown legume crops. - *Field Crops Research*, Vol. 35, n° 2, p. 85-92.

HELLSTROM A., 1994. - Growth analysis in Brassica using a mechanistic growth model. - *Swedish J. Agri. Res.*, Vol. 24, n° 2, p. 57-65.

HELLYER A., 1992. - Induction, purification and characterisation of acyl-ACP thioesterase from developing seeds of oil seed rape (*Brassica napus*). - *Plant Molecular Biology*, Vol. 20, n° 5, p. 763-780.

HINSINGER P., ELSASS F., 1993. - Root-induced irreversible transformation of a trioctahedral mica in the rhizosphere of rape. - *J. Soil Science*, Vol. 44, n° 3, p. 535-545.

HISCOCK S.J., 1994. - Identification and localization of an active cutinase in the pollen of *Brassica napus*. - *Planta*, Vol. 193, n° 3, p. 377-384.

HOCKING P.J., 1993. - Effects of sowing time and plant age on critical nitrogen concentrations in canola (*Brassica napus* L.). - *Plant and Soil*, Vol. 155-56, p. 387-390.

HU Q., XU G., 1990. - Inheritable difference in boron nutrition among cultivars of oilseed rape. - *Nanjing Nongye Daxue Xuebao*, Vol. 13, n° 1, p. 80-86.

HUEHN M., 1993. - Harvest index versus grain/straw-ratio. Theoretical comments and experimental results on the comparison of variation. - *Euphytica*, Vol. 68, n° 1-2, p. 27-32.

IMESON H.C., ROOD S.B., 1993. - Hormonal control of lipase activity in oilseed rape germinants. - *Physiologia Plantarum*, Vol. 89, n° 3, p. 476-482.

INSHIN N.A., 1992. - Effect of fertilizers on winter rape productivity. - *Agrokhimiya*, n° 7, p. 77-84.

ISLAM N., 1994. - Influence of lodging and nitrogen rate on the yield and yield attributes of oilseed rape (*Brassica napus* L.). - *Theoretical and Applied Genetics*, Vol. 88, n° 5, p. 530-534.

JASINSKA Z., MALARZ W., 1993, 15-16/4. - Effect of the method of nitrogen fertilization in spring time on the yield of winter oilseed rape. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 6, p. 33-40.

JAWORSKI C.A., PHATAK S.C., 1991, 06-09/10. - Canola seed yield in relation to harvest methods. - *Proceedings of the Second National Symposium. New Crops : Exploration, Research, and Commercialization*. Indianapolis, Indiana. p. 300-301.

JEDRYCHOWSKI L., 1993, 15-16/4. - Influence of desiccation and maturity on activity of lipolytic enzymes in seeds of oilseed rape. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 6, p. 135-142.

JINLING M., MEI L., 1993. - Genotype effects of *Brassica napus* on its reproductive behavior after pollination with *Brassica juncea*. - *Theoretical and Applied Genetics*, Vol. 87, n° 1-2, p. 238-242.

KACPERSKA A., 1993. - Frost resistance and water status of winter rape leaves as affected by differential shoot/root temperature. - *Physiologia Plantarum*, Vol. 89, n° 4, p. 775-782.

KESSELMEIER J., 1993. - Exchange of carbonyl sulfide (COS) between agricultural plants and the atmosphere : studies on the deposition of COS to peas, corn and rapeseed. - *Biogeochemistry*, Vol. 23, n° 1, p. 47-59.

KIRCHNER J., SCHMIDT O., 1993. - Effects of novel oxime ether derivatives of aminooxyacetic acid on ethylene formation in leaves of oilseed rape and barley on carnation flower senescence. - *Plant Growth Regulation*, Vol. 13, n° 1, p. 41-46.

KJELLSTROM C., 1993. - Agronomic experiments with Indian cultivars of *Brassica juncea* under Swedish conditions. - *Crop Production Science*, n° 19, 8 p.

KJELLSTROM C., KIRCHMANN H., 1993. - Dry matter production of *Brassica napus* with special reference to the root system. - *Crop Production Science*, n° 19, 16 p.

- KOLASINSKA K., 1993, 15-16/4. - Effect of encrusting on winter rape seed quality. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne. n° 6*, p. 93-98.
- KORMIN V.P., 1992. - Use of soil and fertilizer nitrogen by rape. - *Agrokimiya*, n° 4, p. 20-23.
- KRAUZE A., BOWSZYS T., 1993, 22-24/11. - The effect of magnesium on yield and crude oil content of winter rapeseed. - *2nd European Symposium Industrial Crops and Products. Pise, Italie. 1 p.*
- LAGARDE F., 1994. - Colza : que d'eau, que d'eau ! *Oléoscope - Bulletin du CETIOM*, n° 23, sept.-oct., p. 25.
- LAJOLO F.M., 1991. - Chemical composition and toxic compounds [lipids, proteins, fibre, sinapine, glucosinolates and phytic acid] in rapeseed (*Brassica napus* L.) cultivars grown in Brazil. - *J. Agri. Food Chem.*, Vol. 39, n° 11, p. 1933-1937.
- LANGMEIER M., 1993. - Chlorophyll breakdown in senescent leaves : demonstration of Mg-dechelataze activity. - *Physiologia Plantarum*, Vol. 89, n° 2, p. 347-353.
- LAZZERI L., 1993. - In vitro activity of some glucosinolates and their reaction products toward a population of the nematode *Heterodera schachtii*. - *J. Agricultural and Food Chemistry*, Vol. 41, n° 5, p. 825-829.
- LEACH J.E., DARBY R.J., 1994. - Factors affecting growth and yield of winter oilseed rape (*Brassica napus*), 1985-89. - *J. Agri. Sci.*, Vol. 122, n° 3, p. 405-413.
- LETO C., 1992. - Risultati di un triennio di valutazione bio-agronomica di varietà di colza nell'interno colinare siciliano. - *Informatore Agrario*, Vol. 48, n° 40, p. 117-121.
- LETO C., CARRUBA A., 1994. - Per il colza buone prospettive. - *Informatore Agrario*, n° 38, p. 27-29.
- LETO C., CARRUBA A., 1994. - Valutazione di cultivar di colza per uso alimentare. - *Informatore Agrario*, n° 38, p. 31-34.
- LETO C., CARRUBA A., 1994. - Effetti della concimazione azotata su caratteri bioagronomici e qualitativi del colza (*Brassica napus* var. oleifera D.C.) in ambiente semi-arido. - *Rivista di Agronomia*, Vol. 28, n° 3, p. 199-205.
- LEWIS G.J., 1994. - Growth, development, and yield of three oilseed Brassica species in a water-limited environment. - *Aust. J. Experimental Agriculture*, Vol. 34, n° 1, p. 93-103.
- LIANG Y., 1994. - Interaction of silicon and boron in oilseed rape plants. - *J. Plant Nutrition*, Vol. 17, n° 2-3, p. 415-425.
- LIUN.Z., 1992. - A study of climatic-soil productivity for rapeseed in Jiangsu and Anhui provinces. - *Oil Crops of China*, n° 1, p. 34-38.
- MACIEJEWSKA U., 1993. - Effects of cold acclimation of chlorophyll fluorescence in winter rape leaves. - *Photosynthetica*, Vol. 28, n° 4, p. 559-562.
- MANTHEY R., 1994. - Sortenspektrum der in Deutschland zugelassenen Körner-Winterraps-Sorten. - *Raps*, Vol. 12, n° 3, p. 128-129.
- MARTINEZ RIVAS J.M., THOMAS N.C., 1993, 26-29/04. - cDNA cloning and overexpression of 3-oxoacyl-ACP reductase from *Brassica napus* seed. Grasas y Aceites. - *Biotechnological Aspects of Plant Lipids*. Carmona, Spain. Vol. 44, n° 2, p. 119-120.
- MATUS F.J., 1994. - A simple model for estimating the contribution of crops from a stabilized pool of soil organic matter and recent organic input. - *Plant and Soil*, Vol. 162, n° 2, p. 259-271.
- MAY W.E., HUME D.J., 1994. - Effects of agronomic practices on free fatty acid levels in the oil of Ontario-grown spring canola. - *Canadian Journal of Plant Science*, Vol. 74, n° 2, p. 267-274.
- MERRIEN A., 1994. - Les substances de croissance : des outils pour mieux gérer les intrants et protéger l'environnement. - *Oléoscope - Bulletin du CETIOM*, n° 20, mars-avril, p. 25-27.
- MUHLECKER W., KRAUTLER B., 1993. - Breakdown of chlorophyll : a tetrapyrrolic chlorophyll catabolite from senescent rape leaves. - *Helvetica Chimica Acta*, Vol. 76, n° 8, p. 2976-2980.
- MURPHY L.A., SCARTH R., 1994. - Vernalization response in spring oilseed rape (*Brassica napus* L.) cultivars. - *Canadian Journal of Plant Science*, Vol. 74, n° 2, p. 275-277.
- MUSNICKI C., 1993, 15-16/04. - Effect of some agricultural practices on quantity and quality of the winter rapeseed yield. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne. n° 6*, p. 07-14.

- NARANG R.S., 1993. - Response of rapeseed (*Brassica napus*) to fertilizers and irrigation in Punjab. - *Indian Journal of Agricultural Sciences*, Vol. 63, n° 12, p. 790-794.
- NCUBE I., ADLERCREUTZ P., 1993. - Purification of rape (*Brassica napus*) seedling lipase and its use in organic media. - *Biotechnol. Appl. Biochem.*, Vol. 17, n° 3, p. 327-336.
- NIEBES J.F., 1993. - Release of noexchangeable potassium from different size fractions of two highly K-fertilized soils in the rhizosphere of rape (*Brassica napus* cv Drakkar). - *Developments in Plant and Soil Sciences*, Vol. 54, p. 605-608.
- NUTTALL W.F., 1993. - The effect of time of application and placement of sulphur fertilizer sources on yield of wheat, canola, and barley. - *Communications in Soil Science and Plant Analysis*, Vol. 24, n° 17-18, p. 2193-2202.
- NYKIFORUK C.L., JOHNSON FLANAGAN A.M., 1994. - Germination and early seedling development under low temperature in canola. - *Crop Science*, Vol. 34, n° 4, p. 1047-1054.
- OCHS G., SCHOCK G., 1993. - Chloroplastic glutamine synthetase from *Brassica napus*. - *Plant Physiology*, Vol. 103, n° 1, p. 303-304.
- OLSEN J.A., 1994. - Acyl-CoA synthetase activity associated with rapeseed lipid body membranes. - *Phytochemistry*, Vol. 36, n° 1, p. 07-09.
- PASCALÉN.C., VILARINO P., 1992. - Componentes del rendimiento en colzas «doble cero» de primavera (*Brassica napus* L. ssp. *oleifera* (Metz) Sinsk f. annua). - *Revista de la Facultad de Agronomía*, Vol. 13, n° 2-3, p. 177-186.
- PERRY H.J., 1993. - Use of glycerol precursor in radiolabelling studies of acyl lipids in developing seeds of *Brassica napus*. - *Phytochemistry*, Vol. 34, n° 1, p. 69-73.
- PHAM DELEGUE M.H., 1993. - Behavioral discrimination of oilseed rape volatiles by the honeybee *Apis mellifera* L. - *Chemical Senses*, Vol. 18, n° 5, p. 483-494.
- PIERRE J.G., 1994, 29-30/11, 1-2/12. - Point de l'action «impact des produits phytosanitaires sur l'environnement». - *Les Rencontres Annuelles du CETIOM*. Paris, France. 4 p.
- PORTER P.M., 1993. - Canola response to boron and nitrogen grown on the south eastern coastal plain. - *J. Plant Nutrition*, Vol. 16, n° 12, p. 2371-2381.
- PUTZ G., 1994. - Winterrapsanbau in Österreich. - *Raps*, Vol. 12, n° 3, p. 124.
- RAWA T., 1993. - Effect of some factors on the rape grain during direct harvesting. - *Roczniki Nauk Rolniczych*, Vol. 79, n° 4, p. 23-32.
- REAU R., PAILLARD C., WAGNER D., JUNG L., 1994. - Un outil pour raisonner la fertilisation azotée du colza. - *Oléoscope - Bulletin du CETIOM*, n° 19, janvier-février, p. 22-23.
- REAU R., WAGNER D., 1994. - Fertilisation azotée du colza : impact sur l'équilibre. - *Bulletin GCIRC*, n° 10, fév., p. 79-81.
- REAU R., WAGNER D., MESSEAN A., 1994, 29-30 novembre, 1-2 décembre. - Les pratiques agricoles pour la jachère énergétique. - *Les Rencontres Annuelles du CETIOM*. Paris, France. 4 p.
- ROHANI S., CHEN M., 1993. - Aggregation and precipitation kinetics of canola protein by isoelectric precipitation. - *Canadian Journal of Chemical Engineering*, Vol. 71, n° 5, p. 689-698.
- RUNDLE S.J., 1993. - Effects of inhibitors of protein serine/threonine phosphatases on pollinisation in *Brassica*. - *Plant Physiology*, Vol. 103, n° 4, p. 1165-1171.
- RYBKA A., 1992. - Factorial analysis of the different methods of preparation for a rape crop. - *Trends in Agricultural Engineering*. Prague, TCH. p. 508-516.
- SAKURAI A., 1993. - The current status of physiology and biochemistry of brassinosteroids : a review. - *Plant Growth Regulation*, Vol. 13, n° 2, p. 147-159.
- SANTONOCETO C., 1992. - Colza in Calabria : in evidenza le cultivar 'primaverili'. - *Informatore Agrario*, Vol. 48, n° 38, p. 87-88.
- SAUERMAN W., 1994. - Anbauintensität an Standort und Sorte ausrichten. - *Raps*, Vol. 12, n° 1, p. 16-18.
- SCHAECKE B., 1993. - Der Einfluss der Bodenfruchtbarkeit auf den Ertrag von Winterraps (*Brassica napus* L. ssp. *oleifera*), dargestellt anhand von Produktionsexperimenten in Belorussland. - *Archiv fuer Acker- und Pflanzenbau und Bodenkunde*, Vol. 37, n° 6, p. 405-422.
- SCHLINK S., 1993. - Primäre Dormanz bei Körnerappsorten. - *Mitt. Ges. Pflanzenbauwiss.* Vol. 6, n° 153-156.

- SCHNUG E., HANEKLAUS S., 1994. - Regulation of glucosinolate biosynthesis in oilseed rape by nutritional factors. - *Bulletin GCIRC*, n° 10, fév., p. 72-78.
- SCHNUG E., HANEKLAUS S., MURPHY D., 1993. - Impact of sulphur fertilization on fertilizer nitrogen efficiency. - *Sulphur in Agriculture*, Vol. 17, p. 08-12.
- SCHOCK G., 1994. - Glutamine synthetase from roots of *Brassica napus* : nucleotide sequence of a cytosolic isoform. - *Plant Physiology*, Vol. 105, n° 2, p. 757-758.
- SCHULZ R.R., 1993. - Untersuchungen zum Einfluss von Wachstumsregulatoren und Stickstoffdüngung auf Ertragskomponenten von Winterraps. - *Archiv für Acker- und Pflanzenbau und Bodenkunde*, Vol. 37, n° 1, p. 33-40.
- SCHULZ R.R., MICHEL H.J., 1994. - Hohe oder niedrige Intensität beim Rapsanbau ? - *Raps*, Vol. 12, n° 3, p. 102-106.
- SCHWAPPACH P., 1994. - Wirtschaftlichkeit der Stickstoff-Düngung nach Höhe und Verteilung. - *Raps*, Vol. 12, n° 1, p. 21-25.
- SHEN Z., SHEN K., 1991. - Distribution and mobility of boron in rape (*Brassica napus* L.). - *Nanjing Nongye Daxue Xuebao*, Vol. 14, n° 4, p. 13-17.
- SHEN Z.G., 1993. - Effect of boron on the nitrate reductase activity in oilseed rape plants. - *J. Plant Nutrition*, Vol. 16, n° 7, p. 1229-1239.
- SHEN Z.G., 1993. - Interactions among boron, nitrogen and growth in oilseed rape. - *J. Nanjing Agricultural University*, Vol. 16, n° 1, p. 21-26.
- SHEPHERD T., 1994. - Patterns of short-term amino acid accumulation and loss in the root-zone of liquid-cultured forage rape (*Brassica napus* L.). - *Plant and Soil*, Vol. 158, n° 1, p. 99-109.
- SHEPHERD T., 1994. - Effect of exogenous amino acids, glucose and citric acid on the patterns of short-term accumulation and loss of amino acids in the root-zone of sand-cultured forage rape. - *Plant and Soil*, Vol. 158, n° 1, p. 111-118.
- SIAG R.K., KUMAR S., 1993. - Effect of irrigation schedule on yield, water use and oil content of toria (*Brassica napus* var *napus*). - *Indian Journal of Agronomy*, Vol. 38, n° 1, p. 42-44.
- SINGH P., BHARGAVA S.C., 1994. - Changes in growth and yield components of *Brassica napus* in response to *Azotobacter* inoculation at different rates of nitrogen application. - *J. Agri. Sci.*, Vol. 122, n° 2, p. 241-247.
- SOUTAR A., 1994. - Oilseed rape and seasonal symptoms : epidemiological and environmental studies. - *Thorax*, Vol. 49, n° 4, p. 352-356.
- SPASIBIONEK S., OGRODOWCZYK M., 1993, 15-16/04. - Evaluation of new experimental varieties of winter oilseed rape in multilocal trials 1991-92. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 5, p. 27-32.
- STAFFER W., 1993. - Einfluss von Bepflanzung, Gülleanwendung und Güllegrubengröße auf die Nitratauswaschung in einem Lysimeterversuch. - *Schweizerische Landwirtschaftliche Forschung*, Vol. 32, n° 1-2, p. 229-234.
- SUPA CHAVADE J., 1994. - Redirection of tryptophan leads to production of low indole glucosinolate canola. - *Proceedings of the National Academy of Sciences of the United States of America*, Vol. 91, n° 6, p. 2166-2170.
- SZOT B., 1994. - The effect of the physical properties of rape and of the working parameters of the combine on the extent of rapeseed losses. - *Zemledelska Technika*, Vol. 40, n° 1, p. 45-51.
- TAO H.Z., 1992. - The relationship between photosynthesis of rapeseed (*Brassica napus* L.) and its specific leaf weight and stomatal distribution. - *Oil Crops of China*, n° 2, p. 40-44.
- THORUP KRISTENSEN K., 1994. - The effect of nitrogen catch crop species on the nitrogen nutrition of succeeding crops. - *Fertilizer Research*, Vol. 37, n° 3, p. 227-234.
- TOBOLA P., MUSNICKI C., 1993, 15-16/04. - Effect of different ways of nutrition on the yield of oilseed sunflower cultivar Wielkopolski. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 6, p. 127-134.
- TRIBOI BLONDEL A.M., 1994. - Schéma d'élaboration du rendement chez le colza d'hiver. - *Elaboration du rendement des principales cultures annuelles*. p. 101-110.
- UDDIN M.M., 1992. - Role of harvesting time on pod weight, seed number, seed yield and oil content of rapeseed. - *Bangladesh Journal of Scientific and Industrial Research*, Vol. 27, n° 1-2, p. 157-162.
- VANDEPUTTE B., MESSEAN A., 1994. - Méthodologie de l'évaluation variétale : une nouvelle approche. - *Bulletin GCIRC*, n° 10, fév., p. 86-93.

- VOS G.J.M., 1994. - The fate of spring applied fertilizer N during the autumn-winter period : comparison between winter-fallow and green manure cropped soil. - *Plant and Soil*, Vol. 160, n° 2, p. 201-213.
- WESELAKE R.J., 1993. - Developmental profile of diacylglycerol acyltransferase in maturing seeds of oilseed rape and safflower and microspore-derived cultures of oilseed rape. - *Plant Physiology*, Vol. 102, n° 2, p. 565-571.
- WIELEBSKI F., 1993, 15-16/04. - Influence of increasing rates of sulphur on seed yield and glucosinolate content in two double low oilseed rape varieties. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 6, p. 63-67.
- WITHERS P.J.A., 1994. - The response of double-low winter oilseed rape to fertiliser sulphur. - *J. Sci. Food Agri.*, Vol. 66, n° 1, p. 93-101.
- WOJTOWICZ M., 1993, 15-16/04. - Influence of spring nitrogen fertilization on yield, yield components and seed quality of double low oilseed rape. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 6, p. 51-58.
- WYTOCK G.P., 1993. - The effect of sowing date and weed competition on the growth and yield of oilseed rape in Scotland. - *Proceedings of a Conference on Crop Protection in Northern Britain*. Dundee, G.B. p. 141-146.
- XU Y.S., 1992. - Influence of boron and potassium application on the yield and quality of rape seed. - *Symposium on Role of S, Mg and Micronutrients in Balanced Plant Nutrition Sulfur Institute* p. 94-97.
- YE Z., 1992. - Effect of trace element fertilizers and their combined application on the yield and quality of rapeseed. - *Turang Tongbao*, Vol. 23, n° 4, p. 168-170.
- YUAI Y., 1993. - Responses of rape genotypes to boron application. - *Plant and Soil*, Vol. 155-56, p. 321-324.
- YUAN G.Y., 1992. - Effects of soil selenium on Se content in rapeseed (*Brassica napus* L.) plants and on their growth and yield. - *Oil Crops of China*, n° 1, p. 39-41.
- ZERULLA W., KUMMER K.F., 1994. - Der Schwefel-Schätzrahmen - ein Instrument der Düngungsprognose für Schwefel. - *Raps*, Vol. 12, n° 4, p. 173-174.
- ZHANG Q.Z., 1993. - Translocation of N in pods of oilseed rape during siliqua developing. - *J. Agronomy and Crop Science*, Vol. 171, n° 1, p. 46-48.
- ZHANG Y.W., 1992. - The effect of the climate becoming warmer on rape production in Baoji City (China). - *Shaanxi Journal of Agricultural Sciences*, n° 3, p. 32-33.
- ZHAO F., 1994. - Comparison of sulphur uptake by oilseed rape and the soil sulphur status of two adjacent fields with different soil series. - *Soil Use and Management*, Vol. 10, n° 1, p. 47-50.
- ZHOU W., HAIFU X.L., 1993. - Effects of mixtalol and paclobutrazol on photosynthesis and yield of rape (*Brassica napus*). - *J. Plant Growth Regulation*, Vol. 12, n° 3, p. 157-161.

Sélection - Breeding - Züchtung

BANGA S.S., DHILLON A.S., 1994. - Incorporating atrazine resistance in Indian oilseed rape. - *Cruciferae Newsletter*, n° 16, mai, p. 97-98.

BARCIKOWSKA B., KALASA-JANOWSKA M., 1994. - Attempts of receiving yellow seeded *Brassica napus* recombinants as the result of interspecific crosses *B. juncea* (L.) Cz. et Coss x *B. carinata* Braun. - *Cruciferae Newsletter*, n° 16, mai, p. 20.

BARTKOWIAK BRODA I., POPLAWSKA W., 1994. - Results of investigations on the possibility of CMS pol utilization for winter rapeseed hybrid varieties development. - *Bulletin GCIRC*, n° 10, fév., p. 53-57.

BARTKOWIAK-BRODA I., 1993, 15-16/04. - Utilization of isozyme analysis in study on oilseed rape. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne.* - n° 5, p. 15-19.

BARTKOWIAK-BRODA I., 1993, 15-16/04. - Results of investigations on possibility of CMSpol utilization for winter rapeseed hybrid varieties development. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne.* n° 5, p. 83-90.

BERGERON D., BEAUSEIGLE D., 1993. - Sequence and expression of a gene encoding a protein with RNA-binding and glycine-rich domains in *Brassica napus*. - *Biochimica et Biophysica Acta*, Vol. 1216, n° 1, p. 123-125.

BERGMAN P., GLIMELIUS K., 1993. - Electroporation of rapeseed protoplasts - transient and stable transformation. - *Physiologia Plantarum*, Vol. 88, n° 4, p. 604-611.

BINAROVA P., STRAATMAN K., 1993. - Nuclear DNA synthesis during the induction of embryogenesis in cultured microspores and pollen of *Brassica napus* L. - *Theoretical and Applied Genetics*, Vol. 87, n° 1-2, p. 09-16.

BROWN D.C.W., 1993. - Induction of desiccation tolerance in microspore-derived embryos of *Brassica napus*. - *In Vitro Cellular & Developmental Biology*, Vol. 29, n° 3, p. 113-118.

BROWN J., BROWN A.P., 1994. - Selection for fatty acid composition of *Brassica napus* using microspore culture. - *Cruciferae Newsletter*, n° 16, mai, p. 102-103.

BROWN J., DAVIS J.B., 1994. - Outcrossing in canola (*Brassica napus* L.) under greenhouse conditions. - *Cruciferae Newsletter*, n° 16, mai, p. 75-76.

BUCHANAN WOLLASTON V., 1994. - Isolation of cDNA clones for genes that are expressed during leaf senescence in *Brassica napus* : identification of a gene encoding a senescence-specific metallothionein-like protein. - *Plant Physiology*, Vol. 105, n° 3, p. 839-846.

CELIS C., 1993. - Characterization of a partial male fertility derived from Ogura-cms in progeny of a resynthesized *Brassica napus*. - *Sexual Plant Reproduction*, Vol. 6, n° 4, p. 266-274.

CETIOM, 1994. - Colza : les composites hybrides lignées. - *Oléoscope - Supplément au Bulletin du CETIOM*, n° spécial 17, 42 p.

CHEN B.Y., HENEEN W.K., 1994. - The restorer gene of *Brassica napus* line Sv84-28053 located in the C-genome. - *Cruciferae Newsletter*, n° 16, mai, p. 77-78.

CHEVRE A.M., EBER F., 1994. - Creation and characterization of *Brassica napus*- *Diplotaxis erucoides* addition lines. - *Cruciferae Newsletter*, n° 16, mai, p. 28-29.

CHEVRE A.M., EBER F., 1994. - Comparison of somatic and sexual *Brassica napus* - *Sinapis alba* hybrids and their progeny by cytogenetic studies and molecular characterization. - *Genome*, Vol. 37, n° 3, p. 367-374.

CRESSWELL J.E., 1994. - A method for quantifying the gene flow that results from a single bumblebee visit using transgenic oilseed rape, *Brassica napus* L. cv. Westar. - *Transgenic Research*, Vol. 3, n° 2, p. 134-137.

CUMMINS I., 1993. - Differential, temporal and spatial expression of genes involved in storage oil and oleosin accumulation in developing rapeseed embryos : implications for the role of oleosins and the mechanisms of oil-body formation. - *Plant Molecular Biology*, Vol. 23, n° 5, p. 1015-1027.

CUSTER J.B.M., 1994. - Temperature controls both gametophytic and sporophytic development in microspore cultures of *Brassica napus*. - *Plant Cell Reports*, Vol. 13, n° 5, p.267-271.

DAMGAARD C., 1994. - Inbreeding depression and dominance-suppression competition after inbreeding in rapeseed (*Brassica napus*). - *Theoretical and Applied Genetics*, Vol. 88, n° 3-4, p. 321-323.

DAMGAARD C., 1994. - Genetic variation for selfing rate and the dependence of selfing rate on mating history in *Brassica napus*. - *Heredity*, Vol. 72, n° 6, p. 570-573.

DELOURME R., EBER F., 1994. - Transfer of radish cytoplasmic male sterility from *Brassica napus* to *B. juncea* and *B. rapa*. - *Cruciferae Newsletter*, n° 16, mai, p. 79.

DOWNEY R.K., 1994. - The status of hybrid systems and biotechnology applications in Canada. - *Bulletin GCIRC*, n° 10, fév., p. 45-47.

DOWNEY R.K., 1993. - Agronomic improvement in oilseed Brassicas. - *Advances in Agronomy*, Vol. 50, p. 01-66.

DROZDOWSKA L., ROGOZINSKA J., 1993, 15-16/04. - In vitro flower buds development and silique formation in oilseed rape. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne. n° 5*, p. 109-113.

EBER F., CHEVRE A.M., 1994. - Spontaneous hybridization between a male-sterile oilseed rape and two weeds. - *Theoretical and Applied Genetics*, Vol. 88, n° 3-4, p. 362-368.

EIKENBERRY E., 1994. - Chromosome doubling of microspore-derived canola using trifluralin. - *Cruciferae Newsletter*, n° 16, mai, p. 51-52.

ENGQVIST G., 1994. - What can resynthesized *Brassica napus* offer to plant breeding? - *Sveriges Utsaedesfoerenings Tidskrift*, Vol. 104, n° 2, p. 87-92.

FAHLESON J., ERIKSSON I., 1994. - Intertribal somatic hybrids between *Brassica napus* and *Thlaspi perfoliatum* with high content of the T. perfoliatum-specific nervonic acid. - *Theoretical and Applied Genetics*, Vol. 87, n° 7, p. 795-804.

FAHLESON J., ERIKSSON I., 1994. - Intertribal somatic hybrids between *Brassica napus* and *Barbarea vulgaris* - production of in vitro plants. - *Plant Cell Reports*, Vol. 13, n° 7, p. 411-416.

FLEMING A.J., HANKE D.E., 1993. - The regulation of napin gene expression in secondary embryos of *Brassica napus*. - *Physiologia Plantarum*, Vol. 87, n° 3, p. 396-402.

FORSBERG J., 1994. - Fertile somatic hybrids between *Brassica napus* and *Arabidopsis thaliana*. - *Plant Science*, Vol. 95, n° 2, p. 213-223.

FRAUENM., 1994. - Use of biotechnology in breeding new varieties of winter oilseed rape in Germany. - *Bulletin GCIRC*, n° 10, fév., p. 16-20.

GAUVIN M.L., LAVIGNE C., GOUYON P.H., 1994. - Colza et transgénèse. Colza transgénétique et environnement. - *O.C.L.*, n° 1, septembre, p. 45-49.

GRZYBOWSKA T., 1993, 15-16/04. - The susceptibility of lines and chosen strains of winter oilseed rape to *Phoma lingam* and *Verticillium dahliae* infection. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne. n° 5*, p. 115-125.

GUANGSHENG Y., TINGDONG F., 1994. - Genic and cytoplasmic male sterility (GCMS) in rapeseed. - *Cruciferae Newsletter*, n° 16, mai, p. 87-88.

GUERCHE P., RENARD M., PELLETIER G., 1994. - Colza et transgénèse. Le colza : un support d'étude privilégié de la biologie des végétaux. - *O.C.L.*, n° 1, septembre, p. 29-31.

HALLDEN C., 1993. - Characterization of organellar DNA in alloplasmic lines of *Brassica napus* L. - *Plant Breeding*, Vol. 111, n° 3, p. 185-191.

HANDA H., 1993. - RNA editing of rapeseed mitochondrial ATP9 transcripts : RNA editing changes four amino acids, but termination codon is already encoded by genomic sequence. - *Idengaku Zasshi*, Vol. 68, n 1, p. 47-54.

HARTER K., 1993. - Light- and sucrose-dependent gene expression in photomixotropic cell suspension cultures and protoplasts of rape (*Brassica napus* L.). - *The Plant Journal*, Vol. 4, n° 3, p. 507-516.

HERVE C., ROUAN D., 1993. - Molecular analysis of transgenic rapeseed plants obtained by direct transfer of two separate plasmids containing, respectively, the cauliflower mosaic virus coat protein gene and selectable marker gene. - *Plant Science*, Vol. 91, n° 2, p. 181-193.

HOVINEN S., LAAKSO I., 1994. - Controlled crosses in modifying linoleic and alpha-linolenic acid levels in spring turnip rape (*Brassica campestris* L.). - *Bulletin GCIRC*, n° 10, fév., p. 63.

HU J., QUIROS C., 1994. - Tagging of a gene determining linolenic acid concentration in rapeseed with DNA-Based markers. - *Cruciferae Newsletter*, n° 16, mai, p. 42-43.

- IQBAL M.C.M., 1994.** - Increased embryogenesis after colchicine treatment of microspore cultures of *Brassica napus* L. - *J. Plant Physiology*, Vol. 143, n° 2, p. 222-226.
- ISHIDA M., OKUYAMA Y., 1994.** - Variation of seed glucosinolates contents in Japanese winter rape. - *Cruciferae Newsletter*, n° 16, mai, p. 108.
- IVASHUTA S.I., 1994.** - Regeneration of winter rape in vitro for genetic transformation. - *Russian J. Plant Physiology*, Vol. 41, n° 3, p. 388-390.
- JARDINAUD M.F., SOUVRE A., 1993.** - Transient GUS gene expression in *Brassica napus* electroporated microspores. - *Plant Science*, Vol. 93, n° 1-2, p. 177-184.
- JARL C.I., 1994.** - Chloroplast ultrastructure and fluorescence response of oilseed rape containing male-sterile radish cytoplasm. - *In Vitro Cellular & Developmental Biology Plant*, Vol. 30, n° 1, p. 04-09.
- KERLAN M.C., CHEVRE A.M., 1993.** - Interspecific hybrids between a transgenic rapeseed (*Brassica napus*) and related species : cytogenetical characterization and detection of the transgene. - *Genome*, Vol. 36, n° 6, p. 1099-1106.
- KHEHRA G.S., 1992.** - The interaction of genotype explant and media on the regeneration of shoots from complex explants of *Brassica napus* L. - *J. Experimental Botany*, Vol. 43, n° 256, p. 1413-1418.
- KONTOWSKI S., FRIEDT W., 1994.** - Genotypic effects on microspore culture in a breeding program for high erucic acid content of *Brassica napus*. - *Bulletin GCIRC*, n° 10, fév., p. 30-38.
- KRZYMANSKI J., 1994.** - Biotechnology methods in research and breeding of winter oilseed rape in Poland. - *Bulletin GCIRC*, n° 10, fév., p. 39-40.
- KRZYMANSKI J., 1993, 15-16/04.** - Researches on genetics and on breeding of oil crops - achievements and new perspectives. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne.* n° 5, p. 07-14.
- KRZYMANSKI J., PIETKA T., KROTKA K., 1993, 15-16/04.** - Combining ability and heterosis in diallel crosses of double low winter oilseed rape F1 generation. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne.* n° 5, p. 41-52.
- LAWN R.J., 1994.** - Register of Australian oilseed cultivars : *Glycine max* (L.) Merr. (soybean) cv. Leichhardt. *Brassica napus* (L.) var. napus (canola, rapeseed) cv. Oscar. - *Aust. J. Experimental Agriculture*, Vol. 34, n° 2, p. 297-298.
- LEBLANC R.M., 1993.** - Desiccation-induced damage and changes in total and heat-stable protein populations in two rapeseed species. - *Plant and Cell Physiology*, Vol. 34, n° 4, p. 643-647.
- LELIVELT C.L.C., LANGE W., 1993.** - Intergeneric crosses for the transfer of resistance to the beet cyst nematode from *Raphanus sativus* to *Brassica napus*. - *Euphytica*, Vol. 68, n° 1-2, p. 111-120.
- LOADER N.M., 1993.** - Isolation and characterization of two *Brassica napus* embryo acyl-ACP thioesterase cDNA clones. - *Plant Molecular Biology*, Vol. 23, n° 4, p. 769-778.
- LUHS W., FRIEDT W., 1994.** - Stand und Aussichten der züchterischen Entwicklung von Raps (*Brassica napus* L.) mit einem maximalen Erucasäuregehalt im Öl. - *Bulletin GCIRC*, n° 10, fév., p. 21-29.
- LÜHS W., FRIEDT W., 1994.** - Stand und Perspektiven der Züchtung von Raps (*Brassica napus* L.) mit hohem Erucasäure-Gehalt im Öl für industrielle Nutzungszwecke. - *Fett Wissenschaft Technologie*, Vol. 96, n° 4, p. 137-146.
- MAGHA M.I., GUERGHE P., 1993.** - Characterization of a spontaneous rapeseed mutant tolerant to sulfonylurea and imidazolinone herbicides. - *Plant Breeding*, Vol. 111, n° 2, p. 132-141.
- MAGRATH R., 1993.** - The inheritance of aliphatic glucosinolates in *Brassica napus*. - *Plant Breeding*, Vol. 111, n° 1, p. 55-72.
- MAGRATH R., MITHEN R., 1993.** - Maternal effects of the expression of individual aliphatic glucosinolates in seeds and seedlings of *Brassica napus*. - *Plant Breeding*, Vol. 111, n° 3, p. 249-252.
- MAILER R.J., SCARTH R., 1994.** - Discrimination among cultivars of rapeseed (*Brassica napus* L.) using DNA polymorphisms amplified from arbitrary primers. - *Theoretical and Applied Genetics*, Vol. 87, n° 6, p. 697-704.
- MAQUOI E., 1993.** - The effects of abscissic acid on the maturation of *Brassica napus* somatic embryos : an ultrastructural study. - *Protoplasma*, Vol. 174, n° 3-4, p. 147-157.
- MEHRA-PALTA A., GRAVES A., 1994.** - Field trial of transgenic canola containing phaseolin gene. - *Cruciferae Newsletter*, n° 16, mai, p. 61-62.
- MESSEAN A., 1994.** - Colza et trangénèse. La réglementation. - *O.C.L.*, n° 1, septembre, p. 40-43.
- MURPHY D.J., 1994.** - Transgenic plants - a future source of novel edible and industrial oils. - *Lipid Technology*, Vol. 6, n° 4, p. 84-91.

- NALECZYNSKA A., CEGIELSKA T., 1994. - Use of doubled haploid lines in Polish rapeseed breeding. - *Bulletin GCIRC*, n° 10, fév., p. 58-62.
- OZMINKOWSKI R.H., 1994. - Comparing the resynthesis of *Brassica napus* L. by interspecific somatic and sexual hybridization. I : Producing and identifying hybrids. II : Hybrid morphology and identifying organelle genomes. - *J. American Society for Horticultural Science*, Vol. 119, n° 4, p. 808-823.
- PARKIN I., 1994. - Genetics of aliphatic glucosinolates. II : Hydroxylation of alkenyl glucosinolates in *Brassica napus*. - *Heredity*, Vol. 72, n° 6, p. 594-598.
- PINOCHET X., 1994, 29-30/11, 1-2/12. - Conséquences de l'arrivée des composites hybrides lignées. - *Les Rencontres Annuelles du CETIOM*. Paris, France. 3 p.
- PIOTROWSKA A., 1993, 15-16/04. - Synthetic varieties of oilseed rape in the light of selected bibliography. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 5, p. 21-26.
- POPLAWSKA W., 1993, 15-16/04. - Search for new sources of male sterility in Brassica genus. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 5, p. 79-82.
- RAFFERTY J.B., 1994. - Crystallization of the NADH-specific enoyl acyl carrier protein reductase from *Brassica napus*. - *J. Molecular Biology*, Vol. 237, n° 2, p. 240-242.
- RALDUGINA G.N., 1994. - Genotypic differences in callus cultures of *Brassica napus* L. when affected by abscissic acid. - *Russian J. Plant Physiology*, Vol. 41, n° 5, p. 618-622.
- RAO M.V.B., 1993. - Cytomorphological studies in the hybrids of *Brassica napus* cv. ISN 4 *Brassica carinata* cv. C 1. - *International Journal of Tropical Agriculture*, Vol. 11, n° 1, p. 27-30.
- RAO M.V.B., 1993. - Introgression of earliness in *Brassica napus* L. II : an interspecific *B. napus* and *B. carinata* cross. - *International Journal of Tropical Agriculture*, Vol. 11, n° 1, p. 20-26.
- RAO M.V.B., 1993. - Introgression of earliness in *Brassica napus* L. I : an interspecific *B. juncea* and *B. napus* cross. - *International Journal of Tropical Agriculture*, Vol. 11, n° 1, p. 14-19.
- RENARD M., 1994. - Colza et transgénèse. Entre expertise et valorisation. - *O.C.L.*, n° 1, septembre, p. 35-36.
- RENARD M., CHEVRE A.M., 1994, 29-30/11, 1-2/12. - Amélioration génétique de la résistance du colza (*Brassica napus*) à *Phoma lingam*. - *Les Rencontres Annuelles du CETIOM*. Paris, France. 2 p.
- RENARD M., PELLETIER G., GUERCHE P., 1994. - Colza et transgénèse. Les applications industrielles. - *O.C.L.*, n° 1, septembre, p. 31-33.
- ROBERT L.S., ALLARD S., 1994. - Sequence and expression of endogenous S-locus glycoprotein genes in self-compatible *Brassica napus*. - *MGG. Molecular & General Genetics*, Vol. 242, n° 2, p. 209-216.
- ROSEN B., 1993. - Raphanobrassica somatic hybrids between *Brassica napus* L. and *Raphanus sativus* L. with aneuploid, chimaeric chromosome numbers. - *Sveriges Utsaedesfoerenings Tidskrift*, Vol. 103, n° 3, p. 147-153.
- RUDELSHEIM P., JOOS M., 1994. - Colza et transgénèse. Des OGM aux hybrides. - *O.C.L.*, n° 1, septembre, p. 34-35.
- SABHARWAL P.S., 1993. - Interspecific hybridization in Brassica : application of flow cytometry for analysis of ploidy and genome composition in hybrids plants. - *Biologia Plantarum*, Vol. 35, n° 2, p. 169-177.
- SCHEFFLER J.A., 1993. - Frequency and distance of pollen dispersal from transgenic oilseed rape (*Brassica napus*). - *Transgenic Research*, Vol. 2, n° 6, p. 356-364.
- SCHEFFLER J.A., 1994. - Opportunities for gene transfer from transgenic oilseed rape (*Brassica napus*) to related species. - *Transgenic Research*, Vol. 3, n° 5, p. 263-278.
- SCHULTE W., SCHELL J., 1993, 26-29/05. - Molecular cloning of a gene encoding acetyl-CoA carboxylase from *Brassica napus*. - *Grasas y Aceites Biotechnological Aspects of Plant Lipids*. Carmona, Spain. Vol. 44, n° 2, p. 137.
- SERNYK L., 1994. - The integration of biotechnology and conventional breeding in Brassica oilseed improvement. - *Bulletin GCIRC*, n° 10, fév., p. 41-44.
- SHUKLA A., 1993. - Metabolism of dihydrozeatin in floral buds of wild-type and a genic male sterile line of rapeseed (*Brassica napus* L.). - *J. Experimental Botany*, Vol. 44, n° 266, p. 1497-1505.
- SINGH M., 1993. - Characterization of expression of a mitochondrial gene region associated with the Brassica «Polima» CMS : developmental influences. - *Current Genetics*, Vol. 24, n° 4, p. 316-322.

- SJODAHL S., GUSTAVSSON H.O., 1993.** - Cruciferin gene families are expressed coordinately but with tissue-specific differences during *Brassica napus* seed development. - *Plant Molecular Biology*, Vol. 23, n° 6, p. 1165-1176.
- SODHI Y.S., 1994.** - Identification and inheritance of fertility restorer genes for tour' CMS in rapeseed (*Brassica napus* L.). - *Plant Breeding*, Vol. 112, n° 3, p. 223-227.
- STAHL R., 1994.** - RNA editing of transcripts of a chimeric mitochondrial gene associated with cytoplasmic male-sterility in Brassica. - *Nucleic Acids Research*, Vol. 22, n° 11, p. 2109-2113.
- STALBERG K., 1993.** - Deletion analysis of 2S seed storage protein promoter of *Brassica napus* in transgenic tobacco. - *Plant Molecular Biology*, Vol. 23, n° 4, p. 671-683.
- STARZYCKI M., STARZYCKA E., PSZCZOLA J., 1994.** - Evaluation of resistance of winter oilseed rape seedlings to *Phoma lingam* (Tode ex Fr. Desm) using mycelium test. - *Bulletin GCIRC*, n° 10, fév., p. 48-52.
- SUNDBY C., 1993.** - Effects of photosystem II function, photoinhibition, and plant performance of the spontaneous mutation of serine-264 in the photosystem II reaction center D1 protein in triazine-resistant *Brassica napus* L. - *Plant Physiology*, Vol. 103, n° 1, p. 105-113.
- SZESTOWICK B., KROTKA K., 1993, 15-16/04.** - Comparison of some methods of winterhardness estimation and selection of winter oilseed rape for genotypes with increased winterhardness. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne. n° 5*, p. 67-77.
- THAKRAL N.K., SINGH H., 1994.** - Breeding approaches for salt tolerance in rapeseed and mustard. - *Cruciferae Newsletter*, n° 16, mai, p. 117-118.
- VAMLING K., 1993.** - Somaclonal variation - an often mentioned but little known factor. - *Sveriges Utsaedesfoerenings Tidskrift*, Vol. 103, n° 3, p. 140-146.
- VAN DEN BERG C.G.J., MACVETTY P.B.E., 1993, 22-24/11.** - Breeding of high erucic acid low glucosinolate rapeseed. - *2nd European Symposium Industrial Crops and Products. Pise, Italie. 2 p.*
- VAN DEYNZE A., 1994.** - The inheritance of seed colour and vernalization requirement in *Brassica napus* using doubled haploid populations. - *Euphytica*, Vol. 74, n° 1-2, p. 77-83.
- VAN ROOIJEN G.J.H., 1992.** - Regulation of accumulation of mRNAs encoding a 20-kDa oil-body protein in microspore-derived embryos of *Brassica napus*. - *Canadian Journal of Botany*, Vol. 70, n° 3, p. 503-508.
- WATANABE M., 1994.** - Mechanical slicing-induced alteration of GDH isoenzyme patterns in *Brassica napus* leaf protoplasts. - *J. Plant Physiology*, Vol. 143, n° 1, p. 87-91.
- WOYKE T., 1993, 15-16/04.** - Seed yield of winter double low oilseed rape and features estimated in breeding trials in years 1991 and 1992. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne. n° 5*, p. 53-59.
- WOYKE T., 1993, 15-16/04.** - Double low oilseed rape strains/cultivars on the background of correlation between seed yield and different plant characteristics. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne. n° 5*, p. 61-66.
- YADAV I.S., LAMBA R.A.S., 1993.** - Heterosis for seed yield and yield components in intervarietal crosses of rapeseed. - *Oil Crops Newsletter*, n° 10, juin, p. 38-39.
- YAN Z., 1991, 24-29/06.** - The progress of Sino-Canadian rapeseed breeding project. - *Oil Crops : Subnetwork Workshops. Proceedings of Joint Meetings held in Shanghai, China and Saskatoon, Canada. p. 96-99.*
- ZACCOMER B., 1993.** - Transgenic plants that express genes including the 3' untranslated region of the turnip yellow mosaic virus (TYMV) genome are partially protected against TYMV infection. - *Gene*, Vol. 136, n° 1-2, p. 87-94.
- ZAMAN M.W., 1994.** - Early generation selection based on stability analysis in oilseeds Brassica. - *Sveriges Utsaedesfoerenings Tidskrift*, Vol. 104, n° 2, p. 93-97.
- ZHIHONG C., 1994.** - Ploidy and division efficiency of petiolar protoplasts of *Brassica napus*. - *Hereditas*, Vol. 120, n° 1, p. 41-46.
- ZHU J.S., 1993.** - Studies on resistance to *Phoma lingam* in *Brassica napus* - *Brassica nigra* addition lines. - *Plant Breeding*, Vol. 111, n° 3, p. 192-197.
- 1994.** - Colza et transgénèse. «La notion de semence s'efface un peu...» - *O.C.L.*, n° 1, septembre, p. 33-34.

Désherbage - Weed-Control - Unkrautbekämpfung

- BROSCHWITZ B., GOLTERMANN S., 1994.** - Unkrautbekämpfung im Winterraps. Erfahrungen mit dem Schadschwellenmodell. - *Raps*, Vol. 12, n° 3, p. 92-96.
- EL-BASTAWESY F.I., 1991.** - Effect of selected herbicides on growth and yield components of rapeseed plants and associated weeds. - *Egyptian Journal of Agronomy Special Issue*, p. 1-8.
- JENNRICH H., 1993.** - BAS 526 .. H, a new combination for flexible weed control in oil seed rape. - *Meded. Fac. Landbouwwet.*, Vol. 58, n° 3a, p. 853-861.
- JENSEN P.K., KIRKNEL E., 1994.** - Influence of spray quality on crop tolerance and weed control with foliage-applied herbicides in combining peas. - *Crop Protection*, Vol. 13, n° 3, p. 189-194.
- LUCAS J.L., MIRCOVICH C., 1994.** - Méthode de notation d'une sélectivité visuelle. - *Oléoscope - Bulletin du CETIOM*, n° 23, sept.-oct., p. 26-27.
- LUTMAN P.J.W., 1993.** - The need for weed control in oilseeds crops. - *Proceedings of a Conference on Crop Protection in Northern Britain*. Dundee, Grande-Bretagne. p. 133-140.
- LUTMAN P.J.W., BOWERMAN P., PALMER M., 1993, 22-25 NOV.** - The competitive effects of broad-leaved weeds in winter oilseed rape. - *Brighton Crop Protection Conference. Weeds.*, Vol. 3, p. 1023-1028.
- MURAWA D., 1993, 15-16/04.** - Effect of herbicides upon the yield and the biological value of winter rape seeds. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 6, p. 103-112.
- REGNAULT Y., MIRCOVICH C., 1994.** - Désherbage du colza : évaluation de la performance de produits nouveaux. - *Oléoscope - Supplément au Bulletin du CETIOM*, n° spécial 16, 23 p.
- SCHLINK S., PEKRUN C., 1994.** - Was macht den Raps zum Unkraut ? - *Raps*, Vol. 12, n° 3, p. 147-148.
- WERNER B., BODENDORFER H., 1994.** - Gezielte Unkrautbekämpfung im Winterraps nach dem Computermodell RAPUS. - *Raps*, Vol. 12, n° 3, p. 98-101.
- ZIMINSKA Z., 1993.** - The novel, more efficient herbicide for oil seed rape protection. - *Materialy Sesji Naukowej IOR*, Vol. 33, n° 2, p. 235-238.

Insectes - Insects - Insekten

- AXELSEN J., 1992, 27-28/02.** - The damage caused by single specimens of the seed weevil (*Ceuthorrhynchus assimilis* payk.) and the pollen beetle (*Meligethes aeneus* F.). - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 150-159.
- AXELSEN J.A., 1993.** - Analysis of the population dynamics of the pod gall midge (*Dasyneura brassicae* Winn.) in winter rape and spring rape by computer simulation - *Ecological Modelling*, Vol. 69, 1-2, p. 43-55.
- AXELSEN J.A., 1994.** - Host-parasitoid interactions in an agricultural ecosystem : a computer simulation. - *Ecological Modelling*, Vol. 73, n° 3-4, p. 189-203.
- BALLANGER Y., 1994.** - Le charançon de la tige du chou, *Ceuthorrhynchus quadridens* Panzer, *Ceuthorrhynchus pallidactylus* Marsham. Etude bibliographique. - *Informations Internes CETIOM*, août, 20 p.

- BALLANGER Y., KOUBAITI K., TOUSTOU E., REGNAULT Y., 1993, 07-09 déc. - Lutte chimique contre le baris des crucifères (*Baris coerulescens* Scopoli) en culture de colza d'hiver : efficacité insecticides en expérimentation sous cages. - *Conférence Internationale sur les Ravageurs en Agriculture*. Montpellier, France. Tome 3, p. 1133-1140.
- BARTLET E., BLIGHT M.M., 1993. - The responses of the cabbage seed weevil (*Ceuthorrhynchus assimilis*) to the odour of oilseed rape (*Brassica napus*) and to some volatile isothiocyanates. - *Entomol. Exp. Appl.*, Vol. 68, n° 3, p. 295-302.
- BODNARYK R.P., LAMB R.J., 1994. - Resistance of hybrid canola (*Brassica napus* L.) to flea beetle (*Phyllotreta* spp.) damage during early growth. - *Crop Protection*, Vol. 13, n° 7, p. 513-518.
- BOYD M.L., 1994. - Seasonal incidence of the cabbage seedpod weevil (*Coleoptera : curculionidae*) on rapeseed in West Tennessee. - *Environmental Entomology*, Vol. 23, n° 4, p. 900-905.
- BRANDT R.N., 1993. - Distribution of feeding damage by *Phyllotreta cruciferae* (Goeze) (*Coleoptera : Chrysomelidae*) on oil seed rape and mustard seedlings in relation to crop resistance. - *Canadian Entomologist*, Vol. 125, n° 6, p. 1011-1021.
- BRANDT R.N., LAMB R.J., 1994. - Importance of tolerance and growth rate in the resistance of oilseed rape and mustards to flea beetles, *Phyllotreta cruciferae* (Goeze) (*Coleoptera : chrysomelidae*). - *Canadian Journal of Plant Science*, Vol. 74, n° 1, p. 169-176.
- BROCHEWITZ B., VIETINGHOFF J., 1994. - Biologie und Bekämpfung der Vorblüteschädlinge im Winterraps. - *Raps*, Vol. 12, n° 1, p. 30-33.
- BRUNEL E., BLOT Y., 1992, 27-28/02. - Effect of cyromazine insect growth regulator for cabbage root fly (*Delia radicum*) control on rape. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 210-215.
- BUCHIR., 1992, 27-28/02. - Monitoring of parasitoids of the cabbage seed weevil, *Ceuthorrhynchus assimilis* during 1990 and 1991 in Switzerland. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 145-149.
- BUCHS W., 1992, 27-28 fév. - Investigations on the occurrence of pest insects in oil seed rape as a basis for the development of action thresholds, concepts for prognosis and strategies for the reduction of the input of insecticides. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 216-234.
- BUNTIN G.D., 1994. - Pest status of aphids and other insects in winter canola in Georgia. - *J. Economic Entomology*, Vol. 87, n° 4, p. 1097-1104.
- COLL C., 1993, 23-25/03. - The effect of pollen beetles (*Meligethes* spp.) on spring oilseed rape (*Brassica napus*) in Scotland. - *Crop Protection in Northern Britain 1993 : Proceeding of a Conference Dundee University*. Dundee, UK. p. 171-176.
- DEBOUZIE D., BALLANGER Y., 1993. - Dynamics of a *Ceuthorrhynchus napi* population in winter rape fields. - *Acta Oecologica*, Vol. 14, n° 5, p. 603-618.
- DELATTRE M., 1993, 07-09 déc. - Lutte contre les pucerons vecteurs de virus sur colza en Côte-d'Or. - *Conférence Internationale sur les Ravageurs en Agriculture*. Montpellier, France. Tome 1, p. 451-455.
- DELATTRE M., LIMOUZIN F., 1993, 07-09/12. - Lutte contre les baris du colza (*Baris laticollis*) dans le Loir-et-Cher et en Côte-d'Or. - *Conférence Internationale sur les Ravageurs en Agriculture*. Montpellier, France. Tome 3, p. 1141-1147.
- DOSDALL L.M., 1994. - Susceptibilities of species and cultivars of canola and mustard to infestation by root maggots (*Delia* spp.) (*Diptera : Anthomyiidae*). - *Canadian Entomologist*, Vol. 126, n° 2, p. 251-260.
- EKBOM B., BORG A., 1992, 27-28/02. - Predators, *Meligethes* and *Phyllotreta* in unsprayed spring oilseed rape. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 175-184.
- ERICHSEN E., 1994. - Kohlschotenrüssler und Kohlschotenmücke im Raps. - *Raps*, Vol. 12, n° 2, p. 52-54.
- EVANS K.A., 1993. - Distant olfactory response of the cabbage seed weevil, *Ceuthorrhynchus assimilis*, to oilseed rape odour in the field. - *Physiological Entomology*, Vol. 18, n° 3, p. 251-256.
- EVANS K.A., SCARISBRICK D.H., 1994. - Integrated insect pest management in oilseed rape crops in Europe. - *Crop Protection*, Vol. 13, n° 6, p. 403-412.
- FERGUSON A.W., WILLIAMS I.H., 1992, 27-28 fév. - Studies of the oviposition deterring pheromone of the cabbage seed weevil (*Ceuthorrhynchus assimilis* Payk.) : behavioural bioassays and oviposition by weevils wintered in the laboratory. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 193-201.

- GRALA B., 1993, 15-16/04. - Cost of chemical protection of winter rape in Poland in 1991-92. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne. n° 6*, p. 85-82.
- HANSEN L.M., 1992, 27-28/02. - Monitoring of Brassica pod midge (*Dasineura brassicae*). - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 139-144.
- LANE A., WALTERS K.F.A., 1992, 27-28/02. - Recent incidence and cost effective control of pests of oilseed rape in England and Wales. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 185-192.
- LERIN J., 1992, 27-28/02. - Influence of the growth rate of oilseed rape on the splitting of the stem after an attack of *Ceuthorrhynchus napi* Gyll. - *Bulletin OILB. - Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 160-163.
- LERIN J., CANTOT P., KOUBAITI K., 1993, 07-09/12. - Biologie comparée de deux charançons déprédateurs de racines : *Sitona lineatus* L. sur pois et *Baris coerulescens* Scop. sur colza. - *Conférence Internationale sur les Ravageurs en Agriculture. Montpellier, France. Tome 3*, p. 1149-1156.
- LEVIVELT C.L.C., 1993. - The development of juveniles of *Heterodera schachtii* in roots of resistant and susceptible genotypes of *Sinapis alba*, *Brassica napus*, *Raphanus sativus* and hybrids. - *Netherlands Journal of Plant Pathology*, Vol. 99, n° 1, p. 13-22.
- MAISONNEUVE C., REGNAULT Y., 1993, 17/12. Pucerons et viroses du colza : approche de la nuisibilité. - *Principaux Résultats Campagne 1993 CETIOM Région Nord. Amiens, France. p. 46-47*.
- MAISONNEUVE C., RIBOUD B., REGNAULT Y., AUCLERT B., CLERGET S., 1993, 07-09/12. - Etude de la nuisibilité des pucerons et des viroses en culture de colza. - *Conférence Internationale sur les Ravageurs en Agriculture. Montpellier, France. Tome 1*, p. 499-504.
- MROWCZYNSKI M., 1993, 15-16/04. - Pest control in winter oilseed rape in Poland. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne. n° 6*, p. 73-75.
- MROWCZYNSKI M., 1992 - Injuries of winter rapeseed variety types by pests. Part I. Autumn pests. - *Prace Naukowe Instytutu Ochrony Roslin, Vol. 34, n° 1-2*, p. 05-31, en polonais.
- MROWCZYNSKI M., 1992. - Injuries of winter rapeseed variety types by pests. Part II. Stem pests. - *Prace Naukowe Instytutu Ochrony Roslin, Vol. 34, n° 1-2*, p. 32-44.
- MROWCZYNSKI M., 1992. - Injuries of winter rapeseed variety types by pests. Part III. Inflorescence and silique pests. - *Prace Naukowe Instytutu Ochrony Roslin, Vol. 34, n° 1-2*, p. 45-62.
- PERES A., MAISONNEUVE C., REGNAULT Y., 1993, 07-09/12. - Etude de l'action favorisante d'une attaque de pucerons vis-à-vis du *Sclerotinia* des jeunes feuilles de tournesol. - *Conférence Internationale sur les Ravageurs en Agriculture. Montpellier, France. Tome 1*, p. 509-515.
- REGNAULT Y., MAISONNEUVE C., EGLES D., 1993, 07-09/12. - Mise au point de la lutte contre les pucerons vecteurs de viroses du colza à l'automne. - *Conférence Internationale sur les Ravageurs en Agriculture. Montpellier, France. Tome 1*, p. 525-532.
- SINGH H., 1993. - Biology of painted bug (*Bagrada cruciferarum*). - *Indian Journal of Agricultural Science*, Vol. 63, n° 10, p. 672-674.
- SINGH H., ROHILLA H.R., 1993. - Some records and observations on insect pests of rapeseed and mustard crops. - *Oil Crops Newsletter*, n° 10, juin, p. 37-38.
- STARZYNSKI A., DMOCH J., 1993. - Compensation of the damage caused by pollen beetle *Meligethes aeneus* F. on three varieties of oil seed rape. - *Materialy Sesji Naukowej IOR*, Vol. 33, n° 2, p. 90-94.
- WALIGORA D., 1993, 15-16/04. - Biological activity of glucosinolates isolated from rape leaves. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne. n° 5*, p. 151-156.
- WILLIAMS I.H., 1992, 27-28/02. - Host plant factors affecting the feeding of cabbage stem flea beetles (*Psylliodes chrysocephala* L.) on oilseed rape. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 202-209.

Maladies - Diseases - Krankheiten

- AGARWALA, 1994. - Detection and role of chlorotic toxin and phytohormones in the pathogenesis of *Alternaria* blight in *Brassica napus*. - *Current Science*, Vol. 66, n° 6, p. 442-443.
- BAIRD R.E., 1994. - Occurrence of *Macrophomina phaseolina* on canola in Indiana and Kentucky. - *Plant Disease*, Vol. 78, n° 3, p. 316.
- BANSAL V.K., 1994. - A comparison of greenhouse and field screening methods for blackleg resistance in doubled haploid lines of *Brassica napus*. - *Plant Disease*, Vol. 78, n° 3, p. 276-281.
- BHARDWAJ C.L., 1993. - Reaction of *Brassica* cultivars against *Albugo candida* isolates from Kangra valley. - *Indian Phytopathology*, Vol. 46, n° 3, p. 258-260.
- BOYER J.C., 1993. - Electrotransfection of turnip yellow mosaic virus RNA into *Brassica* leaf protoplasts and detection of viral RNA products with a non-radioactive probe. - *J. General Virology*, Vol. 74, n° 6, p. 1911-1917.
- BOYER J.C., 1993. - In vitro transcripts of turnip yellow mosaic virus encompassing a long 3' extension or produced from a full-length cDNA clone harbouring a 2 kb-long PCR-amplified segment are infectious. - *Research in Virology*, Vol. 144, n° 5, p. 339-348.
- CHAKRABORTY B.N., 1994. - Antagonism of *Erwinia herbicola* towards *Leptosphaeria maculans* causing blackleg disease of *Brassica napus*. - *Letters in Applied Microbiology*, Vol. 18, n° 2, p. 74-76.
- CHURCH V.J., FITT B.D.L., 1992, 27-28/02. - Response to fungicides of six cultivars of winter oilseed rape in 1990-1991. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 111-115.
- COUVREUR L., HERMAN J.L., 1993. - Effet du régulateur de croissance sur le développement du *Sclerotinia sclerotiorum* du colza d'hiver. - *Meded. Fac. Landbouwwet*. Vol. 58, n° 3b, p. 1243-1251.
- DEVERCHERE J., 1993, 17/12. - Pucerons et viroses du colza : symptomatologie et localisation des virus dans la plante. - *Principaux Résultats Campagne 1993 CETIOM Région Nord*. Amiens, France. p. 46-48.
- DEVERCHERE J., MAISONNEUVE C., 1994. - Viroses du colza. Symptômes observés au labo. - *Oléoscope - Bulletin du CETIOM*, n° 23, sept.-oct., p. 20-21.
- DEVERCHERE J., MAISONNEUVE C., 1994. - Peu de plantes virosées dans les champs en 1994. - *Oléoscope - Bulletin du CETIOM*, n° 23, sept.-oct., p. 22.
- DIXELIUS C., 1994. - Presence of the pathogenesis-related proteins 2, Q and S in stressed *Brassica napus* and *B. nigra* plantlets. - *Physiological and Molecular Plant Pathology*, Vol. 44, n° 1, p. 1-8.
- ENGQVIST L.G., 1994. - Distribution of clubroot (*Plasmodiophora brassicae* Wor) in Sweden and the effect of infection on oil content of oilseed rape (*Brassica napus* L.). - *Sveriges Utsaedesfoerennings Tidskrift*, Vol. 104, n° 2, p. 82-86.
- EVANS I.R., KHARBANDA P.D., 1994. - Blackleg of canola survey in Alberta - 1993. - *Canadian Plant Disease Survey*, Vol. 74, n° 1, p. 91.
- FIGUEROA L., FITT B.D.L., 1992, 27-28/02. - Methods for detection of early infection by *Pyrenopeziza brassicae* (light leaf spot) on winter oilseed rape in the UK. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 15-21.
- FIGUEROA L., SHAW M.W., 1994. - Effects of previous cropping and fungicide timing on the development of light leaf spot (*Pyrenopeziza brassicae*), seed yield and quality of winter oilseed rape (*Brassica napus*). - *Annals of Applied Biology*, Vol. 124, n° 2, p. 221-239.
- GALL C., BALES DENT M.H., 1994. - Tetrad analysis of acid phosphatase, soluble protein patterns, and mating type in *Leptosphaeria maculans*. - *Phytopathology*, Vol. 84, n° 11, p. 1299-1305.
- GARBE V., 1992, 27-28/02. - Effects of fungicide treatments in different varieties of winter rape. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 116-123.

- GLADDERS P., 1992, 27-28/02. - Observations on ringspot (*Mycosphaerella brassicicola*) in winter oilseed rape in South West England. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 09-14.
- GLADDERS P., DAVIES J.M.L., 1992, 27-28/02. - Review of *Sclerotinia* epidemic in winter oilseed rape in England and Wales 1991. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 01-08.
- GLADDERS P., HARDWICK N.V., 1992, 27-28/02. Reappraisal on fungicide requirements for oilseed rape in England and Wales with EC price reduction. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 59-66.
- GRETENKORT M.A., 1993. - The effect of environmental conditions on the expression of disease in cultured tissues of *Brassica napus* ssp. *oleifera* infected with *Leptosphaeria maculans*. - *J. Phytopathology*, Vol. 138, n 4, p. 293-307.
- HALL R., PETERS R.D., 1993. - Occurrence and impact of blackleg on oilseed rape in Ontario. - *Canadian Journal of Plant Pathology*, Vol. 15, p. 305-313.
- HARRISON L.M., KHARBANDA P.D., 1994. - The first report on extensive spread and distribution of virulent blackleg of canola in the Peace River Region of Alberta. - *Canadian Plant Disease Survey*, Vol. 74, n° 1, p. 92-93.
- JEFFERY D.C., JENKINS P.D., 1994. - Comparative studies of light leafspot (*Pyrenopeziza brassicae*) epidemics on the growth and yield of winter oilseed rape. - *Annals of Applied Biology*, Vol. 124, n° 1, p. 19-25.
- JESPERSON G.D., 1994. - 1993 Canola blackleg survey in the British Columbia Peace River Region. - *Canadian Plant Disease Survey*, Vol. 74, n° 1, p. 95.
- JOHNSON R.D., LEWIS B.G., 1994. - Variation in host range, systemic infection and epidemiology of *Leptosphaeria maculans*. - *Plant Pathology*, Vol. 43, n° 2, p. 269-277.
- KUTCHER H.R., VAN DEN BERG C.G.J., 1993. - Variation in pathogenicity of *Leptosphaeria maculans* on *Brassica* spp. based on cotyledon and stem reactions. - *Canadian Journal of Plant Pathology*, Vol. 15, p. 253-258.
- LEWARTOWSKA E., 1994, 7-11/11. - The methods of winter oilseed rape (*Brassica napus* L.) resistance evaluation against *Sclerotinia sclerotiorum* (Lib.) de Bary. - *Plant Science Fourth Symposium on Plant Immunity to Diseases and Pest*. Dobrich, Bulgarie. Vol. 31, n° 7-10, p. 252-254.
- LEWARTOWSKA E., JEDRYCZKA M., 1993. - Occurrence of fungal diseases on winter oilseed rape in cultivation region Zulawy near Gdansk (1987-1992). - *Materialy Sesji Naukowej IOR*, Vol. 33, n° 2, p. 156-161.
- LI X., 1993. - Inhibition of *Sclerotinia minor* and *Sclerotium rolfsii* by microorganisms in soil amended with rapeseed meal. - *Phytopathology*, Vol. 83, n° 12, p. 1365.
- MALTBY A.D., 1993. - Reduction in pathogen genetic diversity from inoculation to symptom development in the *Sclerotinia sclerotiorum* - Canola pathosystem in Missouri. - *Phytopathology*, Vol. 83, n° 12, p. 1359.
- MATHUR S., PLATFORD R.G., 1994. - Distribution, prevalence and incidence of canola diseases in Manitoba 1993. - *Canadian Plant Disease Survey*, Vol. 74, n° 1, p. 84-87.
- MERCER P.C., RUDDOCK A., 1992, 27-28/02. - Biological control of *Alternaria* diseases of linseed and oilseed rape. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 89-99.
- MRIDHA M., 1993. - In vitro effects of temperature and wet periods on infection of oilseed rape by *Alternaria brassicae*. - *Plant Pathology*, Vol. 42, n° 5, p. 671-675.
- NASHAAT N.I., 1994. - The response of oilseed rape (*Brassica napus* spp. *oleifera*) accessions with different glucosinolate and erucic acid contents to four isolates of *Peronospora parasitica* (downy mildew) and the identification of new sources of resistance. - *Plant Pathology*, Vol. 43, n° 2, p. 278-285.
- OSTROWKA K., LEHMANN P., 1993. - Susceptibility of Polish winter oilseed rapes to turnip mosaic virus. I: Virus detection in leaves of infected plants by ELISA test. - *Genetica Polonica*, Vol. 34, n° 2, p. 153-157.
- PAUL V.H., BEINEKE M., 1992, 27-28/02. - Reaction of cultivars and effect of fungicides on winter oilseed rape diseases in 1990-91. First results from Germany, site Soest/Westfalen in 1990-91. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 124-135.
- PEDRAS M.S.C., TAYLOR J.L., NAKASHIMAT.T., 1993. - A novel chemical signal from the «Blackleg» fungus: beyond phytotoxins and phytoalexins. - *J. Organic Chemistry*, Vol. 58, p. 4778-4780.

- PENAUD A., 1993, 17/12. - *Sclerotinia sclerotiorum* sur colza. - *Principaux Résultats Campagne 1993 CETIOM Région Nord*. Amiens, France. p. 42-43.
- PENAUD A., 1993, 17/12. - Phoma du colza : biologie et moyens de lutte. - *Principaux Résultats Campagne 1993 CETIOM Région Nord*. Amiens, France. p. 44-45.
- PENAUD A., 1992, 27-28/12. - Recherche sur la protection fongicide du colza vis-à-vis de *Leptosphaeria maculans*. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 67-72.
- PENAUD A., 1994, 29-30/11, 1-2/12. - Protection fongicide contre le phoma du colza. - *Les Rencontres Annuelles du CETIOM*. Paris, France. 3 p.
- PERES A., 1994, 29-30/11, 1-2/12. - PHOMEPI ou l'étude de l'épidémiologie du phoma du colza. - *Les Rencontres Annuelles du CETIOM*. Paris, France. 4 p.
- PETRIE G.A., 1994. - Canola. Changes in blackleg incidence, 1991-93, with notes on other diseases. - *Canadian Plant Disease Survey*, Vol. 74, n° 1, p. 88-90.
- PETRIE G.A., 1994. - Effect of temperature and moisture on the number, size and septation of ascospores produced by *Leptosphaeria maculans* (blackleg) on rapeseed stubble. - *Canadian Plant Disease Survey*, Vol. 74, n° 2, p. 141-151.
- PHILLIPS D.V., 1993. - Relationship between development of apothecia and sclerotinia stem rot of canola in Georgia. - *Phytopathology*, Vol. 83, n° 12, p. 1393.
- PLUMMER K.M., 1994. - Non-aggressive strains of the blackleg fungus, *Leptosphaeria maculans*, are present in Australia and can be distinguished from aggressive strains by molecular analysis. - *Aust. J. Botany*, Vol. 42, n° 1, p. 01-08.
- POPE S.J., SWEET J.B., 1992, 27-28/02. - Studies of *Sclerotinia sclerotiorum* infection of linseed (*Linum usitatissimum*) and oilseed rape (*Brassica napus* s.sp. oleifera) cultivars. - *Bulletin OILB. Groupe de travail «Lutte intégrée en cultures d'oléagineux»*. Le Rheu, France. Vol. 16, n° 9, p. 38-52.
- REGNAULT Y., MAISONNEUVE C., 1994. - Etudes sur les virus du colza et leurs vecteurs. - *Bulletin GCIRC*, n° 10, fév., p. 82-85
- ROUXEL T., ANSAM-MELAYAH D., 1994, 29-30/11, 1-2/12 - Polymorphisme du phoma du colza - *Les Rencontres Annuelles du CETIOM*. Paris, France. 3 p.
- SETA G., 1993. - The combined application of agrochemicals to complex protection of winter rape. - *Materialy Sesji Naukowej IOR*, Vol. 33, n° 2, p. 257-261.
- SPAK J., 1993. - Changes in the glucosinolate content of oilseed rape plants following infection with turnip mosaic virus. - *Physiological and Molecular Plant Pathology*, Vol. 43, n° 6, p. 437-442.
- STACE SMITH R., BOWLER G., 1993. - Monoclonal antibodies differentiate the weakly virulent from the highly virulent strain of *Leptosphaeria maculans*, the organism causing blackleg of canola. - *Canadian Journal of Plant Pathology*, Vol. 15, n° 3, p. 127-133.
- STARZYCKA E., 1993, 15-16/04. - Improvement of methods for determination of winter rape resistance to *Sclerotinia sclerotiorum*. - *Postępy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 5, p. 141-144.
- STARZYCKI M., 1993, 15-16/04. - The mycelium test for evaluation of resistance of young winter rapeseed plants in A-stage to *Phoma lingam*. - *Postępy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 5, p. 127-131.
- STEINBACH P., 1994. - Bewährtes Boniturschema für die Wurzelhals- und Stengelfäule an Winterraps. - *Raps*, Vol. 12, n° 4, p. 182-183.
- STEINBACH P., GARBE V., 1994. - «Umfaller» im Winterraps 1994 in stärkerem Ausmass zu beobachten. - *Raps*, Vol. 12, n° 4, p. 178-181.
- SUTHERLAND K.G., 1994. - MBC fungicides - Are they still effective at controlling light leaf spot in winter oilseed rape ? - *Cruciferae Newsletter*, n° 16, mai, p. 134.
- TAYLOR J.L., 1993. - A simple, sensitive, and rapid method for detecting seed contaminated with highly virulent *Leptosphaeria maculans*. - *Applied and Environmental Microbiology*, Vol. 59, n° 11, p. 3681-3685.
- TAYLOR J.L., BORGMANN I.E., 1994. - An unusual repetitive element from highly virulent isolates of *Leptosphaeria maculans* and evidence of its transfer to a weakly virulent isolate. - *Molecular Plant - Microbe Interactions*, Vol. 7, n° 2, p. 181-188.
- TURKINGTON T.K., HARRISON L.M., 1994. - Survey of canola diseases in the Peace River Region of Alberta, 1993. - *Canadian Plant Disease Survey*, Vol. 74, n° 1, p. 94-95.

VAN DEN ENDE J.E., 1993. - Differential interaction of *Mycosphaerella brassicicola* and *Brassica* cultivars. - *Netherlands Journal of Plant Pathology*, Vol. 99, n° 3, p. 149-162.

WEBER Z., 1993, 15-16/04. - Oilseed rape cultivars and breeding lines susceptibility to *Phoma lingam* in greenhouse and some factors influence on the incidence of collar and stalk rot in field. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 5, p. 133-140.

WHIPPS J.M., 1993. - Observations of sclerotial mycoparasites of *Sclerotinia sclerotiorum*. - *Mycological Research*, Vol. 97, n° 6, p. 696-700.

WINTER W., 1993. - Krankheitsanfälligkeit von Rapssorten, Fungizidwirkung und Massnahmen zur Krankheitseindämmung. - *Landwirtschaft Schweiz*, Vol. 6, n° 10, p. 589-596.

ZHU J.S., STRUSS D., 1993. - Studies on resistance to *Phoma lingam* in *Brassica napus*-*Brassica nigra* addition lines. - *Plant Breeding*, Vol. 111, p. 192-197.

Analyse - Analysis - Analyse

AMAROWICZ R., SHAHIDI F., 1994. - Chromatographic separation of glucopyranosyl sinapate from canola meal. - *J.A.O.C.S.*, Vol. 71, n° 5, p. 551-552.

BEWIG K.M., CLARKE A.D., 1994. - Discriminant analysis of vegetable oils by near-infrared reflectance spectroscopy. - *J.A.O.C.S.*, Vol. 71, n° 2, p. 195-200.

BJERGEGAARD C., INGVARSDEN L., MICHAELSEN A., OTTE J., SØRENSEN H., 1994. - Determination of in vivo degradation and transformation of glucosinolates. - *Bulletin GCIRC*, n° 10, fév., p. 126-127.

BJERGEGAARD C., INGVERDSEN L., SØRENSEN H., 1994. - MECC determination of aromatic choline esters accumulated in cruciferous seeds and associated to dietary fibres. - *Bulletin GCIRC*, n° 10, fév., p. 183-190.

DAUN J.K., 1994. - Comparison of combustion and Kjeldahl methods for determination of nitrogen in oilseeds. - *J.A.O.C.S.*, Vol. 71, n° 10, p. 1069-1072.

DAUN J.K., CLEAR K.M., 1994. - Comparison of three whole seed near-infrared analyzers for measuring quality components of canola seed. - *J.A.O.C.S.*, Vol. 71, n° 10, p. 1063-1068.

DAUN J.K., DECLERCQ D., HOWARD K., CLEAR K.M., THORSTEINSON T., 1994. - Wild mustard (*Sinapis arvensis* L.) and the analysis of canola (*Brassica napus* L. and *Brassica rapa* L.) by NIR and NMR. - *Bulletin GCIRC*, n° 10, fév., p. 178-182.

DAWSON G.W., HICK A.J., 1993. - Synthesis of glucosinolate precursors and investigations into the biosynthesis of phenylalkyl- and methylthioalkylglucosinolates. - *J. Biological Chemistry*, Vol. 268, n° 36, p. 27154-27159.

ERIKSSON I., 1994. - Chemical composition in varieties of rapeseed and turnip rapeseed, including several samples of hull and dehulled seed. - *J. Sci. Food Agri.*, Vol. 66, n° 2, p. 233-240.

FELDL C., MOLLER P., OLSEN C.E., OTTE J., SØRENSEN H., 1994. - Structure and properties of ascorbigens and other transformation products of indolyl glucosinolates; potential anticancerogens. - *Bulletin GCIRC*, n° 10, fév., p. 128-133.

FELDL C., MOLLER P., OTTE J., SØRENSEN H., 1994. - Indolyl glucosinolates and transformation products. Thereof: physiological active compounds and their determination by MECC. - *Bulletin GCIRC*, n° 10, fév., p. 191-197.

HANEKLAUS S., MURRAY F., SCHNUG E., 1994. - A rapid method for total glucosinolate determination in oilseed rape seeds by means of low resolution energy dispersive X-ray fluorescence spectroscopy. - *Bulletin GCIRC*, n° 10, fév., p. 161-166.

HANEKLAUS S., MURRAY F., SCHNUG E., 1994. - Application of low resolution energy dispersive X-ray fluorescence spectroscopy to total glucosinolate determination in rapeseed. - *Fett Wissenschaft Technologie*, Vol. 96, n° 6, p. 204-206.

- IORI R., JOSEPH B., ROLLIN P., PALMIERI S., 1994. - Enzymatic degradation of some natural and synthetic glucosinolates. - *Bulletin GCIRC*, n° 10, fév., p. 142-146.
- KACHLICKI P., 1993, 15-16/04. - Glucosinolate content in seeds of dihaploid and synthetic forms of *Brassica napus* L. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 5, p. 145-149.
- KALLWEIT P., HENKEL H., 1994. - Eine «Glucosinolat- Kurzanalyse der LUFA Kiel» für Mischfutter. - *Raps*, Vol. 12, n° 3, p. 133.
- LANGE R., ENGST W., 1994. - Zusammensetzung, Präparation und Eigenschaften von Rapsphospholipiden. - *Fett Wissenschaft Technologie*, Vol. 96, n° 5, p. 169-174.
- LETHENBORG P., MOLLER P., 1994. - Biosynthesis and heredity of rapeseed glucosinolates studied by HPCE of intact glucosinolates. - *Bulletin GCIRC*, n° 10, fév., p. 64-69.
- LI P.W., MICHAELSEN S., MOLLER P., SORENSEN H., 1994. - Micellar electrokinetic capillary chromatography as a fast, cheap, and efficient HPCE method for separation and quantification of intact and desulfo glucosinolates. - *Bulletin GCIRC*, n° 10, fév., p. 155-160.
- MAGRATH R., 1994. - Genetics of aliphatic glucosinolates. I : Side chaine longation in *Brassica napus* and *Arabidopsis thaliana*. - *Heredity*, Vol. 72, n° 3, p. 290-299.
- POKORNY J., VELISEK J., 1993. - Minor lipophilic components in crude rapeseed oil. - *Potravinarske Vedy*, Vol. 11, n° 3, p. 189-196.
- QUINSAC A., RIBAILLIER D., 1994. - Analyse quantitative rapide des glucosinolates du colza par chromatographie en phase liquide isocratique. - *Bulletin GCIRC*, n° 10, fév., p. 147-154.
- REED D.W., 1993. - Purification and properties of UDP-glucose : thio hydroximate glucosyltransferase from *Brassica napus* L. seedlings. - *Archives of Biochemistry and Biophysics*, Vol. 305, n° 2, p. 526-532.
- ROLLIN P., 1994. - Chemical synthesis of natural and artificial glucosinolates. New tools for analytics and biology. - *Bulletin GCIRC*, n° 10, fév., p. 136-141.
- SLOMINSKI B.A., 1994. - Carbohydrates and dietary fiber components of yellow- and brown-seeded canola - *J. Agri. Food Chem.*, Vol. 42, n° 3, p. 704-70.
- SNYDER J.M., KING J.W., 1994. - Oilseed volatile analysis by supercritical fluid and thermal desorption methods. - *J.A.O.C.S.*, Vol. 71, n° 3, p. 261-265.
- TAYLOR D.C., MACKENZIE S.L., 1994. - Stereospecific analyses of seed triacylglycerols from high-erucic acid *Brassicaceae* : detection of erucic acid at the sn-2 position in *Brassica oleracea* L. genotypes. - *J.A.O.C.S.*, Vol. 71, n° 2, p. 163-167.
- VAN DEYNZE A.E., 1994. - Seed colour assessment in *Brassica napus* using a near reflectance spectrometer adapted for visible light measurements. - *Euphytica*, Vol. 76, n° 1-2, p. 45-51.
- WALKER D.F.G., 1994. - Determination of the oil content of rapeseed by supercritical fluid extraction. - *Analyst*, Vol. 119, n° 7, p. 1471-1474.
- WARD K., SCARTH R., 1994. - Effects of processing and storage on chlorophyll derivatives in commercially extracted canola oil. - *J.A.O.C.S.*, Vol. 71, n° 8, p. 811-815.
- WARD K., SCARTH R., 1994. - A comparison of high-performance liquid chromatography and spectrophotometry to measure chlorophyll in canola seed and oil. - *J.A.O.C.S.*, Vol. 71, n° 9, p. 931-934.
- WATHELET J.P., MARLIER M., SEVERIN M., 1994. - Le métabolisme rapide des glucosinolates et de leurs dérivés dans le rumen de taurillons à l'engraissement. *Tiré à Part*. 2 p.
- WATHELET J.P., RIBAILLIER D., SEVERIN M., QUINSAC A., 1994. - L'analyse des glucosinolates, travaux réalisés par l'Organisation internationale de standardisation et le CEE. - *Bulletin GCIRC*, n° 10, fév., p. 167-177.
- WATHELET J.P., WAGSTAFFE P.J., 1993. - The certified total glucosinolate content in three rapeseeds (CRMs 190, 366 and 367). - *Fresenius' Journal of Analytical Chemistry*, Vol. 347, n° 10-11, p. 396-399.
- ZHAO F., EVANS E.J., 1994. - Influence of nitrogen and sulphur on the glucosinolate profile of rapeseed (*Brassica napus* L.). - *J. Sci. Food Agri.*, Vol. 64, n° 3, p. 295-304.
1994. - Researchers work to lower glucosinolates. - *Canola Digest*, Vol. 28, n° 6, p. 05.

Technologie - Technology - Technologie

ARINZE E.A., 1993. - Development of optimal management schemes for in-bin drying of canola grain (rapeseed). - *Computers and Electronics in Agriculture*, Vol. 9, n° 2, p. 159-187.

CREACH A., LESSIRE R., 1993, 26-29/05. - Solubilization and partial purification of the acyl-CoA elongase from developing rapeseeds (*Brassica napus* L.). - *Grasas y Aceites Biotechnological Aspects of Plant Lipids*. Carmona, Spain. Vol. 44, n° 2, p. 120-122.

CRISP J., WOODS J.L., 1994. - The drying properties of rapeseed. - *J. Agricultural Engineering Research*, Vol. 57, n° 2, p. 89-97.

DECLERCQ D.R., DAUN J.K., TIPPLES K.H., 1994. - Quality of Canadian canola and flaxseed cargoes. 1992-93 crop year. - *Cargo Bulletin*, n° 273, 11 p.

FORNAL J., 1994. - Effect of drying of rapeseeds on their mechanical properties and technological usability. - *International Agrophysics Physical Properties of Grain Crops*, Vol. 8, n° 2, p. 215-224.

HU X., DAUN J.K., 1994. - Proportions of C 18:1n-7 and C 18:1n-9 fatty acids in canola seedcoat surface and internal lipids. - *J.A.O.C.S.*, Vol. 71, n° 2, p. 221-222.

IGOR S.O., 1993. - Catalytic deamidation of canola proteins. - *Acta Alimentaria*, Vol. 22, n° 4, p. 325-336.

KANG F., 1993. - The activity of acetyl-CoA carboxylase is not correlated with the rate of lipid synthesis during development of oilseed rape (*Brassica napus* L.) embryos. - *Planta*, Vol. 193, n° 3, p. 320-325.

KEDDIE J.S., TSIANTIS M., 1994. - A seed specific *Brassica napus* oleosin promoter interacts with a G-box-specific protein and may be bi-dimensional. - *Plant Molecular Biology*, Vol. 24, n° 2, p. 327-340.

KROLL J., 1994. - Interactions of isothiocyanates with egg white proteins. - *Die Nahrung*, Vol. 38, n° 1, p. 53-60.

LANG W., 1993. - Bulk volume shrinkage during drying of wheat and canola. - *J. Food Process Engineering*, Vol. 16, n° 4, p. 305-314.

LEONARD C., 1994. - Sources and commercial applications of high-erucic vegetable oils. - *Lipid Technology*, Vol. 6, n° 4, p. 79-83.

LUSAS E.W., 1994. - Preparacion y usos de proteinas provenientes de oleoginosas excluida la soja. - *Aceites y Grasas*, n° 16, sept., p. 74-78, 80-82, 84-87.

MARKIEWICZ K., 1993, 15-16/04. - Selected mineral components of the rapeseed oil. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 6, p. 157-160.

PROVAN G.J., 1994. - Determination of phenolic acids in plant cell walls by microwave digestion. - *J. Sci. Food Agri.*, Vol. 64, n° 1, p. 63-65.

QUINSAC A., LESSIRE M., KROUTI M., RIBAILLIER D., COIC J.P., FAUDUET H., ROLLIN P., 1994. - Improvement in the nutritive value of high and low glucosinolates rapeseed meal by aqueous extraction. - *Animal Feed Science and technology*, Vol. 48, p. 265-272.

RHEE K.C., 1994. - Destoxificacion y desalergenizacion de las harinas de oleaginosas. - *Aceites y Grasas*, n° 14, p. 79-84.

SCHONE-WARNEFELD A., 1994. - Die Struktur der Rapsverarbeitung in Deutschland. - *Raps*, Vol. 12, n° 4, p. 156-159.

SOSADA M., DUTKIEWICZ Z., 1994. - Rapeseed wet gum as a direct source of high quality lecithin. - *Fett Wissenschaft Technologie*, Vol. 96, n° 1, p. 28-30.

VALENTOVA O., 1994. - Rapeseed phospholipase D. - *Potravinarské Vedy*, Vol. 12, n° 4, p. 297-308.

VOSKERUSA J., SVATON F., 1994. - Changes in winter rape quality in dependence on the harvest technology. - *Rostlinna Vyroba*, Vol. 40, n° 5, p. 457-467.

XU L., DIOSADY L.L., 1994. - The production of Chinese rapeseed protein isolates by membrane processing. - *J.A.O.C.S.*, Vol. 71, n° 9, p. 935-939.

ZADERNOWSKI R., 1993, 15-16/04. - The fats of the morphological fractions of seeds of oilseed rape. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 6, p. 151-155.

ZIRONI R., CONTE L., 1994. - Uso alimentare e non dei prodotti agricoli : il caso del colza e delle altre crucifere. - *Informatore Agrario*, n° 38, p. 35-38.

ZUKALOVA H., VASAK J., 1994. - Present quality of winter rapeseed. - *Rostlinna Vyroba*, Vol. 40, n° 9, p. 851-863.

Huile - Oil - Öl

- BADAWY I.H., ATTA B., 1994.** - Biochemical and toxicological studies on the effect of high and low erucic acid rapeseed oil on rats. - *Die Nahrung*, Vol. 38, n° 4, p. 402-411.
- BOCKEY D., 1994.** - Die jüngsten Entwicklungen bei Biodiesel. - *Bulletin GCIRC*, n° 10, fév., p. 109-125.
- BRAVAIS F., 1993.** - Influence of triolein and methyl, ethyl- and propylolate on the deposit shape and the foliar penetration of phenmedipham and quizalofop-ethyl. - *Meded. Fac. Landbouwwet.*, Vol. 58, n° 3a, p. 803-807.
- CHAPMAN D.M., PFANNKUCH E.A., KUPPER R.J., 1994.** - Separation and characterization of pigments from bleached and deodorized canola oil. - *J.A.O.C.S.*, Vol. 71, n° 4, p. 401-407.
- DRECHSLER W., 1994.** - Ökobilanz von Rapsöl bzw. Rapsölmethylester als Ersatz für Dieselkraftstoff. - *Erdöl, Erdgas, Kohle*, Vol. 110, n° 6, p. 244-247.
- DRESEL W.H., 1994.** - Biologically degradable lubricating greases based on industrial crops. - *Industrial Crops and Products*, Vol. 2, n° 4, p. 281-288.
- FENART E., 1994.** - Huile de colza : consommation très différente dans le monde. - *Oléoscope - Bulletin du CETIOM*, n° 23, sept.-oct., p. 13-14.
- FENART E., 1994.** - Huile de colza et nutrition : les nouvelles données. - *Oléoscope - Bulletin du CETIOM*, n° 23, sept.-oct., p. 15-19.
- FRANKEL E.N., HUANG S.W., 1994.** - Improving the oxidative stability of polyunsaturated vegetable oils by blending with high-oleic sunflower oil. - *J.A.O.C.S.*, Vol. 71, n° 3, p. 255-259.
- GUSTAFSSON I.B., 1994.** - A diet rich in monounsaturated rapeseed oil reduces the lipoprotein cholesterol concentration and increases the relative content of n-3 fatty acids in serum in hyperlipidemic subjects. - *American Journal of Clinical Nutrition*, Vol. 59, n° 3, p. 667-674.
- HANSEN S.L., ARTZ W.E., 1994.** - Supercritical fluid fractionation of thermally oxidized canola oil. - *J.A.O.C.S.*, Vol. 71, n° 6, p. 615-618.
- KADER J.C., 1994.** - Huile de colza de demain : les gènes-cibles. - *Oléoscope - Bulletin du CETIOM*, n° 23, sept.-oct., p. 28-30.
- KOHLER E., 1994.** - Biodiesel ein vollwertiger Kraftstoffersatz. - *Raps*, Vol. 12, n° 1, p. 08-11.
- KOSHIO S., 1994.** - Effects of oxidized herring and canola oils in diets on growth, survival, and flavor of Atlantic salmon, *Salmo salar*. - *J. Agri. Food Chem.*, Vol. 42, n° 5, p. 1164-1169.
- KOURIMSKA L., 1994.** - Use of hydrogenated rapeseed oil for French frying in household fryers. - *Die Nahrung*, Vol. 38, n° 4, p. 412-417.
- KRZYMANSKI J., 1993, 15-16/04.** - Possibilities to take the full advantages of the quality of double low oilseed rape. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 6, p. 161-166.
- LAMSA M., 1994.** - 2-ethyl-1-hexanol fatty acid esters from rapeseed oil by transesterification. - *Biotechnology Techniques*, Vol. 8, n° 6, p. 451-456.
- LEIBLE L., 1994.** - Technikfolgenabschätzung oder Ökobilanz ? - Beispiel Rapsöl. - *Fett Wissenschaft Technologie*, Vol. 96, n° 5, p. 161-168.
- LEONARD E.C., 1993, 22-24/11.** - Industrial applications of vegetable oils rich in erucic acid. - *2nd European Symposium Industrial Crops and Products*. Pise, Italie. 1 p.
- LUHS W.W., 1993, 22-24/11.** - Present state and prospects of breeding rapeseed (*Brassica napus*) with a maximum erucic acid content in seed oil. - *2nd European Symposium Industrial Crops and Products*. Pise, Italie. 1 p.
- MAGANN, JENKINS N.E., 1993.** - Lipolytic activity and degradation of rapeseed oil and rapeseed by spoilage fungi. - *International Journal of Food Microbiology*, Vol. 19, n° 3, p. 217-227.
- MALCOLMSON L.J., VAISEY-GENSER M., 1994.** - Sensory stability of canola oil : present status of shelf life studies. - *J.A.O.C.S.*, Vol. 71, n° 4, p. 435-440.
- MALECKA M., 1994.** - The effect of squalene on the thermostability of rapeseed oil. - *Die Nahrung*, Vol. 38, n° 2, p. 135-140.

- MELTON S.L., TRIGIANO M.K., 1993. - Potato chips fried in canola and/or cottonseed oil maintain high quality. - *J. Food Sci.*, Vol. 58, n° 5, p. 1079-1083.
- MORDRET F., 1994. - Contrôle de qualité des esters méthyliques utilisés comme biocarburants. - *O.C.L.*, n° 1, septembre, p. 23-24.
- NEFF W.E., MOUNTS T.L., 1994. - Oxidative stability of purified canola oil triacylglycerols with altered fatty acid compositions as affected by triacylglycerol composition and structure. - *J.A.O.C.S.*, Vol. 71, n° 10, p. 1101-1109.
- PLANK C., LORBEER E., 1994. - Minor components in vegetable oil methyl esters I : Sterols in rape seed oil methyl ester. - *Fett Wissenschaft Technologie*, Vol. 96, n° 10, p. 379-386.
- PRZYBYLSKI R., 1993. - Stability of low linolenic acid canola oil to accelerated storage at 60°C. - *Lebensmittel Wissenschaft Technologie*, Vol. 26, n° 3, p. 205-209.
- SEJR O., 1990. - Aqueous enzymatic extraction of rapeseed oil. - *Agricultural refineries - A bridge from farm to industry*. CEC, p. 122-131.
- SEPPANEN-LAAKSO T., VANHANEN H., 1993. - Replacement of margarine on bread by rapeseed and olive oils : effects on plasma fatty acid composition and serum cholesterol. - *Ann. Nutr. Métab.*, Vol. 37, n° 4, p. 161-174.
- SMIDRKAL J., FILIP V., 1994. - Esterification of rapeseed oil fatty acids with monohydroxy alcohols. - *Revue Française des Corps Gras*, Vol. 41, n° 1-2, p. 09-12.
- STEINER I., FISCHER M., WASHUTTL J., 1993. - Chemische Untersuchungen an Speiseölen unter besonderer Berücksichtigung polyensäurereicher Öle. - *Fett Wissenschaft Technologie*, Vol. 95, n° 12, p. 461-472.
- TAUTORUS C.L., LOW N.H., 1994. - Possible causes for decreased stability of canola oil processed from green seed. - *J.A.O.C.S.*, Vol. 71, n° 10, p. 1123-1128.
- UZZAN A., 1994. - The French vegetable oils industry : present situation and outlook. - *Lipid Technology*, Vol. 6, n° 6, p. 134-139.
- WANASUNDARA U.N., SHAHIDI F., 1994. - Canola extract as an alternative natural antioxidant for canola oil. - *J.A.O.C.S.*, Vol. 71, n° 8, p. 817-822.
- WARNER K., ORR P., 1994. - Effects of frying oil composition on potato stability. - *J.A.O.C.S.*, Vol. 71, n° 10, p. 1117-1121.
- WOLFENSBERGER U., 1994. - Hat Biodiesel in der Schweiz eine Chance ? - *Raps*, Vol. 12, n° 1, p. 12-14.
1994. - Biodiesel gains momentum. - *Oils & Fats International*, Vol. 10, n° 2, p. 35, 37-39

Tourteaux - Meal - Schrote

- ARMSTRONG R.H., 1993. - Intake and digestibility of components of forage rape (*Brassica napus*) by sheep. - *Grass and Forage Science*, Vol. 48, n° 4, p. 410-415.
- BAU H.M., VILLAUME C., LIN CF., EVRARD J., QUEMENER B., 1994. - Effect of a solid-state fermentation using *Rhizopus oligosporus* sp.T-3 on elimination of antinutritional substances and modification of biochemical constituents of defatted rapeseed meal. - *J. Sci. Food Agri.*, Vol. 65, n° 3, p. 315-322.
- BELL J.M., 1994. - Recent research on canola meal in Canada - *Bulletin GCIRC*, n° 10, fév., p. 104-108.
- BELL J.M., 1993. - Factors affecting the nutritional value of canola meal : a review. - *Canadian Journal of Animal Science*, Vol. 73, n° 4, p. 679-697.
- BRABBAN A.B., 1994. - Isolation of glucosinolate degrading microorganisms and their potential for reducing the glucosinolate content of rapeseed meal. - *FEMS Microbiology Letters*, Vol. 119, n° 1-2, p. 83-88.
- BRUCKNER J., ELSNER A., 1994. - Influence of phospholipids on the lipoprotein lipase activity of heart membranes - in vitro experiments. - *Die Nahrung*, Vol. 38, n° 2, p. 218-220.
- BUREAU J., 1994. - L'utilisation des oléagineux dans l'alimentation animale : développer les connaissances sur les produits pour maintenir la compétitivité. - *Oléoscope - Bulletin du CETIOM*, n° 19, janvier-février, p. 10-11.
- BUREAU J., 1994. - L'utilisation des oléagineux dans l'alimentation animale. Le tourteau de colza : des usages accrus chez toutes les espèces. - *Oléoscope - Bulletin du CETIOM*, n° 19, janvier-février, p. 12.
- BUREAU J., 1994. - L'utilisation des oléagineux dans l'alimentation animale. Les graines entières : une source d'énergie bien valorisée. - *Oléoscope - Bulletin du CETIOM*, n° 19, janvier-février, p. 15-17.
- BUREAU J., EVRARD J., 1993. - Utilisation des graines entières de colza en alimentation animale. - *Oléoscope - Supplément au Bulletin du CETIOM*, n° spécial 13, 31 p.
- CHIBOWSKA M., 1993, 15-16/04. - Chemical and energy value of double low rapeseed meal fraction for chicken. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference. Poznan, Pologne. n° 6*, p. 167-172.
- DANIELSEN V., 1994. - Dehulled protein-rich rapeseed meal as a protein source for early weaned piglets. - *Animal Feed Science and Technology*, Vol. 46, n° 3-4, p. 239-250.
- DOREAU M., 1993. - Effect of rapeseed oil supply on in vitro ruminal digestion in cows : comparison of hay and maize silage diets. - *Animal Feed Science and Technology*, Vol. 44, n° 3-4, p. 181-189.
- EVRARD J., 1994. - L'utilisation des oléagineux dans l'alimentation animale. Trituration : la qualité des tourteaux dépend de la technologie appliquée. - *Oléoscope - Bulletin du CETIOM*, n° 19, janvier-février, p. 13-14.
- EVRARD J., BUREAU J., 1994. - Incidence des conditions de trituration sur la valeur nutritionnelle des tourteaux de colza. - *Bulletin GCIRC*, n° 10, fév., p. 100-103.
- GRIFFITHS D.W., MACFARLANE SMITH W.H., 1994. - The effect of cultivar, sample date and grazing on the concentration of S-methylcysteine sulphoxide in oilseed and forage rapes (*Brassica napus*). - *J. Sci. Food Agri.*, Vol. 64, n° 3, p. 283-288.
- KHORASANI G.R., 1993. - Effects of canola meal treated with acetic acid on rumen degradation and intestinal digestibility in lactating dairy cows. - *J. Dairy Science*, Vol. 76, n° 6, p. 1607-1616.
- KUCKE M., 1993. - The efficiency of rapeseed oil cake as fertilizer. - *Agribiological Research*, Vol. 46, n° 3, p. 269-276.
- LAUNAY C., DE LA TAILLE G., 1994. - L'utilisation des oléagineux dans l'alimentation animale. «La régularité de la qualité est prioritaire». - *Oléoscope - Bulletin du CETIOM*, n° 19, janvier-février, p. 18.
- MAWSON R., HEANEY R.K., 1994. - Rapeseed meal-glucosinolates and their antinutritional effects. Part 3. Animal growth and performance. - *Die Nahrung*, Vol. 38, n° 2, p. 167-177.

MAWSON R., HEANEY R.K., 1994. - Rapeseed meal-glucosinolates and their antinutritional effects. Part 4. Goitrogenicity and internal organs abnormalities in animals. - *Die Nahrung*, Vol. 38, n° 2, p. 178-191.

MAYOMBO P., BRUNDSEAUX C., VAN EENAEME C., ISTASSE L., 1994. - Etude de la valeur nutritive d'un tourteau de colza obtenu par pression : valeur alimentaire et caractéristiques anti-nutritionnelles. I. Valeur alimentaire du tourteau de colza. *Tiré à Part*. 2 p.

PABSTUND K., PRODOHL L., 1994. - Möglichkeiten zur Steuerung der Milchqualität mit Raps in unterschiedlicher Form im Hinblick auf Verarbeitungseigenschaften, insbesondere zu Butter. - *Fett Wissenschaft Technologie*, Vol. 96, n° 1, p. 31-36.

PODKOWKA W., 1993, 15-16/04. - Nutritive value of rapeseed cake obtained by use of screw press O2 PVO. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 6, p. 177-180.

ROBINSON P.H., 1994. - Forestomach and whole tract digestion in lactating dairy cows fed canola meal treated with variable levels of acetic acid. - *J. Dairy Science*, Vol. 77, n° 2, p. 552-559.

SCAIFE J.R., MOYO J., 1994. - Effect of different dietary supplemental fats and oils on the tissue fatty acid composition and growth of female broilers. - *British Poultry Science*, Vol. 35, n° 1, p. 107-118.

SCHONE F., 1994. - Glucosinolate degradation by rapeseed myrosinase and effect on rapeseed acceptability by growing pigs. - *Animal Feed Science and Technology*, Vol. 48, n° 3-4, p. 229-235.

SPIEGEL C., 1993. - Normal circulating triiodothyronine concentration are maintained despite severe hypothyroidism in growing pigs fed rapeseed presscake meal. - *J. Nutrition*, Vol. 123, n° 9, p. 1554-1561.

SPIEGEL C., 1993. - Lower food intake is a primary cause of reduced growth rate in growing pigs fed rapeseed presscake meal. - *J. Nutrition*, Vol. 123, n° 9, p. 1562-1566.

SUMMERS J.D., BEDFORD M., 1994. - Canola meal and diet acid-base balance for broilers. - *Canadian Journal of Animal Science*, Vol. 74, n° 2, p. 335-339.

SZUMACHER-STRABEL M., 1993, 15-16/04. - Effect of plant fat as a component of diets for young sheep on rumen metabolism. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 6, p. 181-185.

URBANIAK M., 1993, 15-16/04. - Influence of different content of rape seed cake on production results and some physiological indices in fattened lambs. - *Postepy Nauk Rolniczych Oilseed Crops. XVth Polish Research Conference*. Poznan, Pologne. n° 6, p. 187-192.

WRIGHT G.G., 1994. - The application of satellite remote sensing and spatial proximity analysis techniques to observations on the grazing of oilseed rape by roe deer. - *International Journal of Remote Sensing*, Vol. 15, n° 10, p. 2087-2097.

YONG GANG L., 1994. - A survey of nutrients and toxic factors in commercial rapeseed meal in China and evaluation of detoxification by water extraction. - *Animal Feed Science and Technology*, Vol. 45, n° 3-4, p. 257-270.

BERTRAND H., 1994. - Isolement et caractérisation des bactéries fixatrices d'azote du rhizoplan du colza. - Ed. *Université de Lyon I*, 37 p.

BURIDARD M., 1994. - Modes de raisonnement des conduites du blé et du colza en Champagne Berrichone. - Ed. *INAPG / ITCF / CETIOM*, 120 p.

CACERES F., BEUGNIET G., LAJUS J., 1994. - Conclusions essais colza, tournesol, soja 1993. Station de Béziers. - Ed. *CETIOM*, 150 p.

CENTRE D'ECONOMIE RURALE COTE D'OR, ITCF, CETIOM, 1994. - Des pratiques culturales à la marge brute. Récolte 1993. Blé - colza, Côte-d'or. - Ed. *CER 21 / ITCF / CETIOM*, 38 p.

CETIOM, 1994. - Campagne 1994-1995. Charte environnement pour la culture du colza destinée à la production de biocarburant. - Ed. *CETIOM*, 25 p.

CETIOM, 1994. - Colza : les composites hybrides lignées. - Ed. *CETIOM*, n° Spécial Oléoscope 17, 42 p.

CETIOM, PROLEA, 1994. - Colza d'hiver : le contexte économique, les techniques culturales, les débouchés. - Ed. *CETIOM*, 37 p.

CHOLLET D., 1994. - Analyse des cadres de décision des pratiques des agriculteurs producteurs de colza. - Ed. *ENESAD / INPSA / CETIOM*, 135 p.

COMBE L., PICARD D., 1994. - Elaboration du rendement des principales cultures annuelles. - Ed. *INRA*, 191 p.

DEGRAEVE S., 1994. - Les peuplements et populations de bactéries associés aux racines de colza transformé par l'introduction d'un gène de chitinase. - Ed. *Université de Nancy*, 120 p.

ESTRAGNAT A., BARDY F., CRISTANTE P., GARRIC B., HEBRAIL J.P., 1994. - Conclusions essais. Station d'En Crambade 1993. Colza, Tournesol, Soja, Lin, Ricin. - Ed. *CETIOM*, 200 p.

FAUVEL V., 1994. - Etude de l'influence variétale des graines de colza sur la structure glycéridique de l'huile ; implications. - Ed. *Ecole supérieure d'application des corps gras*, 70 p.

PROLEA, 1994. - De la production à la consommation. Statistiques des oléagineux et protéagineux. France - Europe - Monde. - Ed. *PROLEA*, 121 p.

FOP, 1994. - Congrès National de la FOP, Nancy, France, du 31/05 - 01/06. De nouvelles règles, de nouveaux rôles. - Ed. *FOP*, 68 p.

GNIS, 1994. - Catalogue officiel des espèces et variétés. Tome 1, Plantes de grande culture. - Ed. *GNIS*, 193 p.

ISTA, 1994. - Oil world annual 1995. Advance issue. - Ed. *ISTA Publications*, 94 p.

JUNG L., ALBERT C., BERTRAND R., 1994. - C.R. Activité Station CETIOM Nancy. Campagne 92-93. Colza, variétés de colza de printemps. - Ed. *CETIOM*, 150 p.

LUCAS J.L., 1994. - Intérêt, chez le colza d'hiver, d'un semis précoce et d'un apport d'azote automnal suivi d'une application d'un régulateur de croissance au stade B4. - Ed. *CETIOM*, 75 p.

MURPHY D.J., 1994. - Designer oil crops. Breeding, processing and biotechnology. - Ed. *VCH*, 317 p.

REGNAULT Y., MIRCOVICH C., 1994. - Désherbage du colza : évaluation de la performance de produits nouveaux. - Ed. *CETIOM*, n° Spécial Oléoscope 16, 23 p.

SEGURA R., 1994. - Résultats 1993 : colza - tournesol - soja - lin - ricin. Essais extérieurs (Région Aquitaine, Départements du Gers et des Hautes-Pyrénées). - Ed. *CETIOM*, 250 p.

SERNYK L., 1994. - Catalogue of oilseed rape cultivars. - Ed. *Mycogen Plant Sciences*, 24 p.

SIDO, 1994. - La jachère industrielle. - Ed. *SIDO*, 21 p.

VARDON F., 1994. - Adaptation d'un modèle dynamique de simulation de colza d'hiver (Fil) à un modèle de culture gérant l'eau et l'azote (Ceres), validation et analyse de sensibilité. - Ed. *INRA Station de bioclimatologie*, 91 p.

1994. - Les Rencontres Annuelles du CETIOM. 29-30/11 - 1-2/12 1994. - Ed. *CETIOM*, 5 Vol.