

GCIRCBUL13\*25

Following information was collected and classified by  
Danièle RIVAUD and Françoise MARAIS, Documentation, CETIOM,  
174, avenue Victor Hugo - 75784 Paris Cedex 16

## Economie - Economy - Wirtschaft

**ASKEW M.F., 1996.** - A short overview of the position of rapeseed in international crop production. - *Bulletin GCIRC*, n° 12, avril, p. 72-73.

**BARSACQ J.C., 1996.** - Oléagineux : campagne 1995/1996. - *O.C.L.*, Vol. 3, n° 5, p. 319-320.

**DOWNEY R.K., TAYLOR D.C., 1995, 16-17 nov.** - Diversification of canola/rapeseed fatty acid supply for the year 2000. - «*Oléagineux et corps gras du futur*». *Journées Chevreul de Nancy*. p. 7-17.

**LANGBEHN C., MEYER J., 1996.** - Produktionsintensitäten bei Winterraps. - *Raps*, Vol. 14, n° 1, p. 4-8.

**LE PAGE R., 1996.** - Oléagineux en Europe : quelle place ? - *Oléoscope - Bulletin du CETIOM*, n° 32, mars-avril, p. 10-12.

**LE PAGE R., 1996.** - La PAC a-t-elle changé le paysage ? - *Oléoscope - Bulletin du CETIOM*, n° 32, mars-avril, p. 13-14.

**LOH W.H., 1996, 10-12 March.** - Canola - a success story in biotechnology. - *Proceedings of the 45th Oilseed Conference. Oilseed Products in the 21st Century. New Orleans, USA*. p. 79-84.

**PELLAUX M., GANTNER U., 1996.** - Importance de la culture du colza en Suisse. - *Revue Suisse d'Agriculture*, Vol. 28, n° 3, p. 125-128.

**RIVAUD D., 1997.** - Davantage de protéines pour l'Europe. - *Oléoscope - Bulletin du CETIOM*, n° 37, janvier-février, p. 7-8.

**SAUERMANN W., 1996.** - Sortenbewertung bei Winterraps nach der Marktleistung. - *Raps*, Vol. 14, n° 2, p. 76-79.

**SCHONE A., 1996.** - Der Markt pflanzlicher Öle und Fette in Deutschland. - *Raps*, Vol. 14, n° 4, p. 167-169.

**SIMONIN P., 1996, 04 déc.** - Bilan de campagne colza 1996. - *Les Rencontres Annuelles du CETIOM*. p. 3-7.

**SOBRINO-VESPERINAS E., CASADO FERNANDEZ E., 1996.** - An up-to-date overview of rapeseed cultivation in Spain. - *Bulletin GCIRC*, n° 12, avril, p. 64-65.

**VERCHERAND J., 1996.** - La jachère : une maîtrise de la production coûteuse. - *Economie Rurale*, n° 232, mars-avril, p. 35-43.

**VULLIOUD P.A., 1996.** - La culture du colza en Suisse : quelques informations statistiques. - *Bulletin GCIRC*, n° 12, avril, p. 63.

**WALKOWSKI T., WOJTOWICZ M., 1996.** - Oilseed rape in Poland in 1995. - *Bulletin GCIRC*, n° 12, avril, p. 60-62.

**1996, 20-21 February.** - Outlook for oilseeds, contracts and related issues. - *Outlook 96*. 16 p

## Agronomie/Physiologie - Agronomy/Physiology

ALJALOUD A.A., HUSSIAN G., KARIMULLA S., ALHAMIDI A.H., 1996. - Effect of irrigation and nitrogen on yield and yield components of two rapeseed cultivars. - *Agricultural Water Management*, Vol. 30, n° 1, p. 57-68.

AMBERGER A., 1996. - Düngung von Körnerraps : Bedarf, Anlieferung und Effizienz der Nährstoffe. - *Raps*, Vol. 14, n° 3, p. 110-113.

ANDERSEN M.N., HEIDMANN T., PLAUBORG F., 1996. - The effects of drought and nitrogen on light interception, growth and yield of winter oilseed rape. - *Acta Agriculturae Scandinavica Section B - Soil and Plant Science*, Vol. 46, n° 1, p. 55-67.

ANIOL H., 1996. - Sommerrapsanbau in Kasachstan. - *Raps*, Vol. 14, n° 4, p. 188-190.

APENTEN R.K.O., FOLAWIYO Y.L., 1996. - The effect of pH on rapeseed globulin (cruciferin) binding to anilinonaphthalen e-8-sulfonate. - *J. Food Biochemistry*, Vol. 19, n° 6, p. 455-465.

ARRIOLA P.E., ELLSTRAND N.C., 1996. - Crop-to-weed gene flow in the genus *Sorghum* (*Poaceae*) : Spontaneous interspecific hybridization between Johnson grass, *Sorghum halepense*, and crop sorghum, *S.bicolor*. - *American Journal of Botany*, Vol. 83, n° 9, p. 1153-1159.

ASARE E., SCARISBRICK D.H., 1995. - Rate of nitrogen and sulphur fertilizers on yield, yield components and seed quality of oilseed rape (*Brassica napus L.*). - *Field Crops Research*, Vol. 44, n° 1, p. 41-46.

AZIZ A., LARHER F., 1995. - Changes in polyamine titers associated with the proline response and osmotic adjustment of rape leaf discs submitted to osmotic stresses. - *Plant Science*, Vol. 112, n° 2, p. 175-186.

BERTRAND H., PINOCHEZ X., CLEYET-MAREL J.C., 1996. - Induction de pseudo-nodosités sur les racines de colza par traitement hormonal et modifications morphologiques du système racinaire accompagnant leur formation. - *O.C.L.*, Vol. 3, n° 3, p. 213-219.

BING D.J., DOWNEY R.K., RAKOW G.F.W., 1996. - Assessment of transgene escape from *Brassica rapa* (*Brassica campestris*) into *Brassica nigra* or *Sinapis arvensis*. - *Plant Breeding*, Vol. 115, n° 1, p. 1-4.

BODNARYK R., YOSHIHARA T., 1995. - Structure-activity relationships of cyclopentane analogs of jasmonic acid for induced responses of canola seedlings, *Brassica napus L.* - *J. Chemical Ecology*, Vol. 21, n° 11, p. 1735-1743.

BOEM F.H.G., LAVADO R.S., PORCELLI C.A., 1996. - Note on the effects of winter and spring waterlogging on growth, chemical composition and yield of rapeseed. - *Field Crops Research*, Vol. 47, n° 2-3, p. 175-179.

BOOTH E.J., WALKER K.C., 1996, 07-11 July. - Assessment of the ecological consequences of introducing transgenic rapeseed. - *Fourth Congress of the European Society for Agronomy*. Wageningen, The Netherlands. Vol. I, p. 144-145.

BOURGEOIS L., ENTZ M.H., 1996. - Influence of previous crop type on yield of spring wheat : Analysis of commercial field data. - *Canadian Journal of Plant Science*, Vol. 76, n° 3, p. 457-459.

BROWN P.D., MORRA M.J., 1996. - Hydrolysis products of glucosinolates in *Brassica napus* tissues as inhibitors of seed germination. - *Plant and Soil*, Vol. 181, n° 2, p. 307-316.

CHAMPOLIVIER L., MERRIEN A., 1996, 6 fév. - Usage des régulateurs de croissance pour la maîtrise de l'hétérosis chez un composite hybride ligné de colza d'hiver (cv Synergy). - *Quatrième Colloque. Les Substances de Croissance partenaires Economiques des Productions Végétales*. Paris, France. p. 165-171.

CHAMPOLIVIER L., MERRIEN A., 1996. - Qualité des composites hybrides lignées de colza. - *Oléoscope, Bulletin du CETIOM*, n° 36, nov.-déc, p. 30-31.

COLNENNE C., MEYNARD J.M., REAU R., 1996, 7-11 July. - Temporary nitrogen deficiencies in autumn have no effect on yield in oilseed rape. - *Fourth Congress of the European Society for Agronomy*. Wageningen, The Netherlands. Vol. I, p. 336-337.

- CRESSWELL J.E., BASSOM A.P., BELL S.A., 1995. - Predicted pollen dispersal by honey-bees and three species of bumble-bees foraging on oil-seed rape : A comparison of three models. - *Functional Ecology*, Vol. 9, n° 6, p. 829-841.
- DAVIS A.R., SAWHNEY V.K., FOWKE L.C., LOW N.L., 1995. - Floral secretion and ploidy in *Brassica rapa* and *B. napus* (Brassicaceae). 1. Nectary size and nectar carbohydrate production and composition. - *Apidologie*, Vol. 26, n° 6, p. 534.
- DEBAEKE P., DORE T., VIAUX P., 1996, 10 janv. - Production de références sur les successions de culture. - *Expérimenter sur les conduites de cultures : un nouveau savoir-faire au service d'une agriculture en mutation*. Paris, France. p. 87-98.
- DEMARS B.G., BOERNER R.E.J., 1996. - Vesicular arbuscular mycorrhizal development in the Brassicaceae in relation to plant life span. - *Flora*, Vol. 191, n° 2, p. 179-189.
- ECCLESTON V.S., CRANMER A.M., VOELKER T.A., OHLROGGE J.B., 1996. - Medium-chain fatty acid biosynthesis and utilization in *Brassica napus* plants expressing lauroyl-acyl carrier protein thioesterase. - *Planta*, Vol. 198, n° 1, p. 46-53.
- ELBERSON L.R., BOREK V., 1996. - Toxicity of rapeseed meal-amended soil to wireworms, *Limonius californicus* (Coleoptera : Elateridae). - *Agricultural Entomology*, Vol. 13, n° 4, p. 323-330.
- FEIFFER A., FEIFFER P., 1996. - Rapsernte : Verluste verhindern - Kosten senken. - *Raps*, Vol. 14, n° 3, p. 136-139.
- FINCK M., SAUERMANN W., 1996. - Bundes- und EU-Sortenversuch mit Winterraps 1995. - *Raps*, Vol. 14, n° 2, p. 72-75.
- FISAHN J., HOFNER W., 1995. - Einfluss eines Wachstumsregulators auf die 'Sink'-Kapazität von Raps (*Brassica napus* L.). - *J. Agronomy and Crop Science*, Vol. 174, n° 2, p. 99-109.
- FISMES J., VONG P.C., 1996, 07-11 July. - Ammonium thiosulphate (ATS) as an environmentally friendly tool for N and S nutrition of rapeseed (*Brassica napus* L.). - *Fourth Congress of the European Society for Agronomy*. Wageningen, The Netherlands. Vol. II, p. 546-547.
- FRAY M.J., EVANS E.J., 1996. - Physiological assessment of apetalous flowers and erectophile pods in oilseed rape (*Brassica napus*). - *J. Agri. Sci.*, Vol. 127, n° 2, p. 193-200.
- GUTIERREZ BOEM F.H., LAVADO R.S., 1996. - The effects of soil sodicity on emergence, growth, development and yield of oilseed rape (*Brassica napus*). - *J. Agri. Sci.*, Vol. 126, n° 2, p. 169-173.
- HANFREY C., FIFE M., BUCHANAN-WOLLASTON V., 1996. - Leaf senescence in *Brassica napus* : Expression of genes encoding pathogenesis-related proteins. - *Plant Molecular Biology*, Vol. 30, n° 3, p. 597-609.
- HEBINGER H., 1996. - Colza en Europe : des pratiques relativement proches. - *Oléoscope - Bulletin du CETIOM*, n° 32, mars-avril, p. 17-21.
- HOCKING P.J., PINKERTON A., GOOD A., 1996. - Recovery of field-grown canola from sulfur deficiency. - *Aust. J. Experimental Agriculture*. Vol. 36, n° 1, p. 79-85.
- HODGES D.M., NOZZOLILLO C., 1996. - Anthocyanin and anthocyanoplast content of cruciferous seedlings subjected to mineral nutrient deficiencies. - *J. Plant Physiology*, Vol. 147, n° 6, p. 749-754.
- HU D.J., BELL R.W., XIE Z.C., 1996. - Zinc and phosphorus responses in transplanted oilseed rape (*Brassica napus*). - *Soil Science and Plant Nutrition*, Vol. 42, n° 2, p. 333-344.
- HUSTED S., SCHJOERRING J.K., 1996. - Ammonia flux between oilseed rape plants and the atmosphere in response to changes in leaf temperature, light intensity, and air humidity interactions with leaf conductance and apoplastic NH<sub>4</sub><sup>+</sup> and H<sup>+</sup> concentrations. - *Plant Physiology*, Vol. 112, n° 1, p. 67-74.
- IVERSEN T.H., ODEGAARD E., 1996. - The behaviour of normal and agravitropic transgenic roots of rapeseed (*Brassica napus* L) under microgravity conditions. - *J. Biotechnology*, Vol. 47, n° 2-3, p. 137-154.
- INSTITUT TECHNIQUE DE LA BETTERAVE, 1996. - Le colza dans la sole betteravière. - Les successions de cultures dans la sole betterave. p. 12-14.
- JENKINS E.S., PAUL W., COUPE S.A., BELL S.J., 1996. - Characterization of an mRNA encoding a polygalacturonase expressed during pod development in oilseed rape (*Brassica napus* L.). - *J. Experimental Botany*, Vol. 47, n° 294, p. 111-115.
- JENSEN C.R., MOGENSEN V.O., MORTENSEN G., 1996. - Seed glucosinolate, oil and protein contents of field-grown rape (*Brassica napus* L) affected by soil drying and evaporative demand. - *Field Crops Research*, Vol. 47, n° 2-3, p. 93-105.

JENSEN C.R., MORGENSEN V.O., MORTENSEN G., 1996. - Leaf photosynthesis and drought adaptation in field-grown oilseed rape(*Brassica napus L.*). - *Aust. J. Plant Physiology*, Vol. 23, n° 5, p. 631-644.

JUNG L., 1996. - Fournitures du sol : ne pas négliger l'absorption d'azote à l'automne. - *Oléoscope - Bulletin du CETIOM*, n° 31, janv.-fév., p. 18-20.

JUNG L., 1997. - Prévoir les fournitures d'azote par le sol. - *Oléoscope - Supplément au Bulletin du CETIOM* n° spécial 20, janv., p. 38-42.

JUSTES E., 1996, 04 déc. - Ecobilan du colza : bilan des flux d'azote sur la culture et l'interculture. - *Les Rencontres Annuelles du CETIOM*. p. 8-11.

KAUL H.P., 1996, 07-11 july. - Simulation of nitrogen mineralization after oil and protein crops. - *Fourth Congress of the European Society for Agronomy*. Wageningen, The Netherlands. Vol. I, p. 354-355.

KAUL H.P., AUFHAMMER W., WAGNER W., 1996. - Dry matter and nitrogen accumulation and residues of oil and protein crops. - *European Journal of Agronomy*, Vol. 5, n° 1-2, p. 137-147.

LACEY D.J., HILLS M.J., 1996. - Heterogeneity of the endoplasmic reticulum with respect to lipid synthesis in developing seeds of *Brassica napus L.* - *Planta*, Vol. 199, n° 4, p. 545-551.

LAGARDE F., 1996. - Colza 1996 : exceptionnel au Sud, et ... bon au nord. - *Oléoscope - Bulletin du CETIOM*, n° 35, septembre - octobre, p. 7-8.

LANGBEHN C., MEYER J., 1996. - Winterraps - eine Kulturart mit hohem Vorfruchtwert. - *Raps*, Vol. 14, n° 3, p. 114-117.

LARDON A., TRIBOI BLONDEL A.M., 1995. - Cold and freeze stress at flowering. Effects on seed yields in winter rapeseed. - *Field Crops Research*, Vol. 44, n° 2-3, p. 95-101.

LASSNER M.W., LEVERING C.K., DAVIES H.M., KNUTZON D.S., 1995. - Lysophosphatidic acid acyltransferase from meadowfoam mediates insertion of erucic acid at the sn-2 position of triacylglycerol in transgenic rapeseed oil. - *Plant Physiology*, Vol. 109, n° 4, p. 1389-1394.

LE PAGE R., 1996. - Colzas transgéniques. Les instituts joignent leurs efforts. - *Oléoscope - Bulletin du CETIOM*, n° 32, mars-avril, p. 31-32.

LE PAGE R., 1997. - RAC 1996. Sous le signe de l'environnement et de la qualité. - *Oléoscope - Bulletin du CETIOM*, n° 37, janvier-février, p. 34-36.

LE PAGE R., REAU R., 1996. - Charte environnement. Un bilan satisfaisant. - *Oléoscope - Bulletin du CETIOM*, n° 34, juil.-août, p. 23-25.

LE PAGE R., REAU R., WAGNER D., 1997. - Charte environnement. Les conclusions de l'enquête. - *Oléoscope - Bulletin du CETIOM*, n° 37, janvier-février, p. 25-27.

LEGUE V., DRISSECOLE D., MALDINEY R., 1996. - The response to auxin of rapeseed (*Brassica napus L.*) roots displaying reduced gravitropism due to transformation by *Agrobacterium rhizogenes*. - *Planta*, Vol. 200, n° 1, p. 119-124.

LUFTENSTEINER W., HENDLER M., 1996. - Winterkörner-Raps : Herbstanbau '96 in Österreich. - *Raps*, Vol. 14, n° 3, p. 127-129.

MAC GRATH S.P., ZHAO F.J., 1996. - Sulphur uptake, yield responses and the interactions between nitrogen and sulphur in winter oilseed rape (*Brassica napus*). - *J. Agri. Sci.*, Vol. 126, n° 1, p. 53-62.

MAILER R.J., WRATTEN N., 1996. - Australian canola. - *Bulletin GCIRC*, n° 12, avril, p. 54-56.

MAILLARD A., VULLIOUD P., 1996. - Le colza : une culture à plusieurs facettes ! - *Revue Suisse d'Agriculture*, Vol. 28, n° 3, p. 149-152.

MANTHEY R., 1996. - Leistung der in Deutschland zugelassenen Winterrapssorten. - *Raps*, Vol. 14, n° 3, p. 130-131.

MARSHALL B., SQUIRE G.R., 1996. - Non-linearity in rate-temperature relations of germination in oilseed rape. - *J. Experimental Botany*, Vol. 47, n° 302, p. 1369-1375.

MATTHEY J., SAUERMANN W., 1996. - Schwefeldüngung zu Raps auf dem Weg zum Standard. - Vol. 14, n° 1, p. 26-29.

MERRIEN A., 1996. - Bilan des pratiques de fertilisation soufrée chez le colza. - *Oléoscope - Bulletin du CETIOM*, n° 32, mars-avril, p. 22-23.

MERRIEN A., CHAMPOUVIER L., 1996. - Effects of water stress applied at different growth stages to *Brassica napus L. var. oleifera* on yield, yield components and seed quality. - *European Journal of Agronomy*, Vol. 5, n° 3-4, p. 153-160.

MERRIEN A., JUNG L., MAISONNEUVE C., 199. - Valorisation réelle de l'azote apporté à l'automne. - *Oléoscope - Supplément au Bulletin du CETIOM*, n° spécial 20, janv., p. 9-16.

MESSEAN A., 1996. - Oléagineux et environnement : vers une extension du concept d'écobilan. - *O.C.L.*, Vol. 3, n° 4, p. 284-285.

MINAMI H., SAKURAI N., 1996. - Effects of gamma rays on seed set of *Brassica napus*. - *Cruciferae Newsletter*, 18, mars, p. 62-63.

MO J.G., LI W.Q., YU Q., BODNARYK R.P., 1995. - Inheritance of the waxless character of *Brassica napus* Nilla glossy. - *Canadian Journal of Plant Science*, Vol. 75, n° 4, p. 893-894.

MOGENSEN V.O., JENSEN C.R., MORTENSEN G., 1996. - Spectral reflectance index as an indicator of drought of field grown oilseed rape (*Brassica napus* L.). - *European Journal of Agronomy*, Vol. 5, n° 1-2, p. 125-135.

MORRISON M.J., STEWART D.W., 1995. - Radiation-use efficiency in summer rape. - *Agronomy Journal*, Vol. 87, n° 6, p. 1139-1142.

MUHLECKER W., KRAUTLER B., 1996. - Breakdown of chlorophyll : Constitution of nonfluorescing chlorophyllcatabolites from senescent cotyledons of the dicot rape. - *Plant Physiology and Biochemistry*, Vol. 34, n° 1, p. 61-75.

OLSEN C., MATTSSON M., SCHJOERRING J.K., 1995. - Ammonia volatilization in relation to nitrogen nutrition of young *Brassica napus* plants growing with controlled nitrogen supply. - *J. Plant Physiology*, Vol. 147, n° 3-4, p. 306-312.

PAGEL R., KRUGER K., 1996. - Auswinterungsschäden an Winterraps (*Brassica napus* L. var. *napus*) und Wintergerste (*Hordeum vulgare* L.) im Land Brandenburg 1995/96. - *Nachrichtenbl. Pflanzenschutz*, Vol. 48, n° 10, p. 209-214.

PIERRE J.G., 1996, 4 déc. - «Impact sur l'environnement des herbicides appliqués sur le colza d'hiver». Synthèse de l'action. - *Les Rencontres Annuelles du CETIOM*, p. 12-17.

PILORGE E., 1996. - Ajuster la dose à la parcelle, c'est possible... - *Oléoscope - Bulletin du CETIOM*, n° 31, janv.-fév., p. 17.

PINOCHEZ X., 1996. - Evaluation du colza d'hiver. La dimension régionale est importante en Grande-Bretagne. - *Oléoscope - Bulletin du CETIOM*, n° 33, mai-juin, p. 10-13.

PLAS D., 1997. - Prédire les fournitures en azote en petites terres à cailloux en Poitou-Charentes. - *Oléoscope - Supplément au Bulletin du CETIOM*, n° spécial 20, janv., p. 45-49.

POPOP M.Y., 1996, 9 janv. - Position d'un agriculteur - multiplicateur de semences de colza. - *Journée Interprofessionnelle sur la Pollinisation des Productions des Semences Oléagineuses*. Toulouse, France. p. 36-39.

PRICE J.S., HOBSON R.N., NEALE M.A., BRUCE D.M., 1996. - Seed losses in commercial harvesting of oilseed rape. - *J. Agricultural Engineering Research*, Vol. 65, n° 3, p. 183-191.

PRITONI G., AMADUCCI M.T., 1996, 07-11 July. - Phenology and yield characteristics of eight cultivars of winter oilseed rape (*Brassica napus* var. *oleifera*). - *Fourth Congress of the European Society for Agronomy*. Wageningen, The Netherlands. Vol. I, p. 198-199.

RALDUGINA G.N., SOBOLKOVA G.I., 1995. - Role of some factors in the organogenesis of shoots and roots from cotyledonary explants of rape. - *Russian Journal of Plant Physiology*, Vol. 42, n° 6, p. 809-814.

REAU R., COLNENNE C., WAGNER D., 1996, 7-11 July. - Nitrogen fertilization needs of rape-seed in autumn. - *Fourth Congress of the European Society for Agronomy*. Wageningen, The Netherlands. Vol. II, p. 588-589.

REAU R., COLSON J., 1996. - Evolution des pratiques agricoles pour la jachère énergétique. - *Oléoscope - Bulletin du CETIOM*, n° 31, janv.-fév., p. 10-12.

REAU R., JUNG L., WAGNER D., 1997. - Les bases de fertilisation azotée prévisionnelle. - *Oléoscope - Supplément au Bulletin du CETIOM*, n° spécial 20, janv., p. 29-37.

REAU R., MEYNARD J.M., ROBERT D., 1996, 10 janv. - Des essais factoriels aux essais «conduite de culture». *Expérimenter sur les conduites de cultures : un nouveau savoir-faire au service d'une agriculture en mutation*. Paris, France. p. 52-62.

REAU R., WAGNER D., 1997. - Utilisation apparaente de l'azote à l'automne, ses facteurs de variation dans les systèmes de culture français. - *Oléoscope - Supplément au Bulletin du CETIOM*, n° spécial 20, janv., p. 17-27.

RODRIGUEZ SUAREZ R.J., WOLOSIUK R.A., 1995. - High level expression in *Escherichia coli*, purification and properties of chloroplast

fructose-1,6-bisphosphatase from rapeseed (*Brassica napus*) leaves. - *Photosynthesis Research*, Vol. 46, n° 1-2, p. 313-322.

ROSA E.A.S., HEANEY R.K., 1996. - Changes in glucosinolate concentrations in Brassica crops (*B. oleracea* and *B. napus*) throughout growing seasons. - *J. Sci. Food Agri.*, Vol. 71, n° 2, p. 237-244.

SCHJOERRING J.K., BOCK J.G.H., GAMMELVIND L., 1995. - Nitrogen incorporation and remobilization in different shoot components of field-grown winter oilseed rape (*Brassica napus* L) as affected by rate of nitrogen application and irrigation. - *Plant and Soil*, Vol. 177, n° 2, p. 255-264.

SCHVARTZ C., LIMAUX F., 1997. - Potentialités du colza d'hiver en Lorraine. - *Oléoscope - Supplément au Bulletin du CETIOM*, n° spécial 20, janv., p. 50-54.

SHEPHERD M.A., SYLVESTER-BRADLEY R., 1996. - Effect of nitrogen fertilizer applied to winter oilseed rape (*Brassica napus*) on soil mineral nitrogen after harvest and on the response of a succeeding crop of winter wheat to nitrogen fertilizer. - *J. Agri. Sci.*, Vol. 126, n° 1, p. 63-74.

SIMONIN P., 1996. - Les techniques culturales mises en oeuvre sur le colza d'hiver. Des pratiques qui évoluent en Lorraine. - *AGRESTE*, n° 15, janv., 4 p.

SIMONIN P., 1997. - Choisir et doser l'azote. - *Oléoscope - Bulletin du CETIOM*, n° 37, janvier-février, p. 28.

SMOLENSKA-SYM G., KACPERSKA A., 1996. - Inositol 1,4,5-trisphosphate formation in leaves of winter oilseed rape plants in response to freezing, tissue water potential and abscisic acid. - *Physiologia Plantarum*, Vol. 96, n° 4, p. 692-698.

SOUTAR A., HARKER C., 1995. - Oilseed rape and bronchial reactivity. - *Occupational and Environmental Medicine*, Vol. 52, n° 9, p. 575-580.

SRINIVASAN A., MORGAN D.G., 1996. - Growth and development of the pod wall in spring rape (*Brassica napus*) as related to the presence of seeds and exogenous phytohormones. - *J. Agricultural Science*, Vol. 127, n° 4, p. 487-500.

THOMSEN I.K., CHRISTENSEN B.T., 1996. - Availability to subsequent crops and leaching of nitrogen in <sup>15</sup>N-labelled sugarbeet tops and oilseed rape residues. - *J. Agri. Sci.*, Vol. 126, n° 2, p. 191-199.

TING-DONG F., GUANG-SHENG Y., 1996. - The introduction of rapeseed production in P.R. China. - *Bulletin GCIRC*, n° 12, avril, p. 57-59.

TRINSOUTROT I., NICOLARDOT B., 1996, 7-11 juillet. - C and N dynamics after incorporation of oilseed rape residues in soil. - *Fourth Congress of the European Society for Agronomy*. Wageningen, The Netherlands. Vol. I, p. 276-277.

TROTEL P., BOUCHEREAU A., NILOGRET M.F., LARHER F., 1996. - The fate of osmo-accumulated proline in leaf discs of rape (*Brassica napus* L) incubated in a medium of low osmolarity. - *Plant Science*, Vol. 118, n° 1, p. 31-45.

WAGNER D., JUNG L., REAU R., 1996. - Azote au printemps : des méthodes au point. - *Oléoscope - Bulletin du CETIOM*, n° 31, janv.-fév., p. 13-16.

WALKER J.T., 1996. - Crambe and rapeseed meal as soil amendments : nematicidal potential and phytotoxic effects. - *Crop Protection*, Vol. 15, n° 5, p. 433-437.

WILLIAMS J.P., KHAN M.U., WONG D., 1996. - Fatty acid desaturation in monogalactosyldiacylglycerol of *Brassica napus* leaves during low temperature acclimation. - *Physiologia Plantarum*, Vol. 96, n° 2, p. 258-262.

WILMER J.A., HELSPER J.P.F.G., VANDERPLAS L.H.W., 1996. - Effect of growth temperature on erucic acid levels in seeds and microspore derived embryos of oilseed rape, *Brassica napus* L. - *J. Plant Physiology*, Vol. 147, n° 5, p. 486-492.

XIAOJIA H., XUEJIANG Z., 1996. - Formation of nodular structures and nitrogen fixation by rhizobia on oilseed rape roots following treatment with pectinolytic bacteria. - *Pedosphere*, Vol. 6, n° 2, p. 107-110.

YENDLURI K., RIFE C.L., 1996. - Hypocotyl length and its relationship to emergence of oilseed rape (*Brassica napus*). - *Cruciferae Newsletter*, n° 18, mars, p. 72-73.

ZHOU W., YE Q., 1996. - Physiological and yield effects of uniconazole on winter rape (*Brassica napus* L). - *J. Plant Growth Regulation*, Vol. 15, n° 2, p. 69-73.

1996. - Résultats de l'enquête «pratiques culturales» 1994. 144 jours pour piéger les nitrates. - *Agreste*, n° 1, fév. 4 p.

1996, 9 janv. - Enquête sur la pollinisation en production de semences de colza auprès des agriculteurs multiplicateurs - colza. - *Journée Interprofessionnelle sur la Pollinisation des Productions des Semences Oléagineuses*. Toulouse, France. p. 9-22.

## Sélection - Breeding - Züchtung

- BAER A., ALPMANN L., 1996. - Hybrid-raphsanbau : Erfahrungen aus dem Anbaujahr 1996. - *Raps*, Vol. 14, n° 4, p. 160-161.
- BOHUON E.J.R., KEITH D.J., 1996. - Alignment of the conserved C genomes of *Brassica oleracea* and *Brassica napus*. - *Theoretical and Applied Genetics*, Vol. 93, n° 5-6, p. 833-839.
- BOUCHEREAU A., CLOSSAIS BESNARD N., BENSAOUD A., LEPORT L., RENARD M., 1996. - Water stress effects on rapeseed quality. - *European Journal of Agronomy*, Vol. 5, n° 1-2, p. 19-30.
- BRIGHT S.W.J., GREENLAND A.J., 1996. - Environmental impact from plant biotechnology. - *Annals of the New York Academy of Sciences*, Vol. 792, p. 99-105.
- BROUGH C.L., COVENTRY J.M., CHRISTIE W.W., 1996. - Towards the genetic engineering of triacylglycerols of defined fatty acid composition : Major changes in erucic acid content at the sn-2 position affected by the introduction of a 1-acyl-sn-glycerol-3-phosphate acyltransferase from *Limnanthes douglasii* into oil seed rape. - *Molecular Breeding*, Vol. 2, n° 2, p. 133-142.
- BROWN A.P., BROWN J., 1996. - Gene transfer between canola (*Brassica napus*) and related weed species. - *Cruciferae Newsletter*, n° 18, mars, p. 36-37.
- BROWN J., BROWN A.P., 1996. - Competitive and reproductive fitness of transgenic canola x weed species hybrids. - *Cruciferae Newsletter*, n° 18, mars, p. 34-35.
- BROWN J., ERICKSON D.A., 1996. - Efficiency of early generation selection in spring canola (*Brassica napus* L.). - *Cruciferae Newsletter*, n° 18, mars, p. 78-79.
- CAMPOS DE QUIROZ H.C., MITHEN R., 1996. - Molecular markers for low-glucosinolate alleles in oilseed rape (*Brassica napus* L.). - *Molecular Breeding*, Vol. 2, n° 3, p. 277-281.
- CHARTERS Y.M., ROBERTSON A., WILKINSON M.J., RAMSAY G., 1996. - PCR analysis of oilseed rape cultivars (*Brassica napus* L ssp *oleifera*) using 5'-anchored simple sequence repeat (SSR) primers. - *Theoretical and Applied Genetics*, Vol. 92, n° 3-4, p. 442-447.
- CHEVRE A.M., EBER F., THIS P., BARRET P., TANGUY X., 1996. - Characterization of *Brassica nigra* chromosomes and of blackleg resistance in *B. napus-B. nigra* addition lines. - *Plant Breeding*, Vol. 115, n° 2, p. 113-118.
- COLBACH N., MEYNARD J.M., 1996, 7-11 July. - Modelling the influence of cropping system on gene flow from herbicide resistant rapeseed, presentation of model structure. - *Fourth Congress of the European Society for Agronomy*. Wageningen, The Netherlands. Vol. II, p. 458-459.
- DAVIS A.R., FOWKE L.C., SAWHNEY V.K., LOW N.H., 1996. - Floral nectar secretion and ploidy in *Brassica rapa* and *B. napus* (Brassicaceae). 2. Quantified variability of nectary structure and function in rapid-cycling lines (vol 77, p. 223, 1996). - *Annals of Botany*, Vol. 78, n° 2, p. 267.
- DEHESH K., JONES A., KNUTZON D.S., VOELKER T.A., 1996. - Production of high levels of 8:0 and 10:0 fatty acids in transgenic canola by overexpression of Ch FatB2, a thioesterase cDNA from *Cuphea hookeriana*. - *Plant Journal*, Vol. 9, n° 2, p. 167-172.
- DEL VECCHIO A.J., 1996. - High-laurate canola. How Calgene's program began, where it's headed. - *INFORM*, Vol. 7, n° 3, p. 230-243.
- DENIS M., KREBBERS E., RENARD M., 1996. - Effect of sulphur levels on transgenic double-low *Brassica napus* plants expressing a seed-specific gene encoding a methionine-rich 2S albumin. - *Plant Breeding*, Vol. 115, n° 3, p. 145-151.
- DIERS B.W., MCVETTY P.B.E., OSBORN T.C., 1996. - Relationship between heterosis and genetic distance based on restriction fragment length polymorphism markers in oilseed rape (*Brassica napus* L.). - *Crop Science*, Vol. 36, n° 1, p. 79-83.
- DION Y., GUGEL R.K., RAKOW G.F.W., SEGUIN-SWARTZ G., 1995. - RFLP mapping of resistance to the blackleg disease [causal agent, *Leptosphaeria maculans* (Desm) Ces, et de Not] in canola (*Brassica napus* L.). - *Theoretical and Applied Genetics*, Vol. 91, n° 8, p. 1190-1194.
- DOWNEY R.K., TAYLOR D.C., 1996. - Diversification of canola/rapeseed fatty acid supply for the year 2000. - *O.C.L.*, Vol. 3, n° 1, p. 9-13.

- FOISSET N., DELOURME R., BARRET P., HUBERT N., LANDRY B.S., RENARD M., 1996. - Molecular-mapping analysis in *Brassica napus* using isozyme, RAPD and RFLP markers on a doubled haploid progeny. - *Theoretical and Applied Genetics*, Vol. 93, n° 7, p. 1017-1025.
- FRAUEN M., BAER A., 1996. - Hybrids of winter rapeseed - varieties for the future ? - *Bulletin GCIRC*, n° 12, avril, p. 47-51.
- FREDSHAVN J.R., POULSEN G.S., 1996. - Growth behavior and competitive ability of transgenic crops. - *Field Crops Research*, Vol. 45, n° 1-3, p. 11-18.
- GATES P., 1996. - The environmental impact of genetically engineered crops. - *Biotechnology and Genetic Engineering Reviews*, Vol. 13, p. 181-195.
- GERSTER J., ALLARD S., ROBERT L.S., 1996. - Molecular characterization of two *Brassica napus* pollen- expressed genes encoding putative arabinogalactan proteins. - *Plant Physiology*, Vol. 110, n° 4, p. 1231-1237.
- GOODWIN W., PALLAS J.A., JENKINS G.I., 1996. - Transcripts of a gene encoding a putative cell wall plasma membrane linker protein are specifically cold-induced in *Brassica napus*. - *Plant Molecular Biology*, Vol. 31, n° 4, p. 771-781.
- GRISON R., GREZESBESSET B., SCHNEIDER M., TOPPAN A., 1996. - Field tolerance to fungal pathogens of *Brassica napus* constitutively expressing a chimeric chitinase gene. - *Nature Biotechnology*, Vol. 14, n° 5, p. 643-646.
- HAIN R., SCHREIER P.H., 1996. - Genetic engineering in crop protection - opportunities, risks and controversies. - *Pflanzenschutz Nachrichten Bayer Special Issue*, p. 25-119.
- HANSEN N.J.P., ANDERSEN S.B., 1996. - In vitro chromosome doubling potential of colchicine, oryzalin, trifluralin, and APM in *Brassica napus* microspore culture. - *Euphytica*, Vol. 88, n° 2, p. 159-164.
- HAWKINS G.P., BOOTHE J.G., NYKIFORUK C.L., JOHNSON FLANAGAN A.M., 1996. - Inheritance and expression patterns of BN28, a low temperature induced gene in *Brassica napus*, throughout the *Brassicaceae*. - *Genome*, Vol. 39, n° 4, p. 704-710.
- HAYS D.B., ROSE P., ABRAMS S.R., MOLONEY M.M., 1996. - Biological activity of optically pure C-1 altered abscisic acid analogs in *Brassica napus* microspore embryos. - *J. Plant Growth Regulation*, Vol. 15, n° 1, p. 5-11.
- HEATH D.W., EARLE E.D., 1996. - Synthesis of Ogura male sterile rapeseed (*Brassica napus L*) with cold tolerance by protoplast fusion and effects of atrazine resistance on seed yield. - *Plant Cell Reports*, Vol. 15, n° 12, p. 939-944.
- HOKKANEN H.M.T., WEARING C.H., 1996. - Assessing the risk of pest resistance evolution to *Bacillus thuringiensis* engineered into crop plants : A case study of oilseed rape. - *Field Crops Research*, Vol. 45, n° 1-3, p. 171-179.
- HOWELL P.M., MARSHALL D.F., LYDIATE D.J., 1996. - Towards developing intervarietal substitution lines in *Brassica napus* using marker-assisted selection. - *Genome*, Vol. 39, n° 2, p. 348-358.
- IQBAL M.C.M., ROBBELEN G., MOLLERS C., 1995. - Biosynthesis of glucosinolates by microspore derived embryoids and plantlets in vitro of *Brassica napus L*. - *Plant Science*, Vol. 112, n° 1, p. 107-115.
- JIANG C., IU B., SINGH J., 1996. - Requirement of a CCGAC cis-acting element for cold induction of the BN115 gene from winter *Brassica napus*. - *Plant Molecular Biology*, Vol. 30, n° 3, p. 679-684.
- JOHNSON-FLANAGAN A.M., SPENCER M.S., 1996. - Chlorophyllase and peroxidase activity during degreening of maturing canola (*Brassica napus*) and mustard (*Brassica juncea*) seed. - *Physiologia Plantarum*, Vol. 97, n° 2, p. 353-359.
- JORGENSEN R.B., HAUSER T., MIKKELSEN T.R., OSTERCARD H., 1996. - Transfer of engineered genes from crop to wild plants. - *Trends in Plant Science*, Vol. 1, n° 10, p. 356-358.
- LOURDE C., BARRET P., BRUNEL D., DELOURME R., RENARD M., 1996. - Specific molecular marker of the genes controlling linolenic acid content in rapeseed. - *Theoretical and Applied Genetics*, Vol. 93, n° 4, p. 512-518.
- LOURDE C., BARRET P., HORVAIS R., DELOURME R., RENARD M., 1996. - Identification of RAPD markers linked to linolenic acid genes in rapeseed. - *Euphytica*, Vol. 90, n° 3, p. 351-357.
- LOURDE C., BARRET P., HORVAIS R., FOISSET N., DELOURME R., RENARD M., 1996. - Identification of RAPD markers linked to the loci controlling erucic acid level in rapeseed. - *Molecular Breeding*, Vol. 2, n° 1, p. 61-71.

- JOURDREN C., SIMONNEAUX D., RENARD M., 1996. - Selection on pollen for linolenic acid content in rapeseed, *Brassica napus L.* - *Plant Breeding*, Vol. 115, n° 1, p. 11-15.
- KANG F., RAWSTHORNE S., 1996. - Metabolism of glucose-6-phosphate and utilization of multiple metabolites for fatty acid synthesis by plastids from developing oilseed rape embryos. - *Planta*, Vol. 199, n° 2, p. 321-327.
- KLEY G., 1996. - Gentechnisch veränderte Rapsfarnzen - die Lage in Deutschland. - *Bulletin GCIRC*, n° 12, avril, p. 22-23.
- KOCSIS M.G., WESELAKE R.J., ENG J.A., 1996. - Phosphatidate phosphatase from developing seeds and microspore-derived cultures of *Brassica napus*. - *Phytochemistry*, Vol. 41, n° 2, p. 353-363.
- KUANG A., MUSGRAVE M.E., 1996. - Dynamics of vegetative cytoplasm during generative cell formation and pollen maturation in *Arabidopsis thaliana*. - *Protoplasma*, Vol. 194, n° 1-2, p. 81-90.
- LANNER C., BRYNGELSSON T., GUSTAFSSON M., 1996. - Genetic validity of RAPD markers at the intra- and inter-specific level in wild *Brassica* species with n=9. - *Theoretical and Applied Genetics*, Vol. 93, n° 1-2, p. 9-14.
- LARHER F., ROTIVALGARNIER N., LEMESLE P., 1996. - The glycine betaine inhibitory effect on the osmoinduced proline response of rape leaf discs. - *Plant Science*, Vol. 113, n° 1, p. 21-31.
- LAVIGNE C., MANACH H., GUYARD C., GASQUEZ J., 1995. - The cost of herbicide resistance in white-chicory : Ecological implications for its commercial release. - *Theoretical and Applied Genetics*, Vol. 91, n° 8, p. 1301-1308.
- LE PAGE R., 1996. - Les associations variétales en colza : quel avenir ? - *Oléoscope - Bulletin du CETIOM*, n° 32, mars-avril, p. 7-8.
- LEFOL E., DANIELOU V., DARMENCY H., 1996. - Predicting hybridization between transgenic oilseed rape and wild mustard. - *Field Crops Research*, Vol. 45, n° 1-3, p. 153-161.
- LEFOL E., DANIELOU V., RENARD M., 1995. - Gene dispersal from transgenic crops. 1. Growth of interspecific hybrids between oilseed rape and the wild hoary mustard. - *J. Applied Ecology*, Vol. 32, n° 4, p. 803-808.
- LEFOL E., FLEURY A., DARMENCY H., 1996. - Gene dispersal from transgenic crops. II. Hybridization between oilseed rape and the wild hoary mustard. - *Sexual Plant Reproduction*, Vol. 9, n° 4, p. 189-196.
- LITTLE D., WESELAKE R., 1994. - Solubilization and characterization of diacylglycerol acyltransferase from microspore-derived cultures of oilseed rape. - *Biochemical Journal*, Vol. 304, n° 3, p. 951-958.
- LIU J.H., LANDGREN M., GLIMELIUS K., 1996. - transfer of the *Brassica tournefortii* cytoplasm to *B. napus* for the production of cytoplasmic male sterile *B. napus*. - *Physiologia Plantarum*, Vol. 96, n° 1, p. 123-129.
- MAC LEOD J., 1996. - Progress towards the introduction of genetically modified crop cultivars in the United Kingdom. - *Bulletin GCIRC*, n° 12, avril, p. 36-39.
- MCVETTY P.B.E., RIMMER S.R., SCARTH R., VANDENBERG C.G.J., 1996. - Neptune high erucic acid, low glucosinolate summer rape. - *Canadian Journal of Plant Science*, Vol. 76, n° 2, p. 343-344.
- MCVETTY P.B.E., SCARTH R., RIMMER S.R., VANDENBERG C.G.J., 1996. - Venus high erucic acid, low glucosinolate summer rape. - *Canadian Journal of Plant Science*, Vol. 76, n° 2, p. 341-342.
- MESSEAN A., 1996. - Impacts des plantes résistantes à un herbicide. - *O.C.L.*, Vol. 3, n° 1, p. 05-09.
- MESSEAN A., 1996. - Utilisation des plantes transgéniques en France : état des lieux. - *Bulletin GCIRC*, n° 12, avril, p. 24-34.
- MIKKELSEN T.R., ANDERSEN B., 1996. - The risk of crop transgene spread. - *Nature*, Vol. 380, 7 march, p. 31.
- MIKKELSEN T.R., JENSEN J., JORGENSEN R.B., 1996. - Inheritance of oilseed rape (*Brassica napus*) RAPD markers in a backcross progeny with *Brassica campestris*. - *Theoretical and Applied Genetics*, Vol. 92, n° 3-4, p. 492-497.
- MURPHY D.J., 1996. - Engineering oil production in rapeseed and other oil crops. - *Trends in Biotechnology*, Vol. 14, n° 6, p. 206-213.
- NAIR H.S., BROWN J., 1996. - Interspecific and intergeneric hybridization between genetically engineered canola (*Brassica napus L.*) and related weed species. - *Cruciferae Newsletter*, n° 18, mars, p. 38-39.

NEHLIN L., MOLLERS C., GLIMELIUS K., 1995. - Induction of secondary embryogenesis in microspore-derived embryos of *Brassica napus* L. - *Plant Science*, Vol. 111, n° 2, p. 219-227.

NEHLIN L., MOLLERS C., STYMNE S., GLIMELIUS K., 1996. - Fatty acid composition in microspore-derived secondary embryos of *Brassica napus* L. - *Plant Science*, Vol. 120, n° 2, p. 205-213.

NISHIDA I., SWINHOE R., SLABAS A.R., MURATA N., 1996. - Cloning of *Brassica napus* CTP:phosphocholine cytidylyltransferase cDNAs by complementation in a yeast cct mutant. - *Plant Molecular Biology*, Vol. 31, n° 2, p. 205-211.

O'NEILL C.M., MURATA T., MORGAN C.L., 1996. - Brassica and oilseeds research in Norwich, U.K. - *Bulletin GCIRC*, n° 12, avril, p. 40-46.

OLINFATIH M., 1996. - The morphology, cytology, and C-banded karyotypes of *Brassica campestris*, *Boleracea*, and *B. napus* plants regenerated from protoplasts. - *Theoretical and Applied Genetics*, Vol. 93, n° 3, p. 414-420.

PARKIN I.A.P., SHARPE A.G., KEITH D.J., LYDIATE D.J., 1995. - Identification of the A and C genomes of amphidiploid *Brassica napus* (oilseed rape). - *Genome*, Vol. 38, n° 6, p. 1122-1131.

PARMENTER D.L., BOOTHE J.G., VANROOIJEN G.J.H., YEUNG E.C., 1995. - Production of biologically active hirudin in plant seeds using oleosin partitioning. - *Plant Molecular Biology*, Vol. 29, n° 6, p. 1167-1180.

PETERSEN M., SANDER L., CHILD R., 1996. - Isolation and characterisation of a pod dehiscence zone-specific polygalacturonase from *Brassica napus*. - *Plant Molecular Biology*, Vol. 31, n° 3, p. 517-527.

PIERRE J., RENARD M., 1996, 9 janv. - Pollinisation entomophile et production de semences hybrides de colza. - *Journée Interprofessionnelle sur la Pollinisation des Productions des Semences Oléagineuses*. Toulouse, France. p. 40-43.

PINOCHET X., 1996. - Variétés de colza. Tolérance aux maladies : souvent, la seule lutte possible. - *Oléoscope - Bulletin du CETIOM*, n° 33, mai-juin, p. 13-14.

PINOCHET X., 1996, 4 déc. - Analyse du comportement des composites hybrides lignées. - *Les Rencontres Annuelles du CETIOM*. p. 23-28.

PINOCHET X., BERTRAND R., 1996. - Résultats du réseau CETIOM d'évaluation des variétés de colza d'hiver 1995-1996. - *Oléoscope - Bulletin du CETIOM* supplément au n° 34, juil.-août, 4 p.

POULSEN G.B., 1996. - Glucosinolates in callus culture of *Brassica napus*. - *Cruciferae Newsletter*, n° 18, mars, p. 32-33.

POULSEN G.B., 1996. - Genetic transformation of *Brassica*. - *Plant Breeding*, Vol. 115, n° 4, p. 209-225.

RAHMAN M.H., STOLEN O., SØRENSEN H., RAHMAN L., 1996. - Recurrent backcross : A method for transferring erucic acid allele into *Brassica* oilseed cultivars, *B. campestris* L Yellow Sarson as an example. - *Acta Agriculturae Scandinavica Section B - Soil and Plant Science*. Vol. 46, n° 1, p. 68-73.

RAMBAUD C., BLERVACQ A.S., DEVAUX P., 1996. - There is no somatic meiosis in embryogenic leaves of *Cichorium*. - *Annals of Botany*, Vol. 78, n° 2, p. 223-232.

ROSS J.H.E., MURPHY D.J., 1996. - Characterization of anther-expressed genes encoding a major class of extracellular oleosin-like proteins in the pollen coat of *Brassicaceae*. - *Plant Journal*, Vol. 9, n° 5, p. 625-637.

RUCKER B., RÖBBELEN G., 1996. - Impact of low linolenic acid content on seed yield of winter oilseed rape (*Brassica napus* L.). - *Plant Breeding*, Vol. 115, n° 4, p. 226-230.

SAAT T., 1996. - Situation on rapeseed GMO's in the Netherlands. - *Bulletin GCIRC*, n° 12, avril, p. 35.

SADANANDOM A., PIFFANELLI P., MURPHY D., 1996. - Identification of a peptide methionine sulphoxide reductase gene in an oleosin promoter from *Brassica napus*. - *Plant Journal*, Vol. 10, n° 2, p. 235-242.

SAKAI T., LIU H.J., IWABUCHI M., 1996. - Introduction of a gene from fertility restored radish (*Raphanus sativus*) into *Brassica napus* by fusion of X-irradiated protoplasts from a radish restorer line and iodacetamide-treated protoplasts from a cytoplasmic malesterile cybrid of *B. napus*. - *Theoretical and Applied Genetics*, Vol. 93, n° 3, p. 373-379.

SALGADO J.P., RIFE C.L., 1996. - Selection for cold hardiness in oilseed rape (*Brassica napus*). - *Cruciferae Newsletter*, n° 18, mars, p. 92-93.

SERNYK L., 1996. - Canola development at Mycogen Plant Sciences. - *Bulletin GCIRC*, n° 12, avril, p. 52.

SHARPE A.G., PARKIN I.A.P., KEITH D.J., LYDIATE D.J., 1995. - Frequent nonreciprocal translocations in the amphidiploid genome of oilseed rape (*Brassica napus*). - *Genome*, Vol. 38, n° 6, p. 1112-1121.

SHIRSAT A.H., BELL A., SPENCE J., HARRIS J.N., 1996. - The *Brassica napus* extA extensin gene is expressed in regions of the plant subject to tensile stresses. - *Planta*, Vol. 199, n° 4, p. 618-624.

SINGH M., HAMEL N., BROWN G.G., 1996. - Nuclear genes associated with a single *Brassica* CMS restorer locus influence transcripts of three different mitochondrial gene regions. - *Genetics*, Vol. 143, n° 1, p. 505-516.

SOUFLERI I.A., VERGNOLLE C., MIGNIAC E., KADER J.C., 1996. - Germination-specific lipid transfer protein cDNAs in *Brassica napus* L. - *Planta*, Vol. 199, n° 2, p. 229-237.

STALBERG K., ELLERSTOM M., EZCURRA I., ABLOV S., RASK L., 1996. - Disruption of an overlapping E-box/ABRE motif abolished high transcription of the napA storage-protein promoter in transgenic *Brassica napus* seeds. - *Planta*, Vol. 199, n° 4, p. 515-519.

SZEWC-MCFADDEN A.K., KRESOVICH S., BLIEK S.M., 1996. - Identification of polymorphic, conserved simple sequence repeats (SSRs) in cultivated *Brassica* species. - *Theoretical and Applied Genetics*, Vol. 93, n° 4, p. 534-538.

TEUTONICO R.A., YANDELL B., SATAGOPAN J.M., 1995. - Genetic analysis and mapping of genes controlling freezing tolerance in oilseed *Brassica*. - *Molecular Breeding*, Vol. 1, n° 4, p. 329-339.

THOMZIK J.E., 1996. - Gene transfer in plants. - *Pflanzenschutz Nachrichten Bayer Special Issue*, p. 05-23.

THORMANN C.E., ROMERO J., MANTEL J., OSBORN T.C., 1996. - Mapping loci controlling the concentrations of erucic and linolenic acids in seed oil of *Brassica napus* L. - *Theoretical and Applied Genetics*, Vol. 93, n° 1-2, p. 282-286.

TIMMONS A.M., CHARTERS Y.M., CRAWFORD J.W., 1996. - Risks from transgenic crops. - *Nature*, Vol. 380, 11 april, p. 487.

UKRAINETZ H., CAMPBELL C.A., BIEDERBECK V.O., 1996. - Yield and protein content of cereals and oilseed as influenced by long-term use of urea and anhydrous ammonia. - *Canadian Journal of Plant Science*, Vol. 76, n° 1, p. 27-32.

VAN DEYNZE A., 1996. - The development of laurate rapeseed : a genetically modified oil. - *PBI Bulletin May*, p. 4-7.

VILCHES R., MORA S., 1996. - Agronomic performance of dihaploid lines of *Brassica napus* in Chile. - *Cruciferae Newsletter*, n° 18, mars, p. 104-141.

VOELKER T.A., 1996. - Genetic engineering of a quantitative trait: Metabolic and genetic parameters influencing the accumulation of laurate in rapeseed. - *Plant Journal*, Vol. 9, n° 5, p. 775.

VOELKER T.A., HAYES T.R., CRANMER A.M., TURNER J.C., DAVIES H.M., 1996. - Genetic engineering of a quantitative trait: Metabolic and genetic parameters influencing the accumulation of laurate in rapeseed. - *Plant Journal*, Vol. 9, n° 2, p. 229-241.

WALDMULLER S., LINK G., 1995. - Sequence and expression characteristics of three g-Box-binding factor cDNAs from *Brassica napus*. - *Plant Molecular Biology*, Vol. 29, n° 3, p. 507-517.

WILKINSON M.J., TIMMONS A.M., 1995, 20-23 Nov. - Problems of risk assessment with genetically modified oilseed rape. - *Brighton Crop Protection Conference. Weeds*, Vol. 3, p. 1035-1044.

YEUNG E.C., RAHMAN M.H., THORPE T.A., 1996. - Comparative development of zygotic and microspore-derived embryos in *Brassica napus* L. cv Topas 1. Histodifferentiation. - *International Journal of Plant Sciences*, Vol. 157, n° 1, p. 27-39.

ZHAO J.P., SIMMONDS D.H., NEWCOMB W., 1996. - Induction of embryogenesis with colchicine instead of heat in microspores of *Brassica napus* L cv Topas. - *Planta*, Vol. 198, n° 3, p. 433-439.

ZHAO J.P., SIMMONDS D.H., NEWCOMB W., 1996. - High frequency production of doubled haploid plants of *Brassica napus* cv Topas derived from colchicine-induced microspore embryogenesis without heat shock. - *Plant Cell Reports*, Vol. 15, n° 9, p. 668-671.

1996. - New array of canola varieties en route. - *INFORM*, Vol. 7, n° 5, p. 520-531.

## Désherbage - Weed-Control - Unkrautbekämpfung

AMELUNG D., BROSCHWITZ B., 1996. - Neue Unkräuter machen Probleme. - *Raps*, Vol. 14, n° 3, p. 106-109.

ANDERSSON T.N., MILBERG P., 1996. - Weed performance in crop rotations with and without leys and at different nitrogen levels. - *Annals of Applied Biology*. Vol. 128, n° 3, p. 505-518.

BINGHAM I.J., KAY J., WHYTOCK G.P., 1995, 20-23 Nov. - Effects of seed condition and the herbicide metazachlor on the germination and establishment of swede (*Brassica napus*) Brighton. - *Crop Protection Conference. Weeds*. Vol. 3, p. 913-918.

BROWN P.D., MORRA M.J., 1995. - Glucosinolate-containing plant tissues as bioherbicides. - *J. Agricultural and Food Chemistry*. Vol. 43, n° 12, p. 3070-3074.

DAVIS J.B., BROWN J., 1996. - Potential effect of weed seed contamination on the quality of canola produced in the Pacific Northwest region of the U.S.A. - *Cruciferae Newsletter*, n° 18, mars, p. 136-137.

HALL J.C., WEBB S.R., DESHPANDE S., 1996. - An overview of auxinic herbicide resistance: Wild mustard (*Sinapis arvensis L.*) as a case study. - *Molecular Genetics and Evolution of Pesticide Resistance*. Vol. 645, p. 28-43.

KNOTT C.M., 0-23 Nov. - Control of volunteer oilseed rape in peas. - *Brighton Crop Protection Conference. Weeds*. Vol. 3, p. 889-894.

LUTMAN P.J.W., BOWERMAN P., 1995, 20-23 Nov. - A comparison of the competitive effects of eleven weed species on the growth and yield of winter oilseed rape. - *Brighton Crop Protection Conference. Weeds*. Vol. 3, p. 877-882.

MILLER T.W., CALLIHAN R.H., 1995. - Interference between triazine-resistant *Brassica napus* and *Panicum miliaceum*. - *Weed Research*. Vol. 35, n° 6, p. 453-460.

PIERRE J.G., MALTERRE F., SCHIAVON M., 1997. - Colza et environnement : impact du désherbage. Une réglementation évolutive. - *Oléoscope - Bulletin du CETIOM*, n° 37, janvier-février, p. 10-11.

PIERRE J.G., MALTERRE F., SCHIAVON M., 1997. - Trois substances dominent le désherbage du colza. - *Oléoscope - Bulletin du CETIOM*, n° 37, janvier-février, p. 12-14.

PIERRE J.G., MALTERRE F., SCHIAVON M., 1997. - Guérir et prévenir les risques de pollution des eaux. - *Oléoscope - Bulletin du CETIOM*, n° 37, janvier-février, p. 19-20.

SCHIAVON M., 1996, 4 déc. - «Impact sur l'environnement des herbicides appliqués sur le colza d'hiver». Approche modélisée du transfert de la trifluraline. - *Les Rencontres Annuelles du CETIOM*. p. 18-22.

WHYTOCK G.P., BINGHAM I.J., 1995, 20-23 nov. - Developing cost-effective strategies for weed control in winter oilseed rape. - *Brighton Crop Protection Conference. Weeds*. Vol. 3, p. 883-888.

1996. - Directive sur la bonne pratique phytosanitaire. Colza. - *Bulletin OEPP*, Vol. 26, n° 2, p. 349-367

## Insectes - Insects - Insekten

ALFORD D.V., WALTERS K.F.A., 1996, 18-21 nov. - A commercially viable low-cost strategy for the management of seed weevil populations on winter oilseed rape in the UK. - Brighton Crop Protection Conference. *Pests and Diseases*. Vol II, p. 609-614.

FRANK T., 1996. - Sown wildflower strips in arable land in relation to slug density and slug damage in rape and wheat. - *Slug and Snail Pests in Agriculture*, n° 66, p. 289-296.

GARBE V., BROSCHWITZ B., 1996. - Schadensschwellen bei Rapsschädlingen. - *Raps*, Vol. 14, n° 2, p. 58-63.

GIAMOUSTARIS A., MITHEN R., 1996. - The effect of flower colour and glucosinolates on the interaction between oilseed rape and pollen beetles. - *Entomologia Experimentalis et Applicata*. Vol. 80, n° 1, p. 206-208.

HALBRENDT J.M., 1996. - Allelopathy in the management of plant-parasitic nematodes. - *Nematology*. Vol. 28, n° 1, p. 8-14.

PHAM DELEGUE M.H., 1996, 9 janv. - Etude de l'impact du colza transgénique sur l'abeille : évaluation des risques. - *Journée Interprofessionnelle sur la Pollinisation des Productions des Semences Oléagineuses*. Toulouse, France. p. 44-46.

SMART L.E., BLIGHT M.M., LANE A., 1996, 18-21 nov. - Development of a monitoring trap for spring and summer pests of oilseed rape. - Brighton Crop Protection Conference. *Pests and Diseases*. Vol. I, p. 167-172.

STEWART C.N., ADANG M.J., ALL J.N., 1996. - Insect control and dosage effects in transgenic canola containing a synthetic *Bacillus thuringiensis* crylAc gene. - *Plant Physiology*. Vol. 112, n° 1, p. 115-120.

UEMATSU H., 1996. - Inter-leaf movement of larvae of diamondback moth, *Plutella xylostella* L (Lepidoptera : Yponomeutidae) on rape *Brassica napus* seedlings. - *Japanese Journal of Applied Entomology and Zoology*. Vol. 40, n° 1, p. 35-38.

UMORU P.A., POWELL W., CLARK S.J., 1996. - Effect of pirimicarb on the foraging behaviour of *Diaeretiella rapae* (Hymenoptera : Braconidae) on host-free and infested oilseed rape plants. - *Bulletin of Entomological Research*. Vol. 86, n° 2, p. 193-201.

WEBB R.M., 1996. - In vitro studies of six species of *Pratylenchus* (Nematoda: Pratylenchidae) on four cultivars of oilseed rape (*Brassica napus* var oleifera). - *Nematologica*. Vol. 42, n° 1, p. 89-95.

WOPPEL H.J., 1996. - Bekämpfung von Vorblüte- und Blüteschädlingen noch sinnvoll ? - *Raps*, Vol. 14, n° 1, p. 14-15.

## Maladies - Diseases - Krankheiten

AMELUNG D., SCHULZ R.R., 1996. - Einfluss der Fruchtfolge auf Rapskrankheiten. - *Raps*, Vol. 14, n° 2, p. 52-56.

ANSANMELAYAH D., BALESIDENT M.H., BUEE M., ROUXEL T., 1995. - Genetic characterization of AvrLm1, the first avirulence gene of *Leptosphaeria maculans*. - *Phytopathology*. Vol. 85, n° 12, p. 1525-1529.

BAIRD R.E., 1996. - First report of *Rhizoctonia solani* AG-4 on canola in Georgia. - *Plant Disease*. Vol. 80, n° 1, p. 104.

BALLINGER D.J., SALISBURY P.A., 1996. - Seedling and adult plant evaluation of race variability in *Leptosphaeria maculans* on *Brassica* species in Australia. - *Aust. J. Experimental Agriculture*. Vol. 36, n° 4, p. 485-488.

BERG G., 1996. - Rhizobacteria of oilseed rape antagonistic to *Verticillium dahliae* var longisporum Stark Zeit. - *Pflanzenkrankheiten und Pflanzenschutz*. Vol. 103, n° 1, p. 20-30.

BERG G., MARTEN P., BALLIN G., 1996. - *Stenotrophomonas maltophilia* in the rhizosphere of oilseed rape - Occurrence, characterization and interaction with phytopathogenic fungi. - *Microbiological Research*. Vol. 151, n° 1, p. 19-27.

CHEN C.Y., HOWLETT B.J., 1996. - Rapid necrosis of guard cells is associated with the arrest of fungal growth in leaves of Indian mustard (*Brassica juncea*) inoculated with avirulent isolates of *Leptosphaeria maculans*. - *Physiological and Molecular Plant Pathology*. Vol. 48, n° 2, p. 73-81.

CHEN C.Y., SEGUIN-SWARTZ G., 1996. - Hypersensitive response of *Arabidopsis thaliana* to an isolate of *Phoma lingam* virulent to oilseed and turnip rape. - *Cruciferae Newsletter*, n° 18, mars, p. 106-107.

DIEDERICHSEN E., SACRISTAN M.D., 1996. - Disease response of resynthesized *Brassica napus* L. lines carrying different combinations of resistance to *Plasmiodiophora brassicae* Wor. - *Plant Breeding*. Vol. 115, n° 1, p. 5-10.

DOUGHTY K.J., BLIGHT M.M., BOCK C.H., 1996. - Release of alkenyl isothiocyanates and other volatiles from *Brassica rapa* seedlings during infection by *Alternaria brassicae*. - *Phytochemistry*. Vol. 43, n° 2, p. 371-374.

DOUGHTY K.J., LEWIS C.J., 1996, 07-11 July. - Oilseed rape oil yield and quality in relation to fungal disease. - *Fourth Congress of the European Society for Agronomy*. Wageningen, The Netherlands. Vol. II, p. 540-541.

EVANS I.R., KHARBANDA P.D., 1996. - Blackleg of canola survey in Alberta - 1995. - *Canadian Plant Disease Survey*. Vol. 76, n° 1, p. 97.

FITT B.D.L., GLADDERS P., TURNER J.A., 1996, 18-21 Nov. - Predicting risk of severe light leaf spot (*Pyrenopeziza brassicae*) on winter oilseed rape in the UK. - *Brighton Crop Protection Conference. Pests and Diseases*. Vol. I, p. 239-244.

GARBE V., 1996. - Krankheiten im Raps - Was tun ? - *Raps*. Vol. 14, n° 4, p. 156-159.

GINDRAT D., FREI P., 1996. - Sensibilité variétale et potentiel infectieux sur pétales : deux éléments à considérer pour l'élaboration d'un système de prévision du risque de sclérotiniose sur le colza. - *Bulletin GCIRC*, n° 12, avril, p. 68-71.

GRAICHEN K., RABENSTEIN F., 1996. - European isolates of beet western yellows virus (BWYV) from oilseed rape (*Brassica napus* L ssp *napus*)

are non-pathogenic on sugar beet (*Beta vulgaris* L var *altissima*) but represent isolates of turnip yellows virus (TuYV). - *Zeit. Pflanzenkrankheiten und Pflanzenschutz*. Vol. 103, n° 3, p. 233-245.

GRAICHEN K., SCHLIEPHAKE E., 1996. - Auftreten, Symptome und Vektoren des Wasserrübenvergilbungsvirus (Syn. Westliches Rübenvergilbungsvirus) am Winterraps. - *Nachrichtenbl. Pflanzenschutz*. Vol. 48, n° 8-9, p. 186-191.

HALL R., CHIGOGORA J.L., PHILLIPS L.G., 1996. - Role of seedborne inoculum of *Leptosphaeria maculans* in development of blackleg on oilseed rape. - *Canadian Journal of Plant Pathology*. Vol. 18, n° 1, p. 35-42.

HANNUSCH D.J., BOLAND G.J., 1996. - Influence of air temperature and relative humidity on biological control of white mold of bean (*Sclerotinia sclerotiorum*). - *Phytopathology*. Vol. 86, n° 2, p. 156-162.

HARRISON L.M., KHARBANDA P.D., 1996. - Spread and distribution of virulent blackleg of canola in the Peace river Region of Alberta in 1995. - *Canadian Plant Disease Survey*. Vol. 76, n° 1, p. 98.

HONG C.X., FITT B.D.L., 1995. - Effects of inoculum concentration, leaf age and wetness period on the development of dark leaf and pod spot (*Alternaria brassicae*) on oilseed rape (*Brassica napus*). - *Annals of Applied Biology*. Vol. 127, n° 2, p. 283-295.

HONG C.X., FITT B.D.L., 1996. - Factors affecting the incubation period of dark leaf and pod spot (*Alternaria brassicae*) on oilseed rape (*Brassica napus*). - *European Journal of Plant Pathology*. Vol. 102, n° 6, p. 545-553.

HONG C.X., FITT B.D.L., WELHAM S.J., 1996. - Effects of wetness period and temperature on development of dark pod spot (*Alternaria brassicae*) on oilseed rape (*Brassica napus*). - *Plant Pathology*. Vol. 45, n° 6, p. 1077-1089.

KAMINSKI D.A., MORRALL R.A.A., 1996. - Survey of canola diseases in Saskatchewan, 1995. - *Canadian Plant Disease Survey*. Vol. 76, n° 1, p. 99-102.

KHARBANDA P.D., TEWARI J.P., 1996. - Integrated management of canola diseases using cultural methods. - *Canadian Journal of Plant Pathology*. Vol. 18, n° 2, p. 168-175.

KIRKEGAARD J.A., WONG P.T.W., DESMARCHELIER J.M., 1996. - In vitro suppression of fungal root pathogens of cereals by *Brassica* tissues. - *Plant Pathology*. Vol. 45, n°3, p. 593-603.

LAMKADMI Z., ESNAULT M.A., 1996. - Characterization of a 23 kDa polypeptide induced by *Phoma lingam* in *Brassica napus* leaves. - *Plant Physiology and Biochemistry*. Vol. 34, n° 4, p. 589-598.

LEFOL C., MORRALL R.A.A., 1996. - Immunofluorescent staining of sclerotinia ascospores on canola petals. - *Canadian Journal of Plant Pathology*. Vol. 18, n°3, p. 237-241.

LIU J.Q., PARKS P., RIMMER S.R., 1996. - Development of monogenic lines for resistance to *Albugo candida* from a - Canadian *Brassica napus* cultivar. - *Phytopathology*. Vol. 86, n° 9, p. 1000-1004.

MACLAREN D.L., HUANG H.C., 1996. - Control of apothecial production of *Sclerotinia sclerotiorum* by *Coniothyrium minitans* and *Talaromyces flavus*. - *Plant Disease*. Vol. 80, n° 12, p. 1373-1378.

MACQUILKEN M.P., MITCHELL S.J., BUDGE S.P., 1995. - Effect of *Coniothyrium minitans* on sclerotial survival and apothecial production of *Sclerotinia sclerotiorum* in field-grown oilseed rape. - *Plant Pathology*. Vol. 44, n° 5, p. 883-896.

MAHUKU G.S., HALL R., GOODWIN P.H., 1996. - Distribution of *Leptosphaeria maculans* in two fields in southern Ontario as determined by the polymerase chain reaction. - *European Journal of Plant Pathology*. Vol. 102, n° 6, p. 569-576.

MAHUKU G.S., HALL R., GOODWIN P.H., 1996. - Co-infection and induction of systemic acquired resistance by weakly and highly virulent isolates of *Leptosphaeria maculans* in oilseed rape. - *Physiological and Molecular Plant Pathology*, Vol. 49, n° 1, p. 61-72.

MAYTON H.S., OLIVIER C., VAUGHN S.F., LORIA R., 1996. - Correlation of fungicidal activity of *Brassica* species with allyl isothiocyanate production in macerated leaf tissue. - *Phytopathology*. Vol. 86, n° 3, p. 267-271.

PANG E.C.K., HALLORAN G.M., 1996. - The genetics of adult-plant blackleg (*Leptosphaeria maculans*) resistance from *Brassica juncea* in *B. napus*. - *Theoretical and Applied Genetics*. Vol. 92, n° 3-4, p. 382-387.

PANG E.C.K., HALLORAN G.M., 1996. - Genetics of virulence in *Leptosphaeria maculans* (Desm) Ces et De Not, the cause of blackleg in rapeseed (*Brassica napus* L.). - *Theoretical and Applied Genetics*. Vol. 93, n° 3, p. 301-306.

PANG E.C.K., HALLORAN G.M., 1996. - The genetics of blackleg [*Leptosphaeria maculans* (Desm) Ces et De Not] resistance in rapeseed (*Brassica napus* L). 1. Adult-plant resistance in F<sub>2</sub> and first-backcross populations. - *Theoretical and Applied Genetics*. Vol. 93, n° 5-6, p. 932-940.

PANG E.C.K., HALLORAN G.M., 1996. - The genetics of blackleg [*Leptosphaeria maculans* (Desm) Ces et De Not] resistance in rapeseed (*Brassica napus* L). 2. Seedling and adult plant resistance as quantitative traits. - *Theoretical and Applied Genetics*. Vol. 93, n° 5-6, p. 941-949.

PATTERSON M.A., KAPOOR M., 1996. - Detection of plasmid-like DNA and double-stranded RNA elements in some Canadian isolates of the oilseed rape pathogen *Leptosphaeria maculans*. - *Canadian Journal of Microbiology*. Vol. 42, n° 9, p. 977-982.

PATTERSON N.A., KAPOOR M., 1995. - Detection of additional restriction fragment length polymorphisms among the weakly virulent (nonaggressive) and highly virulent (aggressive) isolates of *Leptosphaeria maculans*. - *Canadian Journal of Microbiology*. Vol. 41, n° 12, p. 1135-1141.

PEDRAS M.S.C., KHAN A.Q., 1996. - Biotransformation of the *Brassica* phytoalexin brassicanal A by the blackleg fungus. - *J. Agricultural and Food Chemistry*. Vol. 44, n° 10, p. 3403-3407.

PENAUD A., 1996. - Phoma du colza. A la recherche d'un bon indicateur pour traiter. - *Oléoscope - Bulletin du CETIOM*, n° 35, septembre - octobre, p. 16-17.

PERES A., POISSON B., MAISONNEUVE C., 1996. - Phoma du colza. Comment le champignon progresse t-il dans la plante ? - *Oléoscope - Bulletin du CETIOM*, n° 35, septembre - octobre, p. 10-12.

PLATFORD R.G., 1996. - Distribution, prevalence and incidence of canola diseases in Manitoba in 1995. - *Canadian Plant Disease Survey*. Vol. 76, n° 1, p. 103-105.

QUI X., WU Y., JAYNES J., 1995. - Effect of a membrane interactive peptide on plant cells of canola (*Brassica napus*) and two fungal pathogens. - *Plant Cell Reports*, Vol. 15, n° 1-2, p. 115-118.

RENARD M., 1996, 4 déc. - Perspectives d'amélioration de la résistance du colza au phoma. - *Les Rencontres Annuelles du CETIOM*. p. 29-34.

ROUXEL T., BALESSENT M.H., 1996. - Phoma du colza. Un nom, plusieurs souches. - *Oléoscope - Bulletin du CETIOM*, n° 35, septembre - octobre, p. 13-15.

SCHMIEDL J., KOPPL H., 1996. - Lohnt sich der Fungizideinsatz im Raps ? - *Raps*. Vol. 14, n° 1, p. 16-19.

SCHRODER M., 1996. - Das Westliche Rübenvergilbungsvirus an Winterraps in Baden-Württemberg. - *Nachrichtenbl. Pflanzenschutz*. Vol. 48, n° 2, p. 32-35.

SIPPELL D.W., HALL R., 1996. - Constant rank of virulence and resistance in the *Leptosphaeria maculans* *Brassica napus* pathosystem. - *Canadian Journal of Plant Pathology*. Vol. 18, n° 1, p. 71-74.

SOMDA I., RENARD M., BRUN H., 1996. - Morphology, pathogenicity and isozyme variation amongst French isolates of *Leptosphaeria maculans* recovered from *Brassica juncea* cv Picra. - *Plant Pathology*. Vol. 45, n° 6, p. 1090-1098.

SOME A., MANZANARES M.J., LAURENS F., ROUXEL F., 1996. - Variation for virulence on *Brassica napus* L amongst *Plasmodiophora brassicae* collections from France and derived single-spore isolates. - *Plant Pathology*. Vol. 45, n° 3, p. 432-439.

STRUSS D., QUIROS C.F., PLIESKE J., ROBBELEN G., 1996. - Construction of *Brassica B* genome synteny groups based on chromosomes extracted from three different sources by phenotypic, isozyme and molecular markers. - *Theoretical and Applied Genetics*. Vol. 93, n° 7, p. 1026-1032.

VOLKER H.P., 1996. - Hinweise zur Bestandesführung des Raps im Herbst 1996. - *Raps*. Vol. 14, n° 4, p. 162-163.

WALLENHAMMAR A.C., 1996, 18-21 nov. - Occurrence of clubroot (*Plasmodiophora brassicae*) in spring oilseed rape ; estimation and prediction of crop loss. - *Brighton Crop Protection Conference. Pests and Diseases*. Vol. I, p. 245-250.

## Analyse - Analysis - Analyse

NASTRUZZI C., CORTESI R., ESPOSITO E., 1996. - In vitro cytotoxic activity of some glucosinolate-derived products generated by myrosinase hydrolysis. - *J. Agricultural and Food Chemistry*. Vol. 44, n° 4, p. 1014-1021.

RIBAILLER D., 1996. - Colza : la qualité se maintient de récolte en récolte. - *Oléoscope - Bulletin du CETIOM*, n° 36, nov.-déc, p. 19-20

## Technologie - Technology - Technologie

LAGUSUNDARAM K., JAYAS D.S., 1996. - Finite element model of three-dimensional movement of carbon dioxide in grain bins. - *Canadian Agricultural Engineering*. Vol. 38, n° 2, p. 75-82.

AMAROWICZ R., KARAMAC M., YOSHIKI Y., OKUBO K., 1996. - Hemolytic activity of the fractions separated from the rapeseed ethanolic extract. - *Nahrung - Food* Vol. 40, n° 3, p. 155-157.

BONDIOLI P., FOLEGATTI L., 1996. - Evaluating the oxidation stability of biodiesel. An experimental contribution. - *Rivista Italiana delle Sostanze Grasse*. Vol. 73, n° 8, p. 349-353.

BONES A.M., ROSSITER J.T., 1996. - The myrosinase-glucosinolate system, its organisation and biochemistry. - *Physiologia Plantarum*. Vol. 97, n° 1, p. 194-208.

CARR R., MIKLE J., 1996, 10-12 March. - New developments in Canola processing. - *Proceedings of the 45th Oilseed Conference. Oilseed Products in the 21st Century.* New Orleans, USA. p. 13-25.

CARR R., MIKLE J., 1996. - New developments in canola processing. - *Oil Mill Gazetteer*, Vol. 102, n° 1, p. 17-27.

COGELS P., 1996. - L'industrie européenne de la trituration et du raffinage : situation et perspectives. - O.C.L. Vol. 3, n° 1, p. 14-16.

DONNINI C., 1996. - Produzioni agricole per l'energia. - *Agricoltura*. Vol. 3, n° 2, p. 8-11.

DUNFORD N.T., TEMELLI F., 1996. - Effect of supercritical CO<sub>2</sub> on myrosinase activity and glucosinolate degradation in canola. - *J. Agricultural and Food Chemistry*. Vol. 44, n° 8, p. 2372-2376.

FITZPATRICK K., 1996. - Australia seeks to hike oilseed production. - *INFORM*. Vol. 7, n° 8, p. 834, 839-849.

FOLAWIYO Y.L., APENTEN R.K.O., 1996. - Effect of pH and ionic strength on the heat stability of rapeseed 12S globulin (cruciferin) by the ANS fluorescence method. - *J. Sci. Food Agri.* Vol. 70, n° 2, p. 241-246.

KUHNEL B., HOLBROOK L.A., MOLONEY M.M., VANROOIJEN G.J.H., 1996. - Oil bodies of transgenic *Brassica napus* as a source of immobilized betaglucuronidase. - *J.A.O.C.S.*, Vol. 73, n° 11, p. 1533-1538.

LACOSTE F., BOSQUE F., BRENNE E., 1996. - Contrôle des émissions atmosphériques d'unités industrielles de trituration de colza. - *O.C.L.*, Vol. 3, n° 5, p. 369-377.

LEMARIE J., 1996. - Protéines des oléagineux : pour quels usages industriels. - *Oléoscope - Bulletin du CETIOM*, n° 36, nov.-déc, p. 11-13.

LEMARIE J., DE LOOZE M.A., RIVAUD D., 1996. - Etude bibliométrique sur la valorisation des protéines. - *O.C.L.*, Vol. 3, n° 5, p. 346-352.

LIU H., PRZYBYLSKI R., ESKIN N.A.M., 1996. - Influence of solvent content on phase-transition temperatures of oil sediment and solution viscosity in acetone canola oil systems. - *J.A.O.C.S.*, Vol. 73, n° 9, p. 1137-1141.

MANSOUR E.H., DWORSCHAK E., HUSZKA T., HOVARI J.; GERGELY A., 1996. - Utilization of pumpkin seed and rapeseed proteins in the preparation of bologna type sausages. - *Acta Alimentaria*. Vol. 25, n° 1, p. 25-36.

PAGES X., 1996. - Environnement et industries des corps gras. - *O.C.L.*, Vol. 3, n° 4, p. 256-258.

SADOWSKA J., FORNAL J., OSTASZYK A., SZMATOWICZ B., 1996. - Drying conditions and processability of dried rapeseed. - *J. Sci. Food Agri.* Vol. 72, n° 2, p. 257-262.

SARKER B.C., SINGH B.P.N., AGRAWAL Y.C., GUPTA D.K., 1995. - Effect of enzymatic pre-treatment on dehulling of rapeseed. - *J. Food Science and Technology*. Vol. 32, n° 5, p. 426-428.

SASMAZ D.A., 1996. - Evaluation of the diffusion coefficient of rapeseed oil during solvent extraction with hexane. - *J.A.O.C.S.*, Vol. 73, n° 5, p. 669-671.

SOSADA M., 1996. - Studies on stability of rapeseed wet gum as a source of pharmaceutical lecithin. - *J.A.O.C.S.*, Vol. 73, n° 3, p. 367-370.

TILLMANN P., 1996. - Qualitätsuntersuchung an Raps. - *Raps*, Vol. 14, n° 4, p. 180-181.

VAN ROOIJEN G.J.H., MOLONEY M.M., 1995. - Structural requirements of oleosin domains for subcellular targeting to the oil body. - *Plant Physiology*. Vol. 109, n° 4, p. 1353-1361.

WU X.Y., JAASKELAINEN S., LINKO Y.Y., 1996. - An investigation of crude lipases for hydrolysis, esterification, and transesterification. - *Enzyme and Microbial Technology*. Vol. 19, n° 3, p. 226-231.

## Huile - Oil - Öl

DEGREYT W., RADANYI O., KELLENS M., HUYGHEBAERT A., 1996. - Contribution of trans-fatty acids from vegetable oils and margarines to the Belgian diet. - *Fett.* Vol. 98, n° 1, p. 30-33.

DUBRUILLE D., 1996. - Huiles et mayonnaises. - *O.C.L.*, Vol. 3, n° 1, p. 36-38.

FLIDER F.J., 1995. - Use of rapeseed oil in lubricants. - *INFORM.* Vol. 6, n° 9, p. 1031, 1033-1035.

FOCHEM H., 1996. - Einsatz von Pflanzenölen in der Oleochemie. - *Raps.* Vol. 14, n° 3, p. 143-145.

FREMONT L., GOZZELINO M.T., 1996. - Dietary sunflower oil reduces plasma and liver triacylglycerols in fasting rats and is associated with decreased liver microsomal phosphatidate phosphohydrolase activity. - *Lipids*, Vol. 31, n° 8, p. 871-878.

GURR M., 1996. - Plant sterols in the diet. - *Lipid Technology*, Vol. 8, n° 5, p. 114-117.

HUANG A.H.C., 1996. - Oleosins and oil bodies in seeds and other organs. - *Plant Physiology*. Vol. 110, n° 4, p. 1055-1061.

IRAZOQUI H.A., ISLA M.A., 1996. - La oleoquímica. Usos alternativos de los aceites vegetales. Productos y aplicaciones de mayor valor comercial a partir de los ésteres y de la glicerina. - *Aceites y Grasas*, n° 23, juin, p. 171-188.

LEVEAUX V.D., RESURRECCION A.V.A., 1996. - Descriptive sensory profiling of freshly processed commercial peanut, cottonseed, Canola and soybean oils. - *J. Food Quality*. Vol. 19, n° 4, p. 265-277.

LIU H., PRZYBYLSKI R., 1996. - Comparison of the composition and properties of canola and sunflower oil sediments with canola seed hull lipids. - *J.A.O.C.S.*, Vol. 73, n° 4, p. 493-498.

MALCOLMSON L.J., VAISEYGENSER M., 1996. - Characterization of stored regular and low-linolenic canola oils at different levels of consumer acceptance. - *J.A.O.C.S.*, Vol. 73, n° 9, p. 1153-1160.

MATTHAUS B.W., 1996. - Determination of the oxidative stability of vegetable oils by Rancimat and conductivity and chemiluminescence measurements. - *J.A.O.C.S.*, Vol. 73, n° 8, p. 1039-1043.

METZ J., LASSNER M.L., 1996. - Reprogramming of oil synthesis in rapeseed : industrial applications. - *Annals of the New York Academy of Sciences*, Vol. 792, p. 82-90.

MONTAGNE X., 1996, 22-25 sept. - Impact de l'incorporation d'ester méthylique de colza sur le pouvoir lubrifiant des gazoles (évaluation au moyen du test HFRR). - *2nd European Motor Biofuels Forum Graz, Austria*. 6 p.

NELSON L.A., FOGLIA T.A., MARMER W.N., 1996. - Lipase-catalyzed production of biodiesel. - *J.A.O.C.S.*, Vol. 73, n° 9, p. 1191-1195.

PONNE C.T., MOLLER A.C., TIJSKENS L.M.M., 1996. - Influence of microwave and steam heating on lipase activity and microstructure of rapeseed (*Brassica napus*). - *J. Agricultural and Food Chemistry*. Vol. 44, n° 9, p. 2818-2824.

SIGUEL E., 1996. - Issues and problems in the design of foods rich in essential fatty acids. - *Lipid Technology*. Vol. 8, n° 4, p. 81-86.

VALSTA L.M., SALMINEN I., 1996. - Alpha-linolenic acid in rapeseed oil partly compensates for the effect of fish restriction on plasma long chain n-3 fatty acids. - *European Journal of Clinical Nutrition*. Vol. 50, n° 4, p. 229-235.

VAN DEYNZE A., 1996. - L'élaboration du colza producteur de laurate : une huile modifiée génétiquement. - *Bulletin IBP*, mai, p. 5-7.

WARNER K., NELSEN T., 1996. - AOCS collaborative study on sensory and volatile compound analyses of vegetable oils. - *J.A.O.C.S.*, Vol. 73, n° 2, p. 157-166.

WESDORP L.H., 1996. - Current trends in oil processing. - *Lipid Technology*, Vol. 8, n° 6, p. 129-135.

## Tourteaux - Meal - Schrote

AMMAN H., 1996. - Rentabilité du tourteau de colza dans l'alimentation animale. - *Revue Suisse d'Agriculture*, Vol. 28, n° 3, p. 165-169.

BAIDOO S.K., CLOWES E.J., AHERNE F.X., 1996. - The digestible energy value of canola oil for growing pigs as measured by level of inclusion. - *Animal Feed Science and Technology*, Vol. 62, n° 2-4, p. 111-119.

BEAUCHEMIN K.A., BAILEY D.R.C., MACALLISTER T.A., 1995. - Lignosulfonate-treated canola meal for nursing beef calves. - *Canadian Journal of Animal Science*. Vol. 75, n° 4, p. 559-565.

BELL J.M., RAKOW G., 1996. - Trypsin inhibitors and phytic acid in oil-extracted meals from seeds of several *Brassica* species and of *Sinapis alba*. - *Canadian Journal of Animal Science*. Vol. 76, n° 3, p. 423-425.

BELLOF G., 1996. - Der Einsatz von Rapskuchen in der Schweinemast. - *Raps*, Vol. 14, n° 3, p. 146-149.

COLLIN S., 1996, 4 déc. - Utilisation des tourteaux de colza comme biomatériaux. - *Les Rencontres Annuelles du CETIOM*. p. 35-40.

SCHONE F., 1996. - Graines et tourteau de colza dans l'alimentation des porcs. - *Revue Suisse d'Agriculture*. Vol. 28, n° 3, p. 160-164.

SCHONE F., KIRCHHEIM U., SCHUMANN W., LUDKE H., 1996. - Apparent digestibility of high-fat rapeseed press cake in growing pigs and effects on feed intake, growth and weight of thyroid and liver. - *Animal Feed Science and Technology*. Vol. 62, n° 2-4, p. 97-110.

SILJANDERRASI H., VALAJA J., ALAVIUHKOLA T., 1996. - Replacing soya bean meal with heat-treated, low-glucosinolate rapeseed meal does not affect the performance of growing-finishing pigs. - *Animal Feed Science and Technology*. Vol. 60, n° 1-2, p. 1-12.

STANFORD K., MCALLISTER T.A., LEES B.M., 1996. - Comparison of sweet white lupin seed, canola meal and soybean meal as protein supplements for lambs. - *Canadian Journal of Animal Science*. Vol. 76, n° 2, p. 215-219.

STOLL P., 1996. - Les sous-produits du colza dans l'alimentation des porcs à l'engrais. - *Revue Suisse d'Agriculture*. Vol. 28, n° 3, p. 153-155.

SUBUH A.M.H., ROWANT.G., LAWRENCE T.L.J., 1996. - Effect of heat or formaldehyde treatment on the rumen degradability and intestinal tract apparent digestibility of protein in soya-bean meal and in rapeseed meals of different glucosinolate content. - *Animal Feed Science and Technology*. Vol. 57, n° 3, p. 257-265.

VOROB'EV M.M., PARENT G., 1996. - Quantitative comparison of casein and rapeseed proteolysis by pancreatin. - *Nahrung*. Vol. 4.

**Published by "Plant Breeding and Acclimatization Institute"**

Rosliny Oleiste Oilseed Crops. Vol. XVI, 1995  
Poznan, Poland

**Jan Krzymanski, Teresa Piętka, Krystyna Krótka, Krzysztof Michalski.** - Glucosinolate content in F1 hybrids of Polish double low winter oilseed rape (*Brassica napus L.*) - p. 13-24.

**Andrzej Wojciechowski.** - Evaluation of heterosis effect in F1 hybrids between synthetic rapeseed, strain 208/7/3 x variety Jantar - p. 25-34.

**Hanna Kruczkowska, Helena Pawłowska, Barbara Skucinska.** - Effects of some factors on the efficiency of microspore cultures of winter oilseed rape - p. 35-42.

**Angela Nalęczynska, Teresa Cegielska, Laurencja Szala.** - Technique and application cultures of isolated microspores of rapeseed (*Brassica napus L.*) - p. 43-46.

**Krystyna Jędrzejaszek, Hanna Kruczkowska, Helena Pawłowska, Barbara Skucinska.** - Effect of various mutagens on the ability to regeneration in microspore cultures of winter oilseed rape - p. 47-56.

**Elzbieta Adamska, Stanislaw Jezowski, Jan Olejniczak, Wojciech Rybinski .** - Influence of chemical mutagens on induced variability in winter rapeseed - p. 57-62.

**Bozena Szestowicka, Stanislaw Spasibionek, Jan Krzymanski.** - Use of interspecific hybrids between *Brassica napus* and *Brassica carinata* in the breeding for quality of winter oilseed rape - p. 63-68.

**Malgorzata Mackowiak, Barbara Barcikowska .** - Cytogenetics of the hybrid (2n=38) F2 *Brassica juncea* x *B. carinata* and its progeny - p. 69-74.

**Malgorzata Maskowiak, Barbara Barcikowska .** - Estimation of new strains of double low winter oilseed rape in preliminary trials in 1992/93 - p. 75-82.

**Helena Zukalova, Jan Vasak.** - Antinutritive components in rapeseed - p. 97-104.

**Czeslaw Musnicki, Wieslawa Mroczek, Andrzej Potkanski.** - Chemical composition of the seeds of native and foreign winter rape cultivars (protein, carbohydrates, glucosinolates) - p. 105-112.

**Jan Krzymanski.** - Biosynthesis and physiological functions of glucosinolates in plant - p. 113-126.

**Antoni Murkowski.** - Biophysical methods for study on the photosynthesis of rape plants resistant to triazine herbicides - p. 127-140.

**Zofia Jasinska, Andrzej Kotecki, Marcin Kozak.** - Effects of previous crops on winter oilseed rape - p. 141-150.

**Wojciech Budzynski, Teresa Ojczyk, Piotr Tobola, Włodzimierz Malarz.** - Comparison of soil and foliar urea application to winter oilseed rape - p. 151-156.

**Marek Wójtowicz, Franciszek Wielebski.** - Influence of spring nitrogen fertilization by various soil moisture on yield, yield components and seed quality of three cultivars of winter oilseed rape - p. 157-164.

**Tadeusz Barszczak, Zofia Barszczak.** - Effect of nitrogen fertilization, soil moisture and acidity on seed yield and fat and protein content in seeds of winter oilseed rape cultivars - p. 165-172.

**Teresa Wojnowska, Henryk Panak, Stanislaw Sienkiewicz.** - Winter oilseed rape reaction to increasing level of nitrogen fertilization in conditions of Kętrzyn black earth - p. 173-180.

**Teresa Wojnowska, Stanislaw Sienkiewicz, Alojzy Wojtas.** - Effect of increasing doses of nitrogen on yield and chemical composition of winter rape seeds - p. 181-188.

**Jerzy Tys.** - Influence of moisture content of the pods on the rape seed losses by harvest - p. 189-194.

**Danuta Murawa, Barbara Adomas.** - Effect of herbicides on the yield and some qualitative features of seeds of double low winter rape - p. 195-200.

**Marian Franek, Józef Rola.** - Biological evaluation of Command 480 EC herbicide in mixture with other preparations applied in winter oilseed rape - p. 201-208.

**Czesław Musnicki, Piotr Tobola, Barbara Musnicka.** - Quality of harvested oilseed rape seeds depending on protection intensity against pests - p. 209-216.

**Gustaw Seta, Marek Mrówczyński, Krzysztof Widerski.** - Combined application of insecticide Fury 100 EC and foliar fertilizers on winter rape - p. 217-220.

**Czesław Sadowski, Czesław Musnicki, Grzegorz Lemanczyk.** - Health status of oilseed rape cultivated without pest control in conditions in Poznań region - p. 221-228.

**Czesław Sadowski, Wojciech Budzynski.** - Health status of winter oilseed rape at desistance from pest control in Olsztyn region - p. 229-234.

**Aleksandra Blażejewska, Krystyna Wyrostkiewicz.** - Occurrence of *Ceuthorrhynchus* on winter rape in the Bydgoszcz area - p. 235-238.

**Michał Starzycki, Elżbieta Starzycka, Jan Krymański, Bogdan Wolko, Katarzyna Kruszka, Piotr Kachlicki, Edward Arseniuk, Paweł Czembał.** - Using of RAPD (Random Amplified Polymorphic DNA) to identification of aggressiveness of *Phoma lingam* (Tode ex Fr.) Desm. pathotypes - p. 239-244.

**Zbigniew Weber, Zbigniew Karolewski.** - Occurrence of the light leaf spot on a winter oilseed rape in Poznań region - p. 245-250.

**Zbigniew Karolewski.** - Characteristic of four isolates of *Cylindrosporium concentricum* Grev. - p. 251-254.

**Irmina Makulec, Ewa Marczał, Andrzej Lipkowski, Bożenna Baranowska.** - Antibacterial and antifungal activity of glucosinolates extracted from rapeseed meal - p. 255-258.

**Barbara Chmielarz, Wiesława Walisiewicz-Niedbalska.** - Products obtained by manufacturing of plant oils as a raw materials for chemical industry - p. 259-262.

**Witold Podkówka, Zbigniew Podkówka.** - Stability testing of cold screw pressed oil from oilseed rape - p. 263-266.

**Lucja Laniewska-Moroż, Iwona Warminska-Radyko, Halina Nowak-Polakowska, Ryszard Zadernowski.** - Microflora of cold-pressed rapeseed oil - p. 267-274.

**Franciszek Borowiec, Krzysztof Furgal, Alina Marszałek.** - Effect of thermal treatments on the glucosinolate content in rapeseed - p. 275-282.

**Ryszard Zadernowski, Kazimierz Markiewicz, Grzegorz Sobieski.** - Changes in the tocopherol content during production and refining of rapeseed oil - p. 283-288.

**Kazimierz Markiewicz, Ryszard Zadernowski, Halina Nowak-Polakowska, Emilia Markiewicz.** - Changes in the content of minerals during production and refining of rapeseed oil - p. 289-292.

**Daniela Rotkiewicz, Iwona Konopka, Grzegorz Sobieski.** - Stability of rapeseed oils obtained by cold pressing and extraction - p. 293-300.

**Krzysztof Krygier, Krzysztof Domian, Dariusz Draka.** - Quality and stability of cold pressed, hot pressed and fully refined rapeseed oils - p. 301-306.

**Krzysztof Krygier, Katarzyna Ratusz, Beata Supel.** - Quality and stability of cold pressed oils - p. 307-314.

**Romuald Maria Szulc.** - Condition of Polish oil industry and prospects for its development in next future - p. 315-322.

**Bogdan Więlicki, Ryszard Krzyzanowski, Zbigniew Pagowski.** - Plant oils a source of proecological fuels and lubricant base oils - p. 323-332.

**Maria Rakowska, Piotr Ochodzki.** - Chemical and biological evaluation of the feeding quality of rapeseed meals obtained with different processing procedures - p. 345-350.

Jolanta Chichlowska, Andrzej Kliber, Tomasz Szkudelski, Marian Urbaniak, Andrzej Lyczynski.

- Comparison of the hormonal modifications and their metabolic consequences after using double low rapeseed meal and rape seeds Polo in finishing of pigs - p. 351-358.

Andrzej Kliber, Jolanta Chichlowska, Tomasz Szkudelski, Andrzej Frankiewicz, Andrzej Potkanski. - Level of some hormones and some indices of lipid metabolism in the blood of growing pigs feed the diet with different amount of cake from zeroerucic and double low rapeseed - p. 359-364.

Malgorzata Chibowska, Stefania Smulikowska, Barbara Pastuszewska. - Digestibility and energy value of double low rapeseed meal for chicks as affected by oil and fibre content - p. 365-368.

Andrzej Rutkowski, Andrzej Potkański. - Improving of phytate phosphorus utilization from rapeseed meal by using phytase in experiments with chicken - p. 369-374.

Andrzej Frankiewicz, Andrzej Potkanski, Halina Warych, Andrzej Kliber, Tomasz Szkudelski. - Effect of glucosinolate level in the rapeseed cake on production results of young pigs - p. 375-382.

Adolf Korniewicz, Tadeusz Ziolkowski, Henryk Czarnik-Matusewicz. - Improvement of rapeseed meal nutritive value by the screen fractionation - p. 383-388.

Tadeusz Ziolkowski, Adolf Korniewicz, Daniel Korniewicz, Henryk Czarnik-Matusewicz, Barbara Paleczek. - Determination of the optimum content of the fine fraction of rapeseed meal in the feed mixtures for fattening pigs - p. 389-398.

Andrzej Lyczynski, Grazyna Czyzak-Runowska, Marian Urbaniak, Andrzej Kliber. - Influence of substitution of soybean meal for rapeseed meal or rape seed of Polo variety in pig diets on carcass traits and meat quality - p. 399-404.

Maria Osek, Barbara Klocek, Alina Janocha. - Rape seeds in fattening pigs feeding - p. 405-412.

Teresa Banaszkiewicz. - Effect of double low rapeseed on slaughter value and abdominal fat composition of broiler chicken - p. 413-422.

Ewa Chrzaszcz, Tadeusz Kistowski, Adolf Korniewicz, Henryk Czarnik-Matusewicz. - Effectiveness of rape seeds in the feeding of young calves - p. 423-430.

Janusz Falkowski, Jan Glogowski, Anna Groszkowska, Wojciech Kozera, Marian Kozlowski. - Effect of diets containing rapeseed meal or rapeseed on performance and sperm quality of young boars - p. 431-438.

Franciszek Borowiec, Krzysztof Furgal, Stanislaw Piechnik. - Effect of double low rapeseed supplement to diets for sheep on weight gains and some indices of blood and rumen content - p. 439-448.

**BRUNSWIG P., CADOT M., LEMARIE J., 1996.** - Le point sur : le tourteau de colza pour les bovins. - *Ed. Institut de l'Elevage/CETIOM*, 53 p.

**CETIOM Châlons en Champagne, 1996.** - Journée CETIOM. Région Nord - Picardie - Haute-Normandie. 17 décembre. *Ed. CETIOM*, 46 p.

**CETIOM Dijon, CETIOM Lyon, 1996.** - Journée CETIOM. Région Bourgogne - Franche-Comté. Région Rhône-Alpes - Auvergne. 12 décembre. - *Ed. CETIOM*, 46 p.

**CETIOM Nancy, 1996.** - Journée CETIOM Région Alsace - Lorraine - Haute-Marne. 18 décembre. - *Ed. CETIOM*, 43 p.

**CETIOM Orléans, 1996.** - Réunion technique régionale. Centre. 21 novembre. - *Ed. CETIOM*, 50 p.

**CETIOM, 1996.** - Brochure colza d'hiver 1996. - *Ed. CETIOM*, 37 p.

**CETIOM, 1996.** - Les Rencontres Annuelles du CETIOM. Colza, tournesol, soja, lin et autres cultures. 3-6 décembre. - *Ed. CETIOM*, 4 Vol.

**FEDIOL, 1996.** - Statistiques 1995. - *Ed. FEDIOL*, 187 p.

**GABRIELLE B., 1996.** - Modélisation des cycles des éléments eau-carbone-azote dans un système sol-plante, et application à l'estimation des bilans environnementaux des grandes cultures. - *Ed. Ecole Centrale Paris / INRA*, 200 p.

**GNIS, 1996.** - Catalogue officiel des espèces et variétés. Tome 1. Plantes de grande culture. - *Ed. GNIS*, 204 p.

**HABEKOTTE B., 1996.** - Winter oilseed rape : analysis of yield formation and crop type design for higher yield potential. - *Ed. Wageningen Agricultural University*, 156 p.

**ISTA., 1996.** - Oil world annual 1996. Advance issue. - *Ed. ISTA Publications*, 94 p.

**LAMBERT L., 1996.** - Application de l'analyse de cycle de vie en agriculture, cas des grandes cultures. - *Ed. INRA / Université Paris XII / ENGREF*, 72 p.

**Institut Technique de la Betterave, 1996.** - Les successions de cultures dans la sole betteravière. A partir de l'enquête SCEES-TERUTI (1991-1995). - *Ed. Institut Technique de la Betterave*, 44 p.

**CRA Lorraine, 1996.** - Rendement potentiel et raisonnement de la fertilisation azotée sur colza d'hiver en Lorraine. - *Ed. CRA Lorraine*, 150 p.

**Koipesol Semillas, 1996.** - El cultivo de la colza. - *Ed. Koipesol Semillas*, 17 p.