

GCIRCBUL7*28

Following information was collected and classified by
Danièle RIVAUD and Françoise MARAIS, Documentation, CETIOM,
174, avenue Victor Hugo - 75116 Paris

Economie - Economy - Wirtschaft

BEARMAN M., 1989, 18-19 Déc. - The oilseed rape market in the United Kingdom. - *Production and Protection of Oilseed Rape and other Brassica*. - *Crops*, Cambridge, Great Britain, n° 23, p. 01-08.

BECKER W., 1990. - Fat consumption in Sweden - recent trends illustrated by food balance sheet data. - *Narings forskning*, Vol. 34, p. 70-73

CRAMER N., PAUL V.H., 1990. - Rapsanbau in Grossbritannien. 'The main break-crop in the UK'. - *Raps*, Vol. 8, n° 3, p. 102-103.

LANDON V., DUBUISSON G., 1989. - Colza 88/89: une année moyenne favorable aux variétés précoces. - *Bulletin CETIOM*, n° 102, p. 05-06.

LUFTENSTEINER H.W., 1990. - Rapsanbau 90: Sortenwahl als Grundstein zum Erfolg. - *Raps*, Vol. 8, n° 3, p. 132, 134-135.

MAKOWSKI N., 1990. - Die Winterrapsproduktion in der DDR. - *Raps*, Vol. 8, n° 2, p. 71-79.

MIELKE T., 1990, 29 Mai. - Marché global du colza et perspectives à court et à long termes dans la CEE. - *Marchés et qualités du colza: l'avenir du colza européen*. Paris, France. p. 01-04

RAYMER P.L., 1990, 29 Mai. L'huile de colza aux USA: l'histoire d'un succès. *Marchés et qualités du colza: l'avenir du colza européen*. Paris, France. p. 07.

VON KRIES A., 1990. - Welche Winterrapsorte aussäen? - *Raps*, Vol. 8, n° 3, p. 130-131

Agronomie - Agronomy - Agronomie

ALI M.A., OHLSSON I., SVENSK H., 1989. - Drought-stress responses in rapeseed (*Brassica juncea* L. and *Brassica napus* L.). Growth, yield and yield components. - *Agri. Hortique Genetica*, Vol. 46, p. 16-48.

ANDERSSON B., BENGTTSSON A., 1989. - The influence of row spacing, seed rate and sowing time on overwintering and yield in winter oilseed (*Brassica napus*). - *Swedish J. Agri. Res.*, Vol. 19, n° 3, p. 129-134.

ANDERSSON B., BENGTTSSON A., 1989. - The influence of row spacing, seed rate and sowing time on overwintering and yield in winter oilseed rape (*Brassica napus*). - *Swedish J. Agri. Res.*, Vol. 19, p. 129-134.

ASHRAF M., MEHMOOD S., 1990. - Response of four Brassica species to drought stress. - *Environmental and Experimental Botany*, Vol. 30, n° 1, p. 93-100.

BARRACLOUGH P.B., 1989. - Root growth, macro-nutrient uptake dynamics and soil fertility requirements of a high-yielding winter oilseed rape crop. - *Plant and Soil*, Vol. 119, n° 1, p. 59-70.

BAYLIS A.D., WRIGHT I.T.J., 1990. - The effects of lodging and a paclobutrazol - chlormequat chloride mixture on the yield and quality of oilseed rape. - *Annals of Applied Biology*, Vol. 116, n° 2, p. 287-295.

BERNERTH R., FRENTZEN M., 1990. - Utilization of erucyl-CoA by acyltransferases from developing seeds of *Brassica napus* (L.) involved in triacylglycerol biosynthesis. - *Plant Science*, Vol. 67, n° 1, p. 21-28.

BILSBORROW P.E., EVANS E.J., MILFORD G.F.J., FIELDSEND J.E., SPINK J., 1989, 18-19 Déc. - Changes in glucosinolate concentrations of single- and double-low var-

ieties of autumn sown oilseed rape (*B. napus*) during seed development. Production and Protection of Oilseed Rape and other Brassica crops. - *Cambridge, Great Britain*, n° 23, p. 91-99.

BLESS H.G., 1990. - Ammoniakverluste bei der Gülledüngung zu Raps. - *Raps*, Vol. 8, n° 3, p. 118-120.

BOAG B., MACFARLANE SMITH W.H., GRIFFITHS D.W., 1989, 18-19 Déc. - Effects of double low varieties of oilseed rape on mammalian wildlife. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 287-293.

BOOTH E.J., WALKER K.C., GRIFFITHS D.W., 1990. - Effect of harvest date and pod position on glucosinolates in oilseed rape (*Brassica napus*). - *J. Sci. Food Agri.*, Vol. 53, n° 1, p. 43-61.

CHALMERS A.G., 1989, 18-19 Déc. - Autumn and spring fertiliser nitrogen requirements for winter oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 125-133.

CHARZYNSKA M., MURGIA M., CRESTI M., 1989. - Ultrastructure of the vegetative cell of *Brassica napus* pollen with particular reference to microbodies. - *Protoplasma*, Vol. 152, n° 1, p. 22-28.

CHAY P., THURLING N., 1989. - Variation in pod length in spring rape (*Brassica napus*) and its effect on seed yield and yield components. - *J. Agri. Sci.*, Vol. 113, n° 2, p. 139-147.

CHHABRA M.L., OHLSSON I., 1990. - A comparison of ontogenetic variation in cold hardiness of *Brassica juncea*. - *Acta Agri. Scand.*, Vol. 40, p. 231-235.

- CHILD R.D., EVANS D.E., 1989, 18-19 Déc. - Improvement of recoverable yields in oilseed rape (*Brassica napus*) with growth retardants. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 135-144.
- CLEAR K.M., DAUN J.K., MILLS J.T., 1990. - Effects of frost damage on canola (rapeseed) in Canada. - *Bulletin GCIRC*, n° 6, p. 40-47.
- CONTE L.S., TURCI P., 1987. - La composizione dell'olio di colza in funzione della cultivar e della zone di coltivazione: studio sugli acidi grassi e sugli steroli. - *Rivista Italiana delle Sostanze Grasse*, Vol. 64, n° 4, p. 147-152.
- COPANI V., PATANE C., FOTTI S., 1988, 24-26 Fèv. - Potential productivity of rapeseed in Sicily. Stato Attuale e Prospettive delle Colture Oleaginose Erbacee in Italia. - *Pise, Italie*, p. 513-525.
- COWELL L.E., BREMER E., 1989. - Yield and NO₂ fixation of pea and lentil as affected by intercropping and N application. - *Canadian Journal of Soil Science*, Vol. 69, n° 2, p. 243-251.
- CRAMER N., 1990. - Schwefelernährung des Rapses. Erfahrungen aus Schleswig-Holstein. - *Raps*, n° 1, p. 08-11.
- DALY M.J., MARTIN R.J., 1988. - Oilseed rape: the effects of rate, timing and form of nitrogen application on a depleted Lismore soil. - *Agronomy Society of New Zealand*, Vol. 18, p. 97-102.
- EBERHARDT S., 1988. - Experience with the plant growth regulator Baronet in oilseed rape (*Brassica napus*) in Yugoslavia. - *Pflanzenschutz Nachrichten Bayer*, Vol. 41, n° 3, p. 371-378.
- EL NAKHLAWY F.S., EL FAWAL M.A., 1989. - Tolerance of five oil crops to salinity and temperature stresses during germination. - *Acta Agronomica Hungarica*, Vol. 38, n° 1-2, p. 59-65.
- ERIKSSON J.E., 1988. - The effects of clay, organic matter and time on absorption and plant uptake of cadmium added to the soil. - *Water, Air, and Soil Pollution*, Vol. 40, n° 3-4, p. 359-373.
- ERIKSSON J.E., 1990. - Effects of nitrogen-containing fertilizers on solubility and plant uptake of cadmium. - *Water, Air, and Soil Pollution*, Vol. 49, n° 3-4, p. 355-368.
- EVANS E.J., BILSBORROW P.E., LUDEKE F.H., MILFORD G.F.J., FIELDSSENS J.K., RAWLINSON C.J., SPINKS J., 1989, 18-19 Déc. - Variation in seed glucosinolate levels as influenced by agronomic inputs. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 151-157.
- EVANS E.J., BILSBORROW P.E., MILFORD G.F.J., FIELDSSENS J.E., PORTER A.J.R., RAWLINSON C.J., 1990. - Agronomic factors influencing the glucosinolate content of double-low winter-sown oilseed rape in the United Kingdom. - *Bulletin GCIRC*, n° 6, p. 80-84.
- FOURCROY P., GUIDET F., 1990. - The chlorophyll a/b binding protein cDNA of *Raphanus sativus*: partial sequence, light-dependent expression and DNA polymorphism in the cruciferae. - *Plant Physiology and Biochemistry*, Vol. 28, n° 4, p. 509-515.
- FREER J.B.S., OGILVY S.E., EVANS E.J., BILSBORROW P.E., RAWLINSON C.J., MILFORD G.F.J., KIELDSSEND J.K., 1989, 18-19 Déc. - The effects of time and method of harvest on seed yield and glucosinolate concentration of winter oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 145-150.
- GIJZEN M., MACGREGOR I., SEGUIN SWARTZ G., 1989. - Glucosinolate uptake by developing rapeseed embryos. - *Plant Physiology*, Vol. 89, n° 1, p. 260-263.
- GUDMUNDSSON U., 1989. - Nitrogen fertilizer for spring oilseed crops. - *Svensk Frotidning*, Vol. 58, n° 4, p. 86-88.
- HALLE J.R., GHOSHI S., DUMBROFF E.B., HEIKKILA J.J., 1990. - Effect of evaluated temperatures on heat shock protein and ribulose-1,5-bisphosphate carboxylase gene expression in *Brassica napus*. - *Biochemistry and Cell Biology*, Vol. 68, n° 3, p. 609-615.
- HOFFLAND E., BLOEMHOF H.S., 1990. - Simulation of nutrient uptake by a growing root system considering increasing root density and inter-root competition. - *Plant and Soil*, Vol. 124, n° 2, p. 149-155.
- HUHN M., 1990. - On the variability of harvest indices. - *J. Agronomy and Crop Science*, Vol. 164, n° 4, p. 271-281.
- IORI R., LEONI O., FONTANA F., 1990. - Evoluzione dei principali costituenti qualitativi durante il riempimento e la maturazione del seme di colza (*Brassica napus* L.) in alcuni ambienti di coltivazione. - *XXIII Convegno annuale della S.I.A.: "Moderne tecniche agronomiche e loro compatibilità con la salvaguardia dell'ambiente"*, 26-29 settembre 1989, Bari, Italia. - *Rivista di Agronomia*, Vol. 24, n° 2-3, p. 243-249.
- JENKINS P.D., 1988/1989. - Yield variation in winter oilseed rape (*Brassica napus* L.). - *J. Agricultural Society*, Vol. 69, p. 124-144.
- JOHNSON FLANAGAN A.M., THIAGARAJAH M.R., 1990. - Degreening in canola (*Brassica napus* cv. Westar) embryos under optimum conditions. - *J. Plant Physiology*, Vol. 136, n° 2, p. 180-186.
- KARPF F., 1990. - Die richtige Bodenbearbeitung und Saatbettbereitung für die Sonnenblume. - *Raps*, n° 1, p. 37.
- KEVAN P.G., EISIKOWITCH D., 1990. - The effects of insect pollination on canola (*Brassica napus* L. cv. O.A.C. Triton) seed germination. - *Euphytica*, Vol. 45, n° 1, p. 39-41.
- KUBLER E., AUFHAMMER W., 1989. - Einflüsse von Triazolapplikationen auf Körnertrag und -qualität von Winterraps. - *Fett Wissenschaft Technologie*, Vol. 92, n° 2, p. 68-74.
- KULLMAN A., OGUNLELA V.B., GEISLER G., 1989. - Concentrations and distribution of some mineral elements in oilseed rape (*Brassica napus* L.) plants in relation to nitrogen supply. - *J. Agronomy and Crop Science*, Vol. 163, n° 4, p. 225-235.
- KUNDU P.B., ROY K.M., PAUL N.K., 1989. - Germination and seedling growth of rapeseed (*Brassica campestris* L.) cultivars under different levels of soil moisture, temperature and urea. - *Crop Research*, Vol. 2, n° 2, p. 131-136.
- KUNELIUS H.T., SANDERSON J.B., 1989. - Effect of harvest dates on yield and quality of forage rape. - *Crop Research*, Vol. 29, n° 1, p. 19-25.
- LANDON V., HEBINGER H., MERAL J.G., 1989. - Ukraine: le colza et la Perestroïka. - *Bulletin CETIOM*, n° 102, p. 17-18.
- LEACH J.E., MILFORD G.F.J., MULLEN L.A., SCOTT T., STEVENSON H.J., 1989, 18-19 Déc. - Accumulation of dry matter in oilseed rape crops in relation to the reflection and absorption of solar radiation by different canopy structures. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 117-123.
- LEFEBVRE D.D., 1989. - Increased potassium absorption confers resistance to group IA cations in rubidium-selected suspension cells of *Brassica napus*. - *Plant Physiology*, Vol. 91, n° 4, p. 1460-1466.

- LEFEBVRE D.D., 1990. - Expression of mammalian metallothionein suppresses glucosinolate synthesis in *Brassica campestris*. - *Plant Physiology*, Vol. 93, n° 2, p. 522-524.
- LEMBRICH H., 1988. - Application of the plant growth regulator Baronet to improve stand stability and winter hardiness of oilseed rape. - *Pflanzenschutz Nachrichten Bayer*, Vol. 41, n° 3, p. 354-362.
- LETERME Ph., 1990. - Vers une modélisation globale du fonctionnement d'une culture de colza d'hiver. - *Bulletin GCIRC*, n° 6, p. 66-69.
- LETERME Ph., 1990, 29 Mai. - Un logiciel d'aide à la décision. - Marchés et qualités du colza: l'avenir du colza européen. Paris, France, p. 26-27.
- LEWAN L., 1989. - Leaf water potential in *Brassica napus* and *Brassica juncea* during drought stress. - *Agri. Hortique Genetica*, Vol. 46, p. 49-59.
- LUHRS G., 1990. - Hagelversicherung für Raps - worauf ist zu achten? - *Raps*, Vol. 8, n° 2, p. 80-82.
- MACEWEN J., DARBY R.J., HEWITT M.V., YEOMAN D.P., 1989. - Effects of field beans, fallow, lupins, oats, oilseed rape, peas, ryegrass, sunflowers and wheat on nitrogen residues in the soil and on the growth of a subsequent wheat crop. - *J. Agri. Sci.*, Vol. 115, n° 2, p. 209-219.
- MAILER R.J., 1989. - Effects of applied sulfur on glucosinolate and oil concentrations in the seeds of rape (*Brassica napus* L.) and turnip rape (*Brassica rapa* L. var. *silvestris* (Lam.) Briggs). - *Aust. J. Agric. Res.*, Vol. 40, n° 3, p. 617-624.
- MAILER R.J., PRATLEY J.E., 1990. - Field studies of moisture availability effects on glucosinolate and oil concentration in the seed of rape, (*Brassica napus* L.) and turnip rape (*Brassica rapa* L. var. *silvestris* (Lam.) Briggs). - *Canadian Journal of Plant Science*, Vol. 70, n° 2, p. 399-407.
- MAKOWSKI N., 1990. - Acker- u. pflanzenbauliche Fragen der Winterrapsproduktion in der DDR. - *Raps*, Vol. 8, n° 3, p. 136, 138-142, 151-159.
- MAKRIDIS H., AMBERGER A., 1989. - Wirkung steigender Thallium-Konzentrationen auf Stoffproduktion und Aufnahme von Thallium und anderen Mineralstoffen durch Buschbohnen und Grünraps in Nährlösungsversuchen. - *Landwirtschaftliche Forschung*, Vol. 42, n° 4, p. 333-343.
- MANDAL B.B., CHANDLER S.F., 1989. - Evidence for physiological adaptation of *Brassica napus* cv. Westar callus to sodium sulfate. - *Phytomorphology*, Vol. 39, n° 2-3, p. 115-119.
- MARQUARD R., 1990. - Untersuchungen von Inhaltsstoffen in der Raps-Grünmasse im Zusammenhang mit dem beobachteten "Hasensterben 1986". - *Bulletin GCIRC*, n° 6, p. 56-62.
- MARZI V., SARLI G., DE MASTRO G., 1988, 24-26 Fév. - Researches on yielding ability of some oil seed-rape cultivars in two areas of Southern Italy. Stato Attuale e Prospettive delle Colture Oleaginose Erbacee in Italia. Pise, Italie, p. 527-538.
- MEAKIN P.J., ROBERTS J.A., 1990. - Dehiscence of fruit in oilseed rape (*Brassica napus* L.). I. Anatomy of pod dehiscence. - *J. Experimental Botany*, Vol. 41, n° 229, p. 995-1002.
- MEAKIN P.J., ROBERTS J.A., 1990. - Dehiscence of fruit in oilseed rape (*Brassica napus* L.). II. The role of cell wall degrading enzymes and ethylene. - *J. Experimental Botany*, Vol. 41, n° 229, p. 1003-1011.
- MENDHAM N.J., RUSSELL J., JAROSZ N.K., 1990. - Response to sowing time of three contrasting Australian cultivars of oilseed rape (*Brassica napus*). - *J. Agri. Sci.*, Vol. 114, n° 3, p. 275-283.
- MERRIEN A., 1989. - Intérêt du dosage du soufre par la méthode "SCOTT" pour le raisonnement de la fertilisation soufrée du colza d'hiver. - *Bulletin CETIOM*, n° 103, p. 14-16.
- MERRIEN A., 1989, 18-19 Déc. - Double low oilseed rape in France: factors affecting glucosinolate levels. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 109-116.
- MERRIEN A., RIBAILLIER D., 1990. - Note sur la variabilité de la teneur en glucosinolates chez le colza d'hiver. - *Bulletin GCIRC*, n° 6, p. 63-65.
- MILFORD G.F.J., FIELDSEND J.K., SPINK J., 1989, 18-19 Déc. - Between and within plant variation in seed glucosinolate concentrations in the winter oilseed rape cv. Ariana. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 173-176.
- MIMOUNI B., 1989. - Etude comparative des constituants polypeptidiques de la fraction globuline des graines de colza (*Brassica napus* L.) et de ses espèces parentales (*Brassica oleracea* L. et *Brassica campestris* L.). - 120 p.
- MOORBY H., NYE P.H., WHITE R.E., 1988. - The effect of phosphate nutrition of young rape plants on nitrate reductase activity and xylem exudation, and their relation to H ion efflux from the roots. - *Plant and Soil*, Vol. 105, n° 2, p. 257-263.
- MOORBY H., WHITE R.E., 1988. - The influence of phosphate nutrition on H ion efflux from the roots of young rape plants. - *Plant and Soil*, Vol. 105, n° 2, p. 247-256.
- MORRISON M.J., MACVETTY P.B.E., SCARTH R., 1990. - Effect of row spacing and seeding rates on summer rape in Southern Manitoba. - *Canadian Journal of Plant Science*, Vol. 70, n° 1, p. 127-137.
- MORRISON M.J., MACVETTY P.B.E., SCARTH R., 1990. - Effect of altering plant density on growth characteristics of summer rape. - *Canadian Journal of Plant Science*, Vol. 70, n° 1, p. 139-149.
- MUNSHI S.K., VATS S., DHILLON K.S., 1990. - Lipid biosynthesis in seeds of mustard (*Brassica juncea*) influenced by zinc and sulphur deficiency. - *Physiologia Plantarum*, Vol. 80, p. 102-108.
- MURPHY D.J., CUMMINS I., RYAN A.J., 1989. - Immunocytochemical and biochemical study of the biosynthesis and mobilisation of the major seed storage proteins of *Brassica napus*. - *Plant Physiology and Biochemistry*, Vol. 27, n° 5, p. 647-657.
- NEEDHAM P., 1990, 29 Mai. - Nouveaux services du conseil agricole "à la carte" au Royaume-Uni. Marchés et qualités du colza: l'avenir du colza européen. Paris, France, p. 28-30.
- NORBERG P., LARSSON K., LILJENBERG C., 1990. - A study of membrane lipids from dehydration-acclimated *Brassica napus* root cells: formation of a cubic phase under physiological conditions. - *Biochemistry and Cell Biology*, Vol. 68, n° 1, p. 102-105.
- O'DONOVAN J.T., KIRKLAND K.J., SHARMA A.K., 1989. - Canola yield and profitability as influenced by volunteer wheat infestations. - *Canadian Journal of Plant Science*, Vol. 69, n° 4, p. 1235-1244.
- OFENHITZER D., 1990. - Rapsbestellung ohne Pflug. - *Raps*, Vol. 8, n° 3, p. 162-165.
- OGLIVY S.E., 1989, 18-19 Déc. - The effect of timing of swathing on the quality and yield of winter oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 101-107.

- OGILVY S.E., 1989, 18-19 Déc. - The effect of late wheeling damage on the yield of winter oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 177-182.
- OGUNLELA V.B., KULLMANN A., GEISLER G., 1989. - Leaf growth and chlorophyll content of oilseed rape (*Brassica napus* L.) as influenced by nitrogen supply. - *J. Agronomy and Crop Science*, Vol. 163, n° 2, p. 73-89.
- OKERMAN L., HERCKHOVE P., 1989. - European Brown Hare Syndrome (EBHS) in captive hares (*Lepus capensis*) in Belgium. - *Vlaams Diergeneeskundig Tijdschrift*, Vol. 58, n° 2, p. 44-46.
- PALKA Z., 1990. - The ability of the winter rape stand to compensate the yield losses caused by winter killing. - *Roslinna Vyroba*, Vol. 36, n° 3, p. 243-248.
- PAUL M.J., LAWLOR D.W., DRISCOLL S.P., 1990. - The effect of temperature on photosynthesis and carbon fluxes in sunflower and rape. - *J. Experimental Botany*, Vol. 41, n° 226, p. 547-555.
- PINKERTON A., SPENCER K., 1989. - Assessment of the phosphorus status of oilseed rape by plant analysis. - *Aust. J. Experimental Agriculture*, Vol. 29, n° 6, p. 861-865.
- POUZET A., 1990, 29 Mai. - Le colza d'hiver et l'environnement. - *Marchés et qualités du colza: l'avenir du colza européen*. Paris, France, p. 23-25.
- POUZET A., 1990, 06 Juil. - La qualité des colzas français. *Qualité des céréales, des oléagineux et des protéagineux français pour l'alimentation animale*. Toulouse, France, p. 47-49.
- PROSKURA I.P., VUDRIN Y.U., TKACHEV A.I., 1989. - Productivity of green crops for continuous spring to autumn feeding according to crops and fertilizers. - *Soviet Agricultural Sciences*, n° 6, p. 34-37.
- RAADSGAARD A., 1989. - Pig slurry applied to spring rape (*Brassica napus* L.) before sowing and during the growth period. - *Tidsskr. Planteavl.*, Vol. 93, p. 157-164.
- RILEY H., 1989. - Drought period at different stages of growth of spring sown oil-seed rape (*Brassica campestris*, cv. Tove). - *Norsk Landbruksforskning*, Vol. 3, n° 3, p. 167-175.
- ROOD S.B., MANDEL R., PHARIS R.P., 1989. - Endogenous gibberellins and shoot growth and development in *Brassica napus*. - *Plant Physiology*, Vol. 89, n° 1, p. 269-27.
- SAMUI R.C., ROY B., 1990. - Effect of intercropping on yield attributes and yield of rapeseed, mustard and linseed. - *Environment and Ecology*, Vol. 8, n° 1B, p. 251-254.
- SCARISBRICK D.H., ATKINSON L., 1989. - Oilseed rape. - *Outlook in Agriculture*, Vol. 18, n° 4, p. 152-159.
- SCHNUG E., HANEKLAUS S., 1990. - Molybdenversorgung im intensiven Rapsanbau. - *Raps*, Vol. 8, n° 4, p. 188-191.
- SCHULTZ H., 1990. - Stickstoff zu Raps im Februar. - *Raps*, n° 1, p. 04-06.
- SHAFFER J.A., FRITTON D.D., JUNG G.A., STOUT W.L., 1990. - Control of soil physical properties and response of *Brassica rapa* L. seedling roots. - *Plant and Soil*, Vol. 122, n° 1, p. 09-19.
- SHARMA S.K., MISHRA R.C., 1989. - Effect of growth-regulators on flower morphometrics with reference to insect pollinators. - *Indian Journal of Agricultural Science*, Vol. 59, n° 8, p. 546-547.
- SMITH L.J., SCARISBRICK D.H., 1990. - Reproductive development in oilseed rape (*Brassica napus* cv. Bienvenu). - *Annals of Botany*, Vol. 65, n° 2, p. 205-212.
- SUNDIN P., VALEUR A., OLSSON S., ODHAM G., 1990. - Interactions between bacteria-feeding nematodes and bacteria in the rape rhizosphere: effects on root exudation and distribution of bacteria. - *FEMS Microbiology Letters*, Vol. 73, n° 1, p. 13-22.
- SVATON F., 1990. - The effect of seed provenance and size on biological value of winter rape seed. - *Roslinna Vyroba*, Vol. 36, n° 3, p. 249-254.
- SVENDSEN O., 1990. - Experiments on the importance of honeybees for the pollination of spring rape (*Brassica napus*). - *Tidsskr. Planteavl.*, Vol. 94, p. 141-148.
- SVENNINGSSON H., SUNDIN P., 1990. - Lipids, carbohydrates and amino acids exuded from the axenic roots of rape seedlings exposed to water-deficit stress. - *Plant Cell and Environment*, Vol. 13, n° 2, p. 155-162.
- TAPPER S., 1989, 18-19 Déc. - The increase in oilseed rape production and its effects on vertebrate herbivores. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 365-370.
- THANGSTAD O.P., IVERSEN T.H., 1990. - Immunocytochemical localization of myrosinase in *Brassica napus* L. - *Planta*, Vol. 108, n° 2, p. 245-248.
- TOKUMASU S., KAKIHARA F., 1990. - Seasonal germination periodicity of imbibed dormant seeds of rape. - *Scientia Horticulturae*, Vol. 42, n° 1-2, p. 01-07.
- TOMMEY A.M., EVANS E.J., 1989, 18-19 Déc. - Construction of a key to define flower initiation and floral development in a range of varieties of winter oilseed rape (*Brassica napus* L.). - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 165-172.
- VARTANIAN N., 1990. - Marqueurs précoces de l'adaptation à la sécheresse chez le colza. - *Bulletin GCIRC*, n° 6, p. 22-23.
- VIGIER B., CHIANG M.S., HUME D.J., 1989. - Source of resistance to clubroot (*Plasmodiophora brassicae* Wor.) in triazine-resistant spring canola (rapeseed). - *Canadian Plant Disease Survey*, Vol. 69, n° 2, p. 113-115.
- VOSSHENRICH H.H., 1990. - Rapsbestellung mit oder ohne Pflug. - *Raps*, Vol. 8, n° 3, p. 160-161.
- WESELAKE R.J., THOMSON L.W., TENASCHUK D., MACKENZIE S.L., 1989. - Properties of solubilized microsomal lipase from germinating *Brassica napus*. - *Plant Physiology*, Vol. 91, n° 4, p. 1303-1307.
- WILLIAMS I.H., SIMPKINS J., 1989, 18-19 Déc. - Honeybee pollination of the double low oilseed rape cultivar Ariana. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 343-346.
- WITHER P.J.A., 1989, 18-19 Déc. - Effect of applied sulphur on yield and quality of winter oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 191-197.
- ZUKALOVA H., HONSOVA H., 1990. - The formation and contents of glucosinolates in the vegetative and generative organs of rape. - *Roslinna Vyroba*, Vol. 36, n° 3, p. 235-242.

Sélection - Breeding - Züchtung

- ABLETT G.R., BEVERSDORF W.D., 1990. - OAC Triumph summer rape. - *Canadian Journal of Plant Science*, Vol. 70, n° 3, p. 857-859.
- AGNIHOTRI A., GUPTA V., LAKSHMIKUMARAN M.S., 1990. - Production of Eruca-Brassica hybrids by embryo rescue. - *Plant Breeding*, Vol. 104, p. 281-289.
- AHMADI M.R., 1990. - Investigation of fertility of resynthesized rape forms in four successive generations. - *Sve-riges Utsadesf. Tidskrift*, Vol. 100.
- AKBAR M.A., 1989. - Resynthesis of *Brassica napus* aiming for improved earliness and carried out by different approaches. - *Hereditas*, Vol. 111, n° 3, p. 239-246.
- AKBAR M.A., 1989. - Chromosomal stability and performance of resynthesized *Brassica napus* produced for gain in earliness and short-day response. - *Hereditas*, Vol. 111, p. 247-253.
- ANTONIO B.A., NAMAI H., 1987. - Tissue culture ability of flower organs from different cultivars of Brassica. - *Sabrao J.*, Vol. 19, n° 2, p. 81-86.
- AUGUSTINUSSEN E., 1989. - Sowing time and seed rate for varieties of winter rape. - *Tidsskr. Planteavl.*, Vol. 93, p. 106.
- AULD D.L., BRADY D.R., MAHLER K.A., 1990. - Rapeseed and Canola breeding in North America: The U.S. potential. - *Bulletin GCIRC*, n° 6, p. 24-27.
- AYOTTE R., HARNEY P.M., 1989. - The transfer of triazine resistance from *Brassica napus* L. to *B. oleracea*. IV: Second and third backcrosses to *B. oleracea* and recovery of an 18-chromosome, triazine resistant. - *Euphytica*, Vol. 40, n° 1-2, p. 15-19.
- BARTKOWIAK BRODA I., KRZYMANSKI J., 1990. - CMS Polima in Polish double low winter oilseed rape. - *Bulletin GCIRC*, n° 6, p. 28-29.
- BERTI A., CIRICIOFOLO E., FONTANA F., 1990. - Contenuto in glucosinolati e produzione in differenti tipi qualitativi di colza (*Brassica napus* L.). - *XXIII Convegno annuale dalla S.I.A.: "Moderne tecniche agronomiche e loro compatibilità con la salvaguardia dell'ambiente"*. 26-29 settembre 1989. Bari, Italia. - *Rivista di Agronomia*, Vol. 24, n° 2-3, p. 237-242.
- BOWMAN J.G., 1989, 18-19 Déc. - Breeding for vegetable oils in Northern Europe. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 31-35.
- BRADSHAW J.E., 1989. - Inter-plot competition in yield trials of swedes (*Brassica napus* spp. rapifera L.). - *Euphytica*, Vol. 42, n° 1-2, p. 135-140.
- BRADSHAW J.E., BIRCH A.N.E., GEMMELL D.J., WILLIAMSON C.J., 1989, 18-19 Déc. - Progress at SCR1 in breeding swedes (*Brassica napus* L. spp. rapifera) with improved disease and pest resistance. - *Production and Protection of Oilseed Rape and other Brassica crops*. - Cambridge, Great Britain, n° 23, p. 15-21.
- CEDELL T., OLSSON G., 1990. - High yield and good quality of the Swedish oil crops in 1989. - *Bulletin GCIRC*, n° 6, p. 37-38.
- CHAPEL M., GLIMELIUS K., 1990. - Temporary inhibition of cell wall synthesis improves the transient expression of the GUS gene in *Brassica napus* mesophyll protoplasts. - *Plant Cell Reports*, Vol. 9, p. 105-108.
- CHAREST P.J., HOLBROOK L.A., GABARD J., 1988. - Agrobacterium-mediated transformation of thin cell layer explants from *Brassica napus* L. - *Theoretical and Applied Genetics*, Vol. 75, n° 3, p. 438-445.
- CHARNE D.G., PUKACKI P., KOTT L.S., 1988. - Embryogenesis following cryopreservation in isolated microspores of rapeseed (*Brassica napus* L.). - *Plant Cell Reports*, Vol. 7, n° 6, p. 407-409.
- CHAY P., THURLING N., 1989. - Identification of genes controlling pod length in spring rapeseed *Brassica napus* L., and their utilization for yield improvement. - *Plant Breeding*, Vol. 103, p. 54-62.
- CHEN B.Y., HENEEN W.K., 1989. - Fatty acid composition of resynthesized *Brassica napus* L., *B. campestris* L. and *B. albobolabra* Bailey with special reference to the inheritance of erucic acid content. - *Heredity*, Vol. 63, p. 309-314.
- CHEN B.Y., HENEEN W.K., 1989. - Resynthesized *Brassica napus* L.: a review of its potential in breeding and genetic analysis. - *Hereditas*, Vol. 11, n° 3, p. 255-263.
- CHEN B.Y., HENEEN W.K., SIMONSEN V., 1990. - Genetics of isozyme loci in *Brassica campestris* L. and in the progeny of a trigonomic hybrid between *B. napus* and *B. campestris* L. - *Genome*, Vol. 33, p. 433-440.
- CRUTE I.R., PINK D.A.C., 1989, 18-19 Déc. - Characteristics and inheritance of resistance to clubroot in *Brassica oleracea*. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 57-60.
- DAWSON G.W., HALLAHAN D.L., MUDD A., 1989. - Secondary plant metabolites as targets for genetic modification of crop plants for pest resistance. - *Pesticide Science*, Vol. 27, n° 2, p. 191-201.
- DE BLOCK M., DE BROUWER D., TENNING P., 1989. - Transformation of *Brassica napus* and *Brassica oleracea* using Agrobacterium tumefaciens and the expression of bar and neo genes in transgenic plants. - *Plant Physiology*, Vol. 91, n° 2, p. 694-701.
- DELOURME R., EBER F., CHEVRE A.M., 1989. - Intergenic hybridization of Diplotaxis erucoides with *Brassica napus*. I: cytogenetic analysis of F1 and BC1 progeny. - *Euphytica*, Vol. 41, n° 1-2, p. 123-128.
- DOWNEY R.K., 1990. - Canadian Canola/Rapeseed developments. - *Bulletin GCIRC*, n° 6, p. 12-14.
- DOWNEY R.K., 1988, 29 Nov. - From rapeseed to canola and beyond. - *Strategies for alternative crop development. Case histories*, p. 18-31.
- ETTINGER W.F., HARADA J.J., 1990. - Translational or post-translational processes affect differentially the accumulation of isocitrate lyase and malate synthase proteins and enzyme activities in embryos and seedlings of *Brassica napus*. - *Archives of Biochemistry and Biophysics*, Vol. 281, n° 1, p. 139-143.
- EVANS D.E., ROTHNIE N.E., 1988. - Correlations between gametophytic (pollen) and sporophytic (seed) generations for polyunsaturated fatty acids in oilseed rape. - *Theoretical and Applied Genetics*, Vol. 76, n° 3, p. 411-419.
- FANG G.H., MACVETTY P.B.E., 1989. - Inheritance of male fertility restoration and allelism of restorer genes for the Polima cytoplasmic male sterility system in oilseed rape. - *Genome*, Vol. 32, n° 6, p. 1044-1047.

- FARINEAU J., PASCAL L., PELLETIER G., 1990. - Study of respiratory and photosynthetic activities in several cytoplasmic hybrids of rapeseed with cytoplasmic male sterility. - *Plant Physiology and Biochemistry*, Vol. 28, n° 3, p. 333-342.
- FIEBIG C., NEUHAUS H., TEICHERT J., 1990. - Temporal and spatial pattern of plastid gene expression during crucifer seedling development and embryogenesis. - *Planta*, Vol. 181, n° 2, p. 191-198.
- FRAUEN M., 1990. - Anbau und Züchtung von Raps in der Bundesrepublik Deutschland. - *Bulletin GCIRC*, n° 6, p. 31-36.
- FU T., YANG G., YANG X., 1990. - Studies on "three line" Polima cytoplasmic male sterility developed in *Brassica napus* L. - *Plant Breeding*, Vol. 104, p. 115-120.
- GEMMELL D.J., BRADSHAW J.E., 1989. - Self-incompatibility in *Brassica napus* seed set on crossing 19 self-incompatible lines. - *Euphytica*, Vol. 42, n° 1-2, p. 71-77.
- GOWERS S., 1989. - Self-incompatibility interactions in *Brassica napus*. - *Euphytica*, Vol. 42, n° 1-2, p. 99-103.
- GUEGUEN J., BOLLECKER S., 1990. - Effect of succinylation on some physicochemical and functional properties of the 12S storage protein from rapeseed (*Brassica napus* L.). - *J. Agri. Food Chem.*, Vol. 38, n° 1, p. 61-69.
- GULATI S.C., VARMA N.S., RAMAN R., 1990. - Report under the project entitled "Development of improved varieties and hybrids of mustard (*Brassica juncea*) and stabilization of yield through disease and pest resistance". - *Bulletin GCIRC*, n° 6, p. 20-21.
- HARADA J.J., DELISLE A.J., 1989. - Unusual sequence of an abscisic acid-inducible mRNA which accumulates late in *Brassica napus* seed development. - *Plant Molecular Biology*, Vol. 12, n° 4, p. 395-401.
- HOSAKA K., KIANIAN S.F., MACGRATH J.M., 1990. - Development and chromosomal localization of genome-specific DNA markers of Brassica and the evolution of amphidiploids and n=9 diploids species. - *Genome*, Vol. 33, n° 1, p. 131-142.
- INOMATA N., 1990. - Interspecific hybridization in Brassica through ovary culture. - *Biotechnology in Agriculture and Forestry*, Vol. 10, p. 367-384.
- JARL C.I., VAN GRINSVEN M., VAN DEN MARK F., 1989. - Correction of chlorophyll-defective male-sterile winter oilseed rape (*Brassica napus*) through organelle exchange: molecular analysis of the cytoplasm of parental lines and corrected progeny. - *Theoretical and Applied Genetics*, Vol. 77, n° 1, p. 135-141.
- JOURDAN P.S., EARLE E.D., MUTSCHLER M.A., 1989. - Atrazine-resistant cauliflower obtained by somatic hybridization between *Brassica oleracea* and ATR- *Brassica napus*. - *Theoretical and Applied Genetics*, Vol. 78, n° 2, p. 271-279.
- JOURDAN P.S., EARLE E.D., MUTSCHLER M.A., 1989. - Synthesis of male sterile, triazine-resistant *Brassica napus* by somatic hybridization between cytoplasmic male sterile *B. oleracea* and atrazine-resistant *B. campestris*. - *Theoretical and Applied Genetics*, Vol. 78, n° 3, p. 445-455.
- KATIYAR R.K., CHOPRA V.L., 1990. - Somaclonally induced earliness in a *Brassica juncea* germplasm accession with field resistance to important diseases. - *Plant Breeding*, Vol. 104, p. 262-264.
- KEMBLE R.J., YARROW S.A., WU S.C., 1988. - Absence of mitochondrial and chloroplast DNA recombinations in *Brassica napus* plants regenerated from protoplasts, protoplast fusions and anther culture. - *Theoretical and Applied Genetics*, Vol. 75, n° 6, p. 875-881.
- KLIMASZEWSKA K., KELLER W.A., 1988. - Regeneration and characterization of somatic hybrids between *Brassica napus* and *Diplotaxis harra*. - *Plant Science*, Vol. 58, n° 2, p. 211-222.
- KRZYMANSKI J., 1990. - Rapeseed production and changeover to double low varieties in Poland. - *Bulletin GCIRC*, n° 6, p. 30.
- LICHTER R., 1989. - Efficient yield of embryoids by culture of isolated microspores of different Brassicaceae species. - *Plant Breeding*, Vol. 103, n° 2, p. 119-123.
- LUCAS J.A., CRUTE I.R., 1988. - The identification of a gene for race-specific resistance to *Peronospora parasitica* (downy mildew) in *Brassica napus* var. *oleifera* (oilseed rape). - *Plant Pathology*, Vol. 37, n° 4, p. 538-545.
- MACDONALD M.V., NEWSHOLME D.M., INGRAM D.S., 1988. - The biological effects of gamma irradiation on secondary embryoids of *Brassica napus* ssp. *oleifera* (Metzg.) Sinsk., winter oilseed rape. - *New Phytologist*, Vol. 110, n° 2, p. 255-259.
- MACFARLANE SMITH W.H., CALIGARI P.D.S., 1989, 18-19 Déc. - The potential for cross-prediction in forage rape (*Brassica napus* L.). - *Production and Protection of Oilseed rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 61-65.
- MACNAUGHTON N., 1990. - From mustard to margarine; plant breeder's rights: Canola Research at the University of Alberta. - *Agriculture and Forestry Bulletin*, Vol. 13, n° 1, p. 03-10.
- MACVETTY P.B.E., EDIE S.A., SCARTH R., 1990. - Comparison of the effect of nap and pol cytoplasm on the performance of intercultivar summer oilseed rape hybrids. - *Canadian Journal of Plant Science*, Vol. 70, n° 1, p. 117-126.
- MILLAM S., 1989, 18-19 Déc. - Agrobacterium-mediated transformation of Brassica species. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 23-30.
- MISRA S., GEDAMU L., 1989. - Heavy metal tolerant transgenic *Brassica napus* L. and *Nicotiana tabacum* L. plants. - *Theoretical and Applied Genetics*, Vol. 78, n° 2, p. 161-168.
- MUNDGES H., DIEDERICHSEN E., KOHLER W., 1989. - Comparisons of isozyme patterns in resynthesized amphihaploid rapeseed (*Brassica napus*) and their parental species *Brassica campestris* and *Brassica oleracea*. - *Plant Breeding*, Vol. 103, n° 3, p. 258-261.
- MUNDGES H., KOHLER W., 1990. - Identification of rape seed cultivars (*Brassica napus*) by starch gel electrophoresis of enzymes. - *Euphytica*, Vol. 45, n° 2, p. 179-187.
- MURPHY D.J., CUMMINS I., 1989. - Biosynthesis of seed storage products during embryogenesis in rapeseed, *Brassica napus*. - *J. Plant Physiology*, Vol. 135, n° 1, p. 63-69.
- NIKITINA N.I., FEDORENKO T.S., 1989. - Embryoid formation in the anther culture of swede rape and the production of haploid plants. - *Doklady Vsesoyuznoi Ordena Lenina*, n° 9, p. 13-16.
- OLSSON G., 1990. - Two doctors' theses with reference to rapeseed breeding. - *Bulletin GCIRC*, n° 6, p. 18-19.
- PECHAN P.M., 1989. - Successful cocultivation of *Brassica napus* microspores and proembryos with *Agrobacterium*. - *Plant Cell Reports*, Vol. 8, n° 7, p. 387-390.
- PECHAN P.M., KELLER W.A., 1989. - Induction of microspore embryogenesis in *Brassica napus* L. by gamma irradiation and ethanol stress. - *In Vitro Cellular and Developmental Biology*, Vol. 25, n° 11, p. 1073-1074.

- PECHAN P.M., KELLER W.A., MANDY F., BERGERON M., 1988. - Selection of *Brassica napus* L. embryogenic microspores by flow sorting. - *Plant Cell Reports*, Vol. 7, n° 6, p. 396-398.
- PELLETIER G., 1990. - Cybrids in oilseed Brassica crops through protoplast fusion. - *Biotechnology in Agriculture and Forestry*, Vol. 10, p. 418-433.
- PINNISCH R., MACVETTY P.B.E., 1990. - Seed production of hybrid summer rape in the field using the pol cytoplasmic male sterility system: a first attempt. - *Canadian Journal of Plant Science*, Vol. 70, n° 3, p. 611-618.
- PLEINES S., FRIEDT W., 1989. - Genetic control of linolenic acid concentration in seed oil of rapeseed (*Brassica napus* L.). - *Theoretical and Applied Genetics*, Vol. 78, n° 6, p. 793-797.
- POLSONI L., KOTT L.S., BEVERSDORF W.D., 1988. - Large-scale microspore culture technique for mutation-selection studies in *Brassica napus*. - *Canadian Journal of Botany*, Vol. 66, n° 8, p. 1681-1685.
- PRAKASH S., CHOPRA V.L., 1990. - Male sterility caused by cytoplasm of *Brassica oxyrrhina* in *B. campestris* and *B. juncea*. - *Theoretical and Applied Genetics*, Vol. 79, p. 285-287.
- PRIMARD C., VEDEL F., MATHIEU C., 1988. - Interspecific somatic hybridization between *Brassica napus* and *Brassica hirta* (*Sinapis alba*). - *Theoretical and Applied Genetics*, Vol. 75, n° 4, p. 546-552.
- QUAZI M.H., 1988. - Interspecific hybrids between *Brassica napus* L. and *B. oleracea* developed by embryo culture. - *Theoretical and Applied Genetics*, Vol. 75, n° 2, p. 309-318.
- RADKE S.E., ANDREWS B.M., MOLONEY M.M., 1988. - Transformation of *Brassica napus* L. using *Agrobacterium tumefaciens*: developmentally regulated expression of a reintroduced napin gene. - *Theoretical and Applied Genetics*, Vol. 75, n° 5, p. 685-694.
- RAMANS M., 1989, 18-19 Déc. - Oilseed rape breeding for politics or varietal improvement? - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 47-56.
- RASMUSSEN O., BAGGERUD C., IVERSEN T.H., 1989. - Preparatory studies for the use of plant protoplasts in space research. - *Physiologia Plantarum*, Vol. 76, n° 3, p. 431-437.
- RENARD M., PELLETIER G., 1990, 29 Mai. - Orientations actuelles de la sélection du colza: espoirs de la biotechnologie. - *Marchés et qualités du colza: l'avenir du colza européen*. Paris, France. p. 19-21.
- RIPLEY V.L., ARNISON P.G., 1990. - Hybridation of *Sinapis alba* L. and *Brassica napus* L. via embryo rescue. - *Plant Breeding*, Vol. 104, n° 1, p. 26-33.
- ROOD S.R., WILLIAMS P.H., PEARCE D., 1990. - A mutant gene that increases gibberellin production in Brassica. - *Plant Physiology*, Vol. 93, n° 3, p. 1168-1174.
- ROUXEL T., RENARD M., KOLLMANN A., 1990. - Brassi-lexin accumulation and resistance to *Leptosphaeria maculans* in *Brassica* spp. and progeny of an interspecific cross *B. juncea* x *B. napus*. - *Euphytica*, Vol. 46, n° 2, p. 175-181.
- ROUXEL T., SARNIGUET A., KOLLMANN A., 1989. - Accumulation of a phytoalexin in Brassica spp; in relation to a hypersensitive reaction to *Leptosphaeria maculans*. - *Physiological and Molecular Plant Pathology*, Vol. 34, n° 6, p. 507-517.
- SACRISTAN M.D., GERDEMANN KNORCK M., SCHIEDER O., 1989. - Incorporation of hygromycin resistance in *Brassica nigra* and its transfer to *Brassica napus* through asymmetric protoplast fusion. - *Theoretical and Applied Genetics*, Vol. 78, n° 2, p. 194-200.
- SAKAI T., IMAMURA J., 1990. - Intergeneric transfer of cytoplasmic male sterility between *Raphanus sativus* (cms line) and *Brassica napus* through cytoplasm-protoplast fusion. - *Theoretical and Applied Genetics*, Vol. 80, p. 421-427.
- SAKHNO L.A., SKARZHINSKAYA M.V., 1990. - Régénération de plantes à partir de protoplastes isolés de Brassica. - *Fiziologija Rastenij*, Vol. 37, n° 1, p. 188-192.
- SAUERMAN W., 1990. - Stand der Züchtung von eruca-säurehaltigem Winterraps. - *Raps*, n° 1, p. 26-27 et 30.
- SHARMA K.K., THORPE T.A., 1989. - In vitro regeneration of shoot buds and plantlets from seedling root segments of *Brassica napus* L. - *Plant Cell, Tissue and Organ Culture*, Vol. 18, n° 1, p. 129-141.
- SIEBEL J., PAULS K.P., 1989. - Alkenyl glucosinolate levels in androgenic populations of *Brassica napus*. - *Plant Breeding*, Vol. 103, n° 2, p. 124-132.
- SIEBEL J., PAULS K.P., 1989. - A comparison of anther and microspore culture as a breeding tool in *Brassica napus*. - *Theoretical and Applied Genetics*, Vol. 78, n° 4, p. 473-479.
- SIEBEL J., PAULS K.P., 1989. - Inheritance patterns of erucic acid content in populations of *Brassica napus* microspore-derived spontaneous diploids. - *Theoretical and Applied Genetics*, Vol. 77, n° 4, p. 489-494.
- SIKDAR S.R., CHATTERJEE G., DAS S., 1990. - 'Erus-sica', the intergeneric fertile somatic hybrid developed through protoplast fusion between *Eruca sativa* Lam. and *Brassica juncea* (L.) Czern. - *Theoretical and Applied Genetics*, Vol. 79, p. 561-567.
- SILCOCK D.J., FRANCIS D., BRYANT J.A., 1990. - Changes in nuclear DNA content and nuclear size, and frequency of cell division in the cotyledons of *Brassica napus* L. during embryogenesis. - *J. Experimental Botany*, Vol. 41, n° 225, p. 401-407.
- SINGH D., SINGH H., 1988. - Combining ability analysis for various characters in winter rape (*Brassica napus* L.). - *Genetica Iberica*, Vol. 40, n° 1-2, p. 31-37.
- SONG K., OSBORN T.C., WILLIAMS P.H., 1990. - Brassica taxonomy based on nuclear restriction fragment length polymorphisms (RFLPs). 3. Genome relationships in Brassica and related genera and the origin of *B. oleracea* and *B. rapa* (syn. *campestris*). - *Theoretical and Applied Genetics*, Vol. 79, p. 497-506.
- SWANSON E.B., ERICKSON L.R., 1989. - Haploid transformation in *Brassica napus* using an octopine-producing strain of *Agrobacterium tumefaciens*. - *Theoretical and Applied Genetics*, Vol. 78, n° 6, p. 831-835.
- SWANSON E.B., HERRGESELL M.J., ARNOLDO M., 1989. - Microspore mutagenesis and selection: canola plants with field tolerance to the imidazolinones. - *Theoretical and Applied Genetics*, Vol. 78, n° 4, p. 525-530.
- TAYLOR D.C., WEBER N., UNDERHILL E.W., 1990. - Storage protein regulation and lipid accumulation in microspore embryos of *Brassica napus* L. - *Planta*, Vol. 181, n° 1, p. 18-26.
- THOMZIK J.E., HAIN R., 1988. - Transfer and segregation of triazine tolerant chloroplasts in *Brassica napus* L. - *Theoretical and Applied Genetics*, Vol. 76, n° 2, p. 165-171.
- VAMLING K., GLIMELIUS K., 1990. - Regeneration of plants from protoplasts of oilseed Brassica crops. - *Biotechnology in Agriculture and Forestry*, Vol. 10, p. 385-417.
- VAN HEE L.P., 1990. - Possibilités de production d'hybrides F1 chez le colza. - *Agricontract*, n° 218, juin, 4 p.

WIERSMA P.A., SCHMIEMANN M.G., CONDIE J.A., 1989. - Isolation, expression and phylogenetic inheritance of an acetolactate synthase gene from *Brassica napus*. - *MGG. Molecular and General Genetics*, Vol. 219, n° 3, p. 413-420.

XIAO W., 1988. - Stability of cloned *Brassica napus* chloroplast DNA fragments in the cyanobacterium *Anacystis nidulans* R2. - *MGG. Molecular and General Genetics*, Vol. 214, n° 2, p. 307-312.

YANG G., FU T., 1990. - The inheritance of Polima cytoplasmic male sterility in *Brassica napus* L. - *Plant Breeding*, Vol. 104, n° 2, p. 121-124.

ZAMAN M.W., 1990. - Interaction in *Brassica napus* between genome and alien plasmon. - *Euphytica*, Vol. 45, n° 1, p. 26-31.

ZHAO MU W., 1990. - Brief report on the breeding of low erucic strain of *B. juncea* coss in Xinjiang. - *Bulletin GCIRC*, n° 6, p. 15-17.

Désherbage - Weed-Control - Unkrautbekämpfung

ARNOLD M., 1990, 23-24 Janv. - Efficacités de nouvelles spécialités herbicides de post-levée et de pré-semis incorporées sur colza. - *14ème Conférence du Columa. Journées d'Etudes sur le Désherbage*. Palais des Congrès, Versailles. Vol II, n° 1, p. 425-432.

BARRALIS G., CHADOEUF R., 1988. - Relations entre flore potentielle et flore réelle des champs cultivés. - *Colloque International sur la Biologie, l'Ecologie et la Systématique des mauvaises herbes*. Dijon, France. Vol. 1, p. 43-52.

BIC G., DELAHOUSSE B., DELORAINE J., MEYZONNAT C., 1990, 23-24 Janv. - Intérêt du diméthure + clopyralid pour la destruction des dicotylédones en postlevée du colza d'hiver. - *14ème Conférence du Columa. Journées d'Etudes sur le Désherbage*. Palais des Congrès, Versailles. Vol II, n° 1, p. 455-462.

BLACKSHAW R.E., 1989. - Control of cruciferae weeds in canola (*Brassica napus*) with DPX A7881. - *Weed Science*, Vol. 37, n° 5, p. 706-711.

BOURILLET D., BERNIER J.C., BRISSAUD C., PUJOL J.Y., 1990, 23-24 Janv. - L'association tebutame - clomazone pour le désherbage du colza. - *14ème Conférence du Columa. Journées d'Etudes sur le Désherbage*. Palais des Congrès, Versailles. Vol II, n° 1, p. 441-446.

BOURILLET D., DUMESNY M., MARTIN M.A., 1990, 23-24 Janv. - Le propaquizafop, un nouvel herbicide contre les graminées annuelles et vivaces dans les cultures de colza, betterave et pois. - *14ème Conférence du Columa. Journées d'Etudes sur le Désherbage*. Palais des Congrès, Versailles. Vol. I, n° 1, p. 63-70.

BOWERMAN P., 1989, 18-19 Déc. - Weed control in winter oilseed rape - review of ADAS trials 1985-1987. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 219-266.

CAUMENT J., COQUIN C., LECRAZ M.A., PALLARES A., 1990, 23-24 Janv. - Nouvelle association pour le désherbage du colza d'hiver: naprapamide + tébutame. - *14ème Conférence du Columa. Journées d'Etudes sur le Désherbage*. Palais des Congrès, Versailles. Vol II, n° 1, p. 433-440.

COVARELLI G., TEI F., 1990, 23-24 Janv. - Résultats de quatre années d'essais sur le désherbage en post-levée du colza d'hiver. - *14ème Conférence du Columa. Journées d'Etudes sur le Désherbage*. Palais des Congrès, Versailles. Vol II, n° 1, p. 463-470.

DAVIES D.H.K., WALKER K.C., WHYTOCK G.P., 1989, 18-19 Déc. - Herbicide use and yield response in winter oilseed rape in Scotland. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 227-235.

GUILLOUX P., 1990. - Colzor: désherbant de prélevée du colza. - *Phytoma*, n° 420, juillet-août, p. 20-21.

HEROLD A., WENDLER C., WILD A., 1990. - The effect of phosphinothricin (glufosinate) on glutathione synthesis in plants. - *Botanica Acta*, Vol. 103, n° 1, p. 68-71.

JEWELL S.N., 1989, 18-19 Déc. - Herbicide programmes for broad-leaved weed control in winter oilseed rape on organic soils. - *Production and Protection of Oilseed Rape and other Brassica crop*, Cambridge, Great Britain, n° 23, p. 251-256.

KEES H., LUTZ A., 1990. - Gezielte Bekämpfung von Unkräutern und Ungräsern im Raps. - *Raps*, Vol. 8, n° 3, p. 122-125.

KLISCHOWSKI B., BEYER H., 1989. - Einige Überlegungen zur Unkrautbekämpfung in Winterraps. - *Gesunde Pflanzen*, Vol. 41, n° 9, p. 311-313.

KONRAD M., 1990. - Fusilade in Raps - neue Erfahrungen mit dem selektiven Grasherbizid. - *Raps*, Vol. 8, n° 3, p. 176-178.

KUST G., HEITEFUSS R., WAHMHOF W., 1990. - Ein vorläufiges Modell zur Unkrautbekämpfung nach Schadensschwelen im Winterraps. - *Zeit. Pflanzenkrankheiten und Pflanzenschutz*, n° 12, p. 339-346.

LAWSON H.M., 1989, 18-19 Déc. - Prospects for weed control in fodder Brassicas. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 245-250.

LUTMAN P.J.W., 1989, 18-19 Déc. - Objectives of weed control in oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 199-210.

MAKEPEACE R.J., TURNER M.G., 1989, 18-19 Déc. - Weed control in oilseed rape. Results from North Bucks Soil Group Trials 1986-89. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 263-268.

OGILVY S.E., 1989, 18-19 Déc. - The effects of severity and duration of volunteer barley competition on the yield of winter oilseed rape - review of ADAS trials, 1986-87. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 237-243.

PERNY R.A., 1989. - La Phélipée, nouvelle adventice du colza. - *Bulletin CETIOM*, n° 103, p. 17.

REGNAULT Y., 1990, 23-24 Janv. - Désherbage du colza: récents progrès. - *14ème Conférence du Columa. Journées d'Etudes sur le Désherbage*. Palais des Congrès, Versailles. Vol II, n° 1, p. 447-454.

SANSOME G., 1989, 18-19 Déc. - Effect of crop populations on the performance of herbicides in winter oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 257-262.

TOLL J., 1989. - Weed control in spring rape - a new economic method ! - *Svensk Frotidning*, Vol. 58, n° 4, p. 90-91.

VAN OORSCHOT J.P., VAN LEEUWEN P.M., 1989. - Photosynthetic capacity of intact leaves of resistant and susceptible cultivars of *Brassica napus* L. to atrazine. - *Weed Research*, Vol. 29, n° 1, p. 29-32.

WAHMHOFF W., 1990. - Unkrautbekämpfung im Winterraps - Auswertung von Herbizidversuchen aus den Jahren 1971 bis 1988. - *Zeit. Pflanzenkrankheiten und Pflanzenschutz*, n° 12, p. 329-338.

WHITEHEAD R., WRIGHT H.C., 1989, 18-19 Déc. - The incidence of weeds in winter oilseed rape in Great Britain. - *Production and Protection of Oilseed rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 211-218.

Insectes - Insects - Insekten

AHLERS D., 1990. - Datenkartei Pflanzenschutz für Raps - ein Hilfsmittel für den integrierten Pflanzenschutz bei Raps. - *Raps*, Vol. 8, n° 2, p. 64, 66-67.

AXELSEN J., NIELSEN P.S., 1990. - Compensation in spring sown oilseed rape after attack by pollen beetles (*Meligethes aeneus* F.). - *Tidsskr. Planteavl.*, Vol. 94, p. 195-199.

BALLANGER Y., 1990, 04-06 Déc. - Comparaison d'insecticides utilisables en pulvérisation contre l'altise d'hiver (*Psylliodes chrysocephala* Linnee) du colza d'hiver. - *2ème Conférence Internationale sur les Ravageurs en Agriculture*. Versailles, France. Vol. III, p. 1277-1289.

BALLANGER Y., CHAMPOLIVIER L., 1990. - Méthodes de comparaison d'insecticides destinés à lutter contre les insectes du colza d'hiver. - *Bulletin GCIRC*, n° 6, p. 76-79.

BARTLET E., WILLIAMS I.H., 1989, 18-19 Déc. - Host plant selection by the cabbage stem flea beetle (*Psylliodes chrysocephala*). - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 335-338.

BIRCH A.N.E., GRIFFITHS D.W., SMITH W.H., 1990. - Changes in forage and oilseed rape (*Brassica napus*) root glucosinolates in response to attack by turnip root fly (*Delia floralis*). - *J. Sci. Food Agri.*, Vol. 51, n° 3, p. 309-320.

BLIGHT M.M., PICKETT J.A., WADHAMS L.J., WOODCOCK C.M., 1989, 18-19 Déc. - Antennal responses of *Ceuthorrhynchus assimilis* and *Psylliodes chrysocephala* to volatiles from oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 329-334.

BONIN K., MROWCZYNSKI M., URBAN M., 1989. - Some aspects of tank-mix applying fungicides and insecticides in winter rape. - *Materialy Sesji Naukowej IOR*, n° 2, p. 229-234.

BRUNEL E., GROOTAERT P., MESQUIDA J., 1989. - Entomofaune associée à la floraison du colza (*Brassica napus* L.): note préliminaire sur les Dolichopodidae et les Empididae (Insectes: Diptera). - *Meded. Fac. Landbouwwet.*, Vol. 54, n° 3a, p. 727-737.

BUCHI R., 1989. - Modelle für die Verteilung des Rapsglanzkäfers, *Meligethes aeneus* F., auf Raps- und Rübsenpflanzen. - *Zeit. Angewandte Entomologie*, Vol. 108, n° 4, p. 363-371.

BUCHLER R., DRESCHER W., 1989. - Kontaktgiftwirkung von Thiodan auf die Honigbiene, *Apis mellifera* L., unter Berücksichtigung verschiedener Oberflächen. - *Zeit. Angewandte Entomologie*, Vol. 108, n° 3, p. 227-233.

BURGESS L., WEEGAR H.H., 1988. - Thrips (*Thysanoptera*) in canola crops in Saskatchewan. - *Canadian Entomologist*, Vol. 120, n° 8-9, p. 815-819.

BUTTS R.A., LAMB R.J., 1990. - Injury of oilseed rape caused by mirid bugs (*Lygus*) (Heteroptera: Miridae) and its effect on seed production. - *Annals of Applied Biology*, Vol. 117, n° 2, p. 253-266.

CAGNIEUL P., SANCHIS P., 1990, 04-06 Déc. - Tralométhrine - une nouvelle matière active pour lutter contre les principaux ravageurs du colza, du stade cotylédon au stade floraison. - *2ème Conférence Internationale sur les Ravageurs en Agriculture*. Versailles, France. Vol. III, p. 1285-1289.

CIESIELSKI F., MROWCZYNSKI M., 1989. - Control of the cabbage aphid (*Brevicoryne brassicae* L.) in winter rape. - *Materialy Sesji Naukowej IOR*, n° 2, p. 223-227.

DE CANSON B., LARELLE D., 1990, 04-06 Déc. - Intérêt de l'association deltaméthrine + endosulfan pour lutter contre les ravageurs aériens des céréales et du colza. - *2ème Conférence Internationale sur les Ravageurs en Agriculture*. Versailles, France. Vol. III, p. 1299-1306.

EMMETT B.J., 1989, 18-19 Déc. - Damage assessment and chemical control of soil migratory nematodes in winter oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 371-375.

EVANS K., WEBB R.M., 1989, 18-19 Déc. - Nematode problems in oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 303-310.

EVANS K.A., ALLEN WILLIAMS L.J., 1989, 18-19 Déc. - The response of the cabbage seed weevil (*Ceuthorrhynchus assimilis* Payk.) and the brassica pod midge (*Dasineura brassicae* Winn.) to flower colour and volatiles of oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 347-353.

EVANS K.A., ALLEN WILLIAMS L.J., 1989. - Location and infestation of winter oilseed rape by the Brassica pod midge, *Dasineura brassicae* Winn. (Diptera: Cecidomyiidae). - *Meded. Fac. Landbouwwet*, Vol. 54, n° 3a, p. 717-725.

FERGUSON A.W., WILLIAMS I.H., 1989, 18-19 Déc. - Oviposition-detering pheromone of the cabbage seed weevil (*Ceuthorrhynchus assimilis* Payk.). - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 339-342.

FINCH S., COLLIER R.H., ELLIOTT M.S., 1990, 19-22 Nov. - Seasonal variations in the timing of attacks of bronzed blossom beetles (*Meligethes aeneus*/*Meligethes viridescens*) on horticultural brassicas. - *Brighton Crop Protection Conference. Pests and Diseases*, Vol. 1, p. 349-354.

FRENCH N., NOCHOLS B.R., BADCOCK J.A., 1990. - Effect of stubby root nematodes on growth and yield of oilseed rape and their control with aldicarb in sandy soils. - *Tests of Agrochemicals and Cultivars*, Vol. 116, n° 11, p. 22-23.

- GLEN D.M., JONES H., FIELDSSEND J.K., 1990. - Damage to oilseed rape seedlings by the field slug *Deroceras reticulatum* in relation to glucosinolate concentration. - *Annals of Applied Biology*, Vol. 117, n° 1, p. 197-207.
- GRIFFITHS D.C., HICK A.J., PYE B.J., SMART L.E., 1989, 18-19 Déc. - The effects on insect pests of applying isothiocyanate precursors to oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 359-364.
- HAMPEJS J., 1990. - The yield effect of insecticide application against blossom beetle. - *Rostlinna Vyroba*, Vol. 36, n° 3, p. 255-262.
- HIA LUN W., DE FANG F., 1989. - Gas chromatographic determination of carbetamide residues in rape and soil. - *J. Ass. Off. Analytical Chemists*, Vol. 72, n° 4, p. 660-662.
- HOSSFELD R., 1990. - Erfahrungen mit Kontrolle und Bekämpfung des Rapserrdflohs. - *Raps*, Vol. 8, n° 3, p. 126-128.
- KORITSAS V.M., LEWIS J.A., FENWICK G.R., 1989. - Accumulation of indole glucosinolates in *Psylliodes chrysocephala* L. infested or damaged tissues of oilseed rape (*Brassica napus* L.). - *Experientia*, Vol. 45, n° 5, p. 493-495.
- LANE A., COOPER D.A., 1989, 18-19 Déc. - Importance and control of insect pests of oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 269-276.
- LETERME Ph., 1989. - L'efficacité de l'Oftanol contre la mouche du chou. - *Bulletin CETIOM*, n° 102, p. 11.
- LETERME Ph., 1989. - Le CETIOM explore de nouvelles solutions au problème des limaces. - *Bulletin CETIOM*, n° 102, p. 16.
- MANN B., WRATTEN S.D., MOORE S.N., 1989, 18-19 Déc. - An advisory model for the control of pests of oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 355-358.
- PAUL V.H., WEISS G., 1990. - Rapsglanzkäfer (*Meligethes aeneus*). - *Raps*, Vol. 8, n° 3, p. 108-109.
- RAW K.A., 1989, 18-19 Déc. - The effects of summer applications of insecticides on the non-target invertebrate fauna of oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 295-302.
- RONQUIST F., AHMAN I., 1990. - Reproductive rate of the Indian mustard aphid (*Lipaphis erysimi pseudobrassicae*) on different Brassica oilseeds: comparisons with Swedish strains of mustard (*Lipaphis erysimi*) and cabbage aphid (*Brevicoryne brassicae*). - *Annals of Applied Biology*, Vol. 116, n° 3, p. 425-430.
- STECK L.D.U., 1990. - Pflanzenschutz-Strategie im Raps. - *Raps*, Vol. 8, n° 2, p. 60-63.
- WEBB R.M., 1990. - Effects of the nematode *Pratylenchus fallax* on roots of oilseed rape (*Brassica napus* var. *oleifera*). - *Revue de Nématologie*, Vol. 13, n° 1, p. 115-117.
- WEIBULL J., MELIN G., 1990. - Free amino acid content of phloem sap from Brassica plants in relation to performance of *Lipaphis erysimi* (Hemiptera: Aphididae). - *Annals of Applied Biology*, Vol. 116, n° 3, p. 417-423.
- WILLIAMS I.H., 1989, 18-19 Déc. - Pest incidence on single low and double low oilseed rape cultivars. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 277-286.
- WITKOWSKI W., CIESIELSKI F., 1989. - Effectiveness of pyrethroids in the control of the pollen beetle (*Meligethes aeneus* F.) in Poland. - *Materialy Sesji Naukowej IOR*, n° 2, p. 141-154.
1989. - Wirkung von Gründüngung und anderen organischen Düngern auf die Populationsdynamik des Rübenzystennematoden *Heterodera schachtii* (Schmidt). - *Anzeiger für Schadlingskunde Pflanzenschutz*, Vol. 62, n° 6, p. 105-114.

Maladies - Diseases - Krankheiten

- AHLERS D., 1989. - Integrierter Pflanzenschutz bei Pilzkrankheiten in Winterraps. - *Gesunde Pflanzen*, Vol. 41, n° 9, p. 306-311.
- BADAWY H.M.A., HOPPE H.H., 1989. - Production of phytotoxic sirodesmins by aggressive strains of *Leptosphaeria maculans* differing in interactions with oil seed rape genotypes. - *J. Phytopathology*, Vol. 127, n° 2, p. 146-157.
- BALL A.M., SIDDIQ A.A., GILTRAP N.J., 1990. - Assessment of benomyl resistance and mating type in field isolates of *Pyrenopeziza brassicae*, cause of light leaf spot of Brassicas. - *Plant Pathology*, Vol. 39, n° 1, p. 33-37.
- BRUN H., JACQUES M.A., 1990. - Le dessèchement prématuré des pieds de colza. Quelques symptômes et agents pathogènes associés. - *La Défense des Végétaux*, n° 262, avril-mai-juin, p. 07-12.
- DAHIYA J.S., RIMMER S.R., 1988. - Phytoalexin accumulation in tissues of *Brassica napus* inoculated with *Leptosphaeria maculans*. - *Phytochemistry*, Vol. 27, n° 10, p. 3105-3107.
- FINCK G., 1989. - Der Einsatz von Umwandlungsprodukten des Kalkstickstoffes im Freiland zur Verhinderung der Sklerotienkeimung von *Sclerotinia sclerotiorum*, dem Erreger der Weissstengeligkeit des Rapses. - *Zeit. Pflanzenkrankheiten und Pflanzenschutz*, Vol. 96, n° 5, p. 508-520.
- FITT B.D.L., DHUA U., LACEY M.E., MACCARTNEY H.A., 1989, 18-19 Déc. - Effects of leaf age and position on splash dispersal of *Pseudocercospora capsellae*, cause of white leaf spot on oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 457-464.
- GLENN M.G., CHEW F.S., WILLIAMS P.H., 1988. - Influence of glucosinolate content of Brassica (Cruciferae) roots on growth of vesicular-arbuscular mycorrhizal fungi. - *New Phytologist*, Vol. 110, n° 2, p. 217-225.
- GOHARI H., 1990. - *Sclerotinia sclerotiorum* sur colza. - *La Défense des Végétaux*, n° 262, avril-mai-juin, p. 04-06.
- GRONER H., 1990. - Spritztechnik für Pflanzenschutzmassnahmen im Raps. - *Raps*, Vol. 8, n° 2, p. 68-71.

- GUNZELMANN H., PAUL V.H., 1990. - Zum Auftreten und zur Bedeutung der Verticillium-Welke an Raps in der Bundesrepublik Deutschland in 1989. - *Raps*, n° 1, p. 23-25.
- HARDWICK N.V., CULSHAW F.A., DAVIES J.M.L., 1989, 18-19 Déc. - Incidence and severity of fungal diseases of winter oilseed rape in England and Wales, 1986-1988. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 383-392.
- HARRIS R.I., SCOTT G.C., BUSH M.N., 1989, 18-19 Déc. - Prochloraz - a flexible fungicide for broad-spectrum disease control in oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 465-470.
- HEBINGER H., 1989. - Pieds secs la piste pathologique. (travaux réalisés en Lorraine en 1989). - *Bulletin CETIOM*, n° 103, p. 05-07.
- HILL S.A., LANE A., HARDWICK N.V., 1989, 18-19 Déc. - The incidence and importance of beet western yellows virus in oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 311-318.
- JEFFERY D.C., GARETH JONES D., JENKINS P.D., 1989, 18-19 Déc. - Effects of early infections of light leaf spot (*Pyrenopeziza brassicae*) on oilseed rape (*Brassica napus*). - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 409-415.
- JONES T.D., BUCK K.W., PLUMB R.T., 1989, 18-19 Déc. - The detection and analysis of sequence variation of beet western yellows virus. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 319-327.
- JOUFFRET P., HEBINGER H., DE LA TAILLE G., 1989. - Traitements fongicides d'automne sur colza: des résultats non probants. - *Bulletin CETIOM*, n° 102, p. 07.
- KOCH E., BADAWY H.M.A., HOPPE H.H., 1989. - Differences between aggressive and non-aggressive single spore lines of *Leptosphaeria maculans* in cultural characteristics and phytotoxin production. - *J. Phytopathology*, Vol. 124, p. 52-62.
- KOHLE H., HOFFMANN G.M., 1989. - Untersuchungen zur Physiologie des Alternaria-Befalls von Raps. - *Zeit. Pflanzenkrankheiten und Pflanzenschutz*, Vol. 96, n° 3, p. 225-238.
- KOLESCH H., 1990. - Wann lohnt sich eine Krankheitsbekämpfung im Winterraps? - *Raps*, n° 1, p. 15-19.
- KRUGER W., 1990. - Methoden für Resistenzprüfung von Rapsorten auf Befall mit *Verticillium dahliae* Kleb. und einige epidemiologische Beobachtungen. - *Bulletin GCIRC*, n° 6, p. 48-55.
- LIU Q., RIMMER S.R., SCARTH R., 1989. - Histopathology of compatibility and incompatibility between oilseed rape and *Albugo candida*. - *Plant Pathology*, Vol. 38, n° 2, p. 176-182.
- MACCARTNEY H.A., LACEY M.E., 1989, 18-19 Déc. - The production and dispersal of ascospores of *Pyrenopeziza brassicae* in oilseed rape crops. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 401-408.
- MACCARTNEY H.A., LACEY M.E., 1990. - The production and release of ascospores of *Pyrenopeziza brassicae* on oilseed rape. - *Plant Pathology*, Vol. 39, n° 1, p. 17-32.
- MACDONALD M.V., AHMAD I., MENTEN J.O.M., HOWE M., 1989, 18-19 Déc. - Haploid culture and in vitro mutagenesis to induce resistance to disease in *Brassica napus*. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 471-475.
- MARTIN D., 1990. - Cylindrosporiose du colza. Cycle de développement et épidémiologie. Observation des premières phases de la contamination par les conidies. - *La Défense des Végétaux*, n° 262, avril-mai-juin, p. 16-21.
- MARTIN D., MARCHEGAY P., GUYOT L., 1990. - Contribution to the study of fungicide effects on a wheat-oilseed rape rotation: a joint project. - *Bulletin SROP*, Vol. 13, n° 4, p. 62-67.
- MESTRES R., SOULIAC L., 1990. - Un pour tous ou comment traiter quatre maladies du colza. - *La Défense des Végétaux*, n° 262, avril-mai-juin, p. 13-15.
- MITCHELL S.J., WHEELER B.E.J., 1990. - Factors affecting the production of apothecia and longevity of sclerotia of *Sclerotinia sclerotiorum*. - *Plant Pathology*, Vol. 39, n° 1, p. 70-76.
- MORRALL R.A.A., ROGERS R.B., RUDE S.V., 1989. - Improved techniques of controlling *Sclerotinia* stem rot of canola (oilseed rape) with fungicides in Western Canada. - *Meded. Fac. Landbouwwet*, Vol. 54, n° 2b, p. 643-649.
- NEWSHOLME D.M., MACDONALD M.V., INGRAM D.S., 1989. - Studies of selection in vitro for novel resistance to phytotoxic products of *Leptosphaeria maculans* (Desm.) Ces and De Not. in secondary embryogenic lines of *Brassica napus* ssp. *oleifera* (Metzg.) Sinsk., winter oilseed rape. - *New Phytologist*, Vol. 113, n° 2, p. 117-126.
- PAUL V.H., 1990. - Der Lebenszyklus von *Verticillium dahliae* Kleb., dem Erreger der Verticillium- Stengelfaule des Rapses. - *Raps*, Vol. 8, n° 4, p. 196-199.
- PAUL V.H., BURHENNE S., GUNZELMANN A., MASUCH G., 1990. - Zur Bedeutung von *Pyrenopeziza brassicae* für das Auftreten der Cylindrosporiose im Winterraps in Deutschland. - *Raps*, Vol. 8, n° 3, p. 172-173.
- PENAUD A., PIERRE J.G., 1990. - Lutte contre les maladies du colza. Essais CETIOM de recherche de fongicides efficaces. - *La Défense des Végétaux*, n° 262, avril-mai-juin, p. 02-03.
- PERRON G., SOULIAC L., 1990. - *Pseudocercospora capsellae* (Ell. et Ev.) ou maladies des taches blanches du colza. - *La Défense des Végétaux*, n° 262, avril-mai-juin, p. 22-27.
- POPE S.J., VARNEY P.L., SWEET J.B., 1989, 18-19 Déc. - Susceptibility of cultivars of oilseed rape to *Sclerotinia sclerotiorum* and the effect of infection on yield. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 451-456.
- RAWLINSON C.J., DOUGHTY K.J., BOCK C.H., 1989, 18-19 Déc. - Diseases and responses to disease and pest control on single- and double-low cultivars of winter oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 393-400.
- ROUXEL T., CHUPEAU Y., FRITZ R., KOLLMANN A., BOUSQUET J.F., 1988. - Biological effects of sirodesmin PL, a phytotoxin produced by *Leptosphaeria maculans*. - *Plant Science*, Vol. 57, n° 1, p. 45-53.
- ROUXEL T., KOLLMANN A., BOUSQUET J.F., 1990. - Zinc suppresses sirodesmin PL toxicity and protects *Brassica napus* plants against the blackleg disease caused by *Leptosphaeria maculans*. - *Plant Science*, Vol. 68, n° 1, p. 77-86.
- SEARLE L.M., CHAMBERLAIN K., RAUSCH T., 1982. - The conversion of 3-indolylmethylglucosinolate to 3-indolylacetonitrile by myrosinase, and its relevance to clubroot disease of the cruciferae. - *J. Experimental Botany*, Vol. 33, n° 136, p. 935-942.
- SIDDIQ A.A., INGRAM D.S., JOHNSTONE K., FRIEND J., 1989, 18-19 Déc. - The control of asexual and sexual development by morphogens in fungal pathogens. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 417-426.

STATTUCK V.I., BROLLEY B., 1989. - The effect of turnip mosaic virus infection on the mineral content and storability of field-grown rutabaga. - *Communications in Soil Science and Plant Analysis*, Vol. 20, n° 5-6, p. 581-595.

SUTHERLAND K.G., OXLEY S.J.P., BROKENSHIRE T., MUNRO J.M., 1990, 19-22 Nov. - The control of late diseases of winter oilseed rape in Scotland. - *Brighton Crop Protection Conference. Pests and Diseases*, Vol. 2, p. 789-794.

SWEET J.B., KNIGHT C., POPE S.J., 1989, 18-19 Déc. - Disease resistance and fungicide response in oilseed rape varieties. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 427-437.

THWIN M., MITCHELL S.J., 1990, 19-22 Nov. - Effects of seed treatments on *Sclerotinia sclerotiorum*. - *Brighton Crop Protection Conference. Pests and Diseases*, Vol. 2, p. 795-800.

VALKONEN J.P.T., KOPONEN H., 1990. - The seed-born fungi of Chinese cabbage (*Brassica pekinensis*), their pathogenicity and control. - *Plant Pathology*, Vol. 39, p. 510-516.

VALYSSE C., MARMION R., EGLES D., 1990. - Programme de protection du colza avec les "impacts" Sopra et Sumislex liquide. - *La Défense des Végétaux*, n° 262, avril-mai-juin, p. 28-32.

WILLIAMSON C.J., 1989, 18-19 Déc. - An assessment of the importance of clubroot in oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 439-449.

WILLIAMSON C.J., DYCE P.E., 1989. - The effect of calcium cyanamide on the reaction *Plasmodiophora brassicae*. - *Plant Pathology*, Vol. 38, n° 2, p. 230-238.

WUNSCH A., AMBERGER A., 1989. - Formation of arginine from ornithine and cyanamide in bush beans (*Phaseolus vulgaris*) and rape (*Brassica napus*). - *J. Plant Nutrition*, Vol. 12, n° 1, p. 1-7.

ZEISE K., SEIDEL D., 1990. - Zur Entwicklung und Schädigung der Verticillium-Welkekrankheit am Winterraps. - *Raps*, n° 1, p. 20-22.

ZEISE K., SEIDEL D., AMELUNG D., 1990. - Zum Befallsverlauf von *Verticillium dahliae* kleb. an Winterraps. - *Archiv für Phytopathologie und Pflanzenschutz*, Vol. 26, n° 2, p. 205-207.

1990. - Disease highlights 1989: Canola, Canada. - *Canadian Plant Disease Survey*, Vol. 70, n° 1, p. 62-74.

Analyse - Analysis - Analyse

CLOSSAIS-BESNARD N., BOUCHEREAU A., 1990. - Analyse des facteurs antinutritionnels du colza: glucosinolates et esters de choline. - *Bulletin GCIRC*, n° 6, p. 115-116.

CLOSSAIS-BESNARD N., LARHER F., RENARD M., 1990. - HPLC of intact glucosinolates and X-ray fluorescence spectrometry for qualitative and quantitative analysis of all rapeseed glucosinolates. - *Plant Physiology and Biochemistry*, Vol. 28, n° 2, p. 173-181.

COIC J.P., FAUDUET H., 1990, 25 Oct. - Etude des glucosinolates du tourteau de colza et de leurs effets nutritionnels. 1. Techniques d'extraction: détoxification du tourteau, séparation des glucosinolates. - *CRITT Valicentre. Journée d'Etude et d'Information*.

CONN K.L., TEWARI J.P., 1989. - Ultrastructure of epicuticular wax in canola. - *Zeit. Naturforschung*, Vol. 44, n° 7-8, p. 705-711.

FIEBIG H.J., JORDEN M., AITZETMULLER K., 1990. - Gesamtkonzept zur Glucosinolatbestimmung - Möglichkeiten zur Erstellung von Bilanzen in Rapsamen und -schrotten. - *Fett Wissenschaft Technologie*, Vol. 92, n° 5, p. 173-178.

GARDRAT C., COUSTILLE J.L., 1990. - Identification de nitriles dans les graines et les tourteaux de colza. - *Bulletin GCIRC*, n° 6, p. 119.

GARDRAT C., MESNARD S., 1990. - Dosage des glucosinolates dans les graines et les tourteaux de colza: réexamen de la méthode de dosage via le glucose. Mémoire scientifique. - *Revue Française des Corps Gras*, Vol. 37, n° 3-4, p. 91-96.

GUNTHER K., UMLAND F., 1988. - Speziesanalytik von Cadmium und Thallium in nativen Rapspflanzen (*Brassica napus*). - *Fresenius Z. Anal. Chem.*, Vol. 331, n° 3-4, p. 302-309.

HAJSLOVA J., CUHRA P., DAVIDEK T., 1989. - Gas chromatographic determination of diquat and paraquat in crops. - *J. Chromatography*, Vol. 479, n° 2, p. 243-250.

HANLEY A.B., KWIATKOWSKA C.A., FENWICK G.R., 1990. - Enzymic hydrolysis of glucosinolates in a low water system. - *J. Sci. Food Agri.*, Vol. 51, n° 3, p. 417-420.

KOLLMANN A., ROUXEL T., BOUSQUET J.F., 1989. - Efficient clean up of non-aqueous plant extracts using reversed-phase cartridges. Application to the determination of phytoalexins from *Brassica* spp. by high-performance liquid chromatography. - *J. Chromatography*, Vol. 473, n° 1, p. 293-300.

KOLOVRAT O., 1989. - Analytical methods of determining glucosinolate content in rapeseed. - *Rostlinna Vyroba*, Vol. 35, n° 10, p. 1115-1120.

KOLOVRAT O., 1990. - Determination of sinapine in rape seeds. - *Rostlinna Vyroba*, Vol. 36, n° 3, p. 329-334.

LUDEKE F.H., EVANS E.J., 1989, 18-19 Déc. - Seed glucosinolate content in winter oilseed rape (*Brassica napus* L.) as influenced by sampling technique. - *Production and Protection of Oilseed Rape and other Brassica crops*; Cambridge, Great Britain, n° 23, p. 159-164.

MACKINTOSH C., COHEN P., 1989. - Identification of high levels of type 1 and type 2A protein phosphatases in higher plants. - *Biochemical Journal*, Vol. 262, n° 1, p. 335-339.

MILFORD G.F.J., FIELDSSEND J.K., PORTER A.J.R., RAWLINSON C.J., EVANS E.J., BILSBORROW P.E., 1989, 18-19 Déc. - Changes in glucosinolate concentrations during the vegetative growth of single- and double-low cultivars of winter oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 83-90.

MINOUNI B., ROBIN J.M., AZANZA J.L., 1990. - Comparative studies of 11S globulin constituents of *Brassica napus* L. and of its related species *Brassica campestris* L. and *Brassica oleracea* L. - *Plant Science*, Vol. 67, n° 2, p. 183-194.

MONSALVE R.I., RODRIGUEZ R., 1990. - Purification and characterization of proteins from the 2S fractions from seeds for the Brassica family. - *J. Experimental Botany*, Vol. 41, n° 222, p. 89-94.

MORGAN A.G., COOKE R.J., 1989, 18-19 Déc. - Quality testing in oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 37-46.

PANFORD J.A., DEMAN J.M., 1990. - Determination of oil content of seeds by NIR: influence of fatty acid composition on wavelength selection. - *J.A.O.C.S.*, Vol. 67, n° 8, p. 473-482.

PETERSEN C., 1989. - Spectral reflectance index of developing crops largely independent of cloud cover and soil surface wetness. - *Acta Agric. Scand.*, Vol. 39, p. 465-476.

POKORNY J., MESHEHDANI T., PANEK J., DAVIDEK J., 1990. - Determination of the lipoxigenase activity of rapeseed. - *Bulletin GCIRC*, n° 6, p. 133-135.

QUINSAC A., 1990, 25 Oct. - Etude des glucosinolates du tourteau de colza et de leurs effets nutritionnels. 2. Caractérisation des produits d'extraction et analyse de produits de dégradation chez l'animal. - CRITT Valicentre. Journée d'Etude et d'Information.

RIBAILLIER D., 1990. - Qualité satisfaisante pour la récolte 1990 de colza. Enquête qualité des graines de colza '00'. Récolte 1990. - *Rapport CETIOM*, 6 p.

RIBAILLIER D., 1989, 17-20 Avril. - Utilisation de la RMN pour la détermination de la teneur en huile des graines oléagineuses. - *Méthodes d'Analyses rapides en Microbiologie et Biochimie Alimentaire*. Montpellier, France. p. B1-B16.

RIBAILLIER D., 1989, 17-20 Avril. - Utilisation de la spectrométrie de réflexion dans le proche infra-rouge pour l'analyse des graines et tourteaux d'oléagineux. - *Méthodes d'Analyses rapides en Microbiologie et Biochimie Alimentaire*. Montpellier, France. p. D1-D26.

RIBAILLIER D., QUINSAC A., 1990. - Différentes méthodes de dosage des glucosinolates. Quelques résultats comparatifs. - *Bulletin GCIRC*, n° 6, p. 108-114.

ROLLIN P., 1990. - Synthèse et raffinage chimique: nouvelles approches pour l'étude des glucosinolates. - *Bulletin GCIRC*, n° 6, p. 131-132.

SCHNUG E., 1989, 18-19 Déc. - Double low oilseed rape in West Germany: sulphur nutrition and glucosinolate levels. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 67-82.

SCHNUG E., HANEKLAUS S., 1990. - A rapid method for the evaluation of the glucosinolate quality of extracted rapeseed meal by total sulphur determination via X-ray fluorescence spectroscopy. - *Fett Wissenschaft Technologie*, Vol. 92, n° 2, p. 57-61.

SCHNUG E., HANEKLAUS S., 1990. - A systematical study on factors influencing the determination of the total glucosinolate content in rapeseed by the X-RF method. - *Fett Wissenschaft Technologie*, Vol. 92, n° 3, p. 101-106.

SCHNUG E., HANEKLAUS S., WATHELET J.P., 1990. - Experiences with X-RF method for the determination of total glucosinolate content in rapeseed. - *Bulletin GCIRC*, n° 6, p. 120-125.

SILVEIRA E.P., HANAAN COSTA G., 1988. - Calibre universel d'humidité pour les graines de colza. - *Pesquisa Agropecuaria Brasileira*, Vol. 23, n° 12, p. 1381-1386.

TATARUCH F., KLANSEK E., ONDERSCHEKA K., 1990. - Konzentrationen von S-methylcysteinsulfoxid (SMCO) in Raps (*Brassica napus var. napus*). - *Bodenkultur*, Vol. 41, n° 2, p. 137-144.

THIES W., 1990. - Photometric determination of indolyl glucosinolates in seeds of rapeseed. - *Fett Wissenschaft Technologie*, Vol. 92, n° 4, p. 161-164.

TRUSCOTT R.J.W., THOLEN J.T., 1990. - Total glucosinolate content in rapeseed using reflectance. - *Bulletin GCIRC*, n° 6, p. 126-128.

TZENG Y.M., DIOSADY L.L., CHEN B.K., RUBIN L.J., 1990. - Ultrafiltration rejection coefficients of canola meal components. - *Canadian Institute of Food Sci. Tech. J.*, Vol. 23, n° 2-3, p. 131-136.

WATHELET J.P., SEVERIN M., WAGSTAFFE P.J., 1989. - Determination of total glucosinolates in rapeseed (colza) activities of BCR-Programme. - *Bulletin GCIRC*, n° 6, p. 117-118.

WRIGHT A.A., REYNOLDS S.B., BENNETT J., HOCKING T.J., 1989, 18-19 Déc. - Factors affecting the analysis of glucosinolate levels in oilseed rape. - *Production and Protection of Oilseed Rape and other Brassica crops*, Cambridge, Great Britain, n° 23, p. 183-190.

Technologie - Technology - Technologie

BARTON R., 1990. - Process considerations for crushing Canola in a U.S. soy extraction plant. - *Oil Mill Gazetteer*, Vol. 96, n° 2, p. 32-35.

BEROT S., 1989. - Le fractionnement des matières premières végétales pour l'alimentation humaine. - *Information Diététique*, n° 4, p. 14-17.

CAMPBELL L.D., SLOMINSKI B.A., 1990. - Extent of thermal decomposition of indole glucosinolates during the processing of canola seed. - *J.A.O.C.S.*, Vol. 67, n° 2, p. 73-75.

GUSTAVSSON A., LUNDIN G., 1990. - Losses when drying and handling rape seed. - *JTI Report*, n° 119, 38 p.

HAWRYSH Z.J., SHAND P.J., LIN C., TOKARSKA B., HARDIN R.T., 1990. - Efficacy of tertiary butylhydroquinone on the storage and heat stability of liquid canola shortening. - *J.A.O.C.S.*, Vol. 67, n° 9, p. 585-590.

MACCURDY S.M., 1990. - Effects of processing on the functional properties of Canola/Rapeseed protein. - *J.A.O.C.S.*, Vol. 67, n° 5, p. 281-284.

MESHEHDANI J., POKORNY J., DAVIDEK J., PANEK J., 1990. - Deactivation of lipoxigenases during rapeseed processing. - *Revue Française des Corps Gras*, Vol. 37, n° 1-2, p. 23-27.

MOTHES R., SCHWENKE K.D., 1990. - Modified method of phytic acid analysis in rapeseed flour. - *Die Nahrung*, Vol. 34, n° 1, p. 99-101.

PAQUET A., CHING YUNG M.A., 1989. - Racemization assessment in alkali treated dietary proteins using high-performance liquid chromatography. - *Nutrition Research*, Vol. 9, n° 9, p. 1053-1065.

PATIL B.G., WARD G.T., 1989. - Simulation of solar air drying of rapeseed. - *Solar Energy*, Vol. 43, n° 3, p. 305-320.

SHAHIDI F., GABON J.E., 1990. - Fate of sinigrin in methanol/ammonia/water-hexane extraction of *B. juncea* mustard seed. - *J. Food Sci.*, Vol. 55, n° 3, p. 793-795.

SHAHIDI F., GABON J.E., RUBIN L.J., 1990. - Effect of methanol-ammonia-water treatment on the fate of glucosinolates. - *J. Agri. Food Chem.*, Vol. 38, n° 1, p. 251-255.

SHAHIDI F., NACZK M., MYHARA R.M., 1990. - Effect of processing on the soluble sugars of Brassica seeds. - *J. Food Sci.*, Vol. 55, n° 5, p. 1470-1471.

WEBER M., STEIFF A., WEINSPACH P.M., 1989. - Zur direkten Kühlung von Raps- und Sonnenblumensaat in hohen Silozellen mit Luft. - *Fett Wissenschaft Technologie*, Vol. 91, p. 577-583.

ZERNICKI W., MELCION J.P., 1989. - Extrusion of rapeseed intended for animal feed. II. Optimization of process parameters and their effect on the content of harmful compounds. Extrusion with ammonia. - *Acta Alimentaria Polonica*, Vol. 15, n° 1, p. 15-23.

ZHOU B., QINQ HE Z., 1990. - Proteins from double-zero rapeseed. - *J. Agri. Food Chem.*, Vol. 38, n° 3, p. 690-694.

Tourteaux - Meal - Schrote

ADU PEASAH S.P., RUBIN L.J., DIOSADY L.L., 1989. - Grinding and detoxification of canola using a Szego mill-hydrocyclone combination. - *Canadian Institute of Food Sci. Tech. J.*, Vol. 22, n° 5, p. 464-469.

AGEEV V., 1990. - Utilisation du tourteau de colza dans l'alimentation de la volaille. - *Ptitsevodstvo*, n° 7, p. 29-32.

AJUYAH A.O., LEE K.H., SIM J.S., 1990. - Effect of feeding full-fat canola and flax seed on broiler meat. - *69th Annual Feeders' Day Report*, p. 52-54.

ASKBRANDT S., 1990. - The concept of metabolisable energy for poultry. A study on effects of bird age, protein retained, level of feed intake and endogenous excretions on dietary energy metabolised. - *Swedish Univ. Agric. Sci. Dep. Animal Nutr. Management*. Report 194, 37 p.

BAIDOO S.K., AHERNE F.X., 1990. - Evaluation of the palatability of canola meal supplemented diets for pigs. 2. Interaction with grain source. - *69th Annual Feeders' Day Report*, p. 17-19.

BAIDOO S.K., AHERNE F.X., CHEN W.F., 1990. - Evaluation of the palatability of canola meal supplemented diets for pigs. 1. Effects of feed flavor. - *69th Annual Feeders' Day Report*, p. 14-17.

BAIDOO S.K., SPICER H.M., ALLISON J., AHERNE F.X., 1990. - Evaluation of the palatability of canola meal supplemented diets for pigs. 3. Interaction with meat and bone meal. - *69th Annual Feeders' Day Report*, p. 20-21.

BAUDET J.J., 1990, 06 Juil. - Technologie et valeur nutritionnelle des tourteaux de colza. - *Qualité des céréales, des oléagineux et des protéagineux français pour l'alimentation animale*. Toulouse, France. p. 51-55.

BEAULIEU A.D., OLUBOBOKUN J.A., CHRISTENSEN D.A., 1990. - The utilization of canola and its constituents by lactating dairy cows. - *Animal Feed Science and Technology*, Vol. 30, n° 3-4, p. 289-300.

BELL J.M., KEITH M.O., 1989. - Nutritional evaluation of low-mucilage canola meal for swine. - *Nutrition Reports International*, Vol. 40, n° 6, p. 1081-1089.

BLUMENKRANTZ N., HILLEMANN G., 1989. - Effect of dietary addition of fish silage, rapeseed meal or Vantocil on mink dermal connective tissue components and fur quality. - *Acta Agric. Scand.*, Vol. 39, p. 229-234.

BORGIDA L.P., ARAUJO C., 1990, 25 Oct. - Indigestible chez les monogastriques. Problématique et programme de recherche. - *CRITT Valicentre. Journée d'Etude et d'Information*.

BOURDON D., 1990, 06 Juil. - Intérêt des traitements technologiques appliqués aux graines entières d'oléoprotéagineux pour les porcs. - *Qualité des céréales, des oléagineux et des protéagineux français pour l'alimentation animale*. Toulouse, France. p. 75-84.

BOURDON D., 1990, 25 Oct. - Digestibilité des protéines dans le tourteau de colza. Composition chimique et valeur nutritive des tourteaux pour le porc. - *CRITT Valicentre. Journée d'Etude et d'Information*.

BOURDON D., AUMAITRE A., 1990. - Low-glucosinolate rapeseeds and rapeseed meals : effect of technological treatments on chemical composition, digestible energy content and feeding value for growing pigs. - *Animal Feed Science and Technology*, Vol. 30, n° 3-4, p. 175-191.

BOURDON D., BAUDET J.J., EVRARD J., 1990. - Valeur d'emploi pour le porc en croissance de différents types de tourteau de colza '00'. - *Bulletin GCIRC*, n° 6, p. 102-105.

CHERIAN G., SIM J.S., 1990. - Feeding full-fat canola and flax seeds to laying hens and omega-3 fatty acid metabolism in developing embryos and chicks. - *69th Annual Feeders' Day Report*, p. 50-52.

COTTO G., 1990, 06 Juil. - Tourteau de colza 00 pour vaches laitières. - *Qualité des céréales, des oléagineux et des protéagineux français pour l'alimentation animale*. Toulouse, France. p. 57-62.

DARROCH C.S., BELL J.M., KEITH M.O., 1990. - The effects of moist heat and ammonia on the chemical composition and feeding value of extruded canola screenings for mice. - *Canadian Journal of Animal Science*, Vol. 70, n° 1, p. 267-277.

DAVIS M., ELLIS M., SMITHARD R.R., AL MAMMARY M.A., 1990. - Glucosinolate content of rapeseed meal on the nutritive value of pig feeds. - *Bulletin GCIRC*, n° 6, p. 86-94.

DENG Q.Y., BAREFOOT R.R., DIOSADY L.L., RUBIN L.J., 1990. - Lysinoalanine concentrations in rapeseed protein meals and isolates. - *Canadian Institute of Food Sci. Tech. J.*, Vol. 23, n° 2-3, p. 140-142.

ETIENNE M., DOURMAD J.Y., OBIDZINSKI W., 1990, 30-31 Janv. - 01 Fév., - Effets du tourteau de colza à basse teneur en glucosinolates pendant la gestation chez la truie. - *22ème Journées de la Recherche Porcine en France*. Paris, France. p. 243-250.

FINNIGAN T.J.A., LEWIS M.J., 1989. - Detoxification of alkaline extract of United Kingdom commercial rapeseed meal by diafiltration. - *Lebensmittel Wissenschaft Technologie*, Vol. 22, n° 3, p. 116-118.

- FINNIGAN T.J.A., LEWIS M.J., 1989. - Ultrafiltration of aqueous extracts of United Kingdom commercial rapeseed meal made at pH 2.0 and 11.0. - *Lebensmittel Wissenschaft Technologie*, Vol. 22, n° 5, p. 237-239.
- GALIBOIS I., NUNES C.S., RERAT A., 1989. - Net appearance of amino acids in portal blood during the digestion of casein or rapeseed proteins in the pig. - *Canadian Journal of Physiology and Pharmacology*, Vol. 67, n° 11, p. 1409-1417.
- GATTINGER L.D., DUVNJAK Z., KHAN A.W., 1990. - The use of canola meal as a substrate for xylanase production by *Trichoderma reesei*. - *Applied Microbiology and Biotechnology*, Vol. 33, n° 1, p. 21-25.
- GILL B.P., TAYLOR A.G., 1989. - Low glucosinolate full-fat rapeseed meal in the diets of early-weaned piglets. - *Anim. Prod.*, Vol. 49, p. 317-321.
- GROSS K.J., 1990. - Stabiler Absatz von 00-Rapsschrot auf hohem Niveau. - *Raps*, Vol. 8, n° 2, p. 99-100.
- GRUHN K., ZANDER R., 1989. - Vergleich der Verdaulichkeit von Rohrnährstoffen und Aminosäuren von Extraktionsschrot und Expeller des Rapses verschiedener Herkunft mit (kolostomierten) Legehennen. - *Arch. Anim. Nutrition*, Vol. 39, n° 11, p. 911-920.
- KHORASANI G.R., SAUER W.C., OZIMEK L., KENNELLY J.J., 1990. - Digestion of soybean meal and canola meal protein and amino acids in the digestive tract of young ruminants. - *J. Anim. Sci.*, Vol. 68, n° 10, p. 3421-3428.
- KIISKINEN T., 1989. - Effect of long-term use of rapeseed meal on egg production. - *Annales Agriculturae Fenniae*, Vol. 28, p. 385-396.
- LESSIRE M., 1990, 06 Juil. - Valeur nutritionnelle des graines de soja et de colza traitées chez les volailles. - *Qualité des céréales, des oléagineux et des protéagineux français pour l'alimentation animale*. Toulouse, France. p. 69-73.
- LESSIRE M., 1990, 25 Oct. - Etude des glucosinolates du tourteau de colza et de leurs effets nutritionnels. 3. Rôle physiologique chez le poulet. - *CRITT Valicentre. Journée d'Etude et d'Information*.
- LESSIRE M., CONAN L., BAUDET J.J., 1990. - Effect of crude fibre and glucosinolate contents on the metabolizable energy value of rapeseed meals for adult and young birds. - *Bulletin GCIRC*, n° 6, p. 95-96.
- MAZHAR A., BUSBOOM J.R., FIELD R.A., 1990. - Functional characteristics, fatty acid composition, and palatability of bacon from pigs fed canola. - *J. Food Sci.*, Vol. 55, n° 2, p. 575-576.
- NUGON BAUDON L., RABOT S., WAL J.M., SZYLIT O., 1990. - Interactions of the intestinal microflora with glucosinolates in rapeseed meal toxicity: first evidence of an intestinal *Lactobacillus* possessing a myrosinase-like activity in vivo. - *J. Sci. Food Agri.*, Vol. 52, n° 4, p. 547-559.
- NUNES C.S., RERAT A., GALIBOIS I., 1989. - Hepatic and gut balances of glucose, amino-nitrogen, ammonia and urea in the pig after ingestion of casein or rapeseed proteins. - *Nutrition Reports International*, Vol. 40, n° 5, p. 901-907.
- OLOMU J.M., BARACOS V.E., 1990. - Effects of feeding canola oil and full-fat canola seed on the performance of laying birds and on egg cholesterol deposition. - *69th Annual Feeders' Day Report*, p. 43-44.
- REIS DE SOUZA T., MELCION J.P., BOURDON D., GIBOULOT G., 1990, 30-31 Janv. - 01 Fév. - La graine de colza entière crue ou extrudée: une nouvelle source d'énergie et de protéines dans l'alimentation des porcelets. - *22ème Journées de la Recherche Porcine en France*. Paris, France. p. 151-158.
- RODIN J., RASK L., 1990. - Characterization of the 12S storage protein of *Brassica napus* (cruciferin): Disulfide bonding between subunits. - *Physiologia Plantarum*, Vol. 79, p. 421-426.
- ROQUES M., NAIHA M., BRIFFAUD J., 1986. - Removing hexane from rapeseed meals. - *Drying of Solids, Recent International Developments*, p. 258-262.
- SCHONE F., WINNEFELD K., KIRCHNER E., LUDKE H., HENNIG A., 1990. - Copper and iodine in pig diets with high glucosinolate rapeseed meal. 3. Treatment of rapeseed meal with copper, and the effect of iodine supplementation on trace element status and some related blood (serum) parameters. - *Animal Feed Science and Technology*, Vol. 30, n° 12, p. 143-154.
- SCHWENKE K.D., KROLL J., LANGE R., STEINERT A., 1990. - Preparation of detoxified high functional rapeseed flours. - *J. Sci. Food Agri.*, Vol. 51, n° 3, p. 391-405.
- SLOMINSKI B.A., CAMPBELL L.D., 1990. - Non-starch polysaccharides of canola meal: quantification, digestibility in poultry and potential benefit of dietary enzyme supplementation. - *J. Sci. Food Agri.*, Vol. 53, n° 2, p. 175-184.
- SUMMERS J.D., BEDFORD M., SPRATT D., 1990. - Interaction of calcium and sulphur in canola and soybean meal diets fed to broiler chicks. - *Canadian Journal of Animal Science*, Vol. 70, n° 2, p. 685-694.
- ZUPRIZAL X., 1990, 25 Oct. - Digestibilité des protéines dans le tourteau de colza. Expérimentation chez le poulet. - *CRITT Valicentre. Journée d'Etude et d'Information*.

Huile - Oil - Öl

- ATTEH J.O., LEESON S., SUMMERS J.D., 1989. - Effects of dietary sources and levels of fat on laying hens fed two levels of calcium. - *Nutrition Reports International*, Vol. 40, n° 3, p. 451-463.
- AULD D.L., MAHLER K.A., LETOURNEAU D.J., 1989. - Evaluation of four *Brassica* germplasm collections for fatty acid composition. - *J.A.O.C.S.*, Vol. 66, n° 10, p. 1475-1479.
- AZAIS P., 1990, 29 Mai. - Un bio-carburant diesel: les esters d'huile végétale. - *Marchés et qualités du colza: l'avenir du colza européen*. Paris, France. p. 12-14.
- BEL J.F., 1990, 29 Mai. - L'huile de colza chez Astra-Calvé. *Marchés et qualités du colza: l'avenir du colza européen*. Paris, France. p. 05-06.
- BEROT S., 1989. - Le fractionnement des matières premières végétales pour l'alimentation humaine. - *Information Diététique*, n° 4, p. 14-17.
- BOSAEUS I., ANDERSSON H., 1990. - The effect of fat quality on intestinal steroid excretion. - *Naringsforskning*, Vol. 34, p. 51-55.

- CORNER E.J., BRUCE V.M., MACDONALD B.E., 1990. - Accumulation of eicosapentaenoic acid in plasma phospholipids of subjects fed canola oil. - *Lipids*, Vol. 25, n° 10, p. 598-601.
- COSSEMENT M., MICHAUX M., LOGNAY G., GIBON V., DEROANNE C., 1990. - Effect of erucic acid on the polymorphism of hydrogenated rapeseed oil. - *Fett Wissenschaft Technologie*, Vol. 92, n° 6, p. 229-231.
- DREVON C.A., 1990. - N-6 and n-3 fatty acids - How much and which balance? - *Naringsforskning*, Vol. 34, p. 56-61.
- DUPONT J., WHITE P.J., 1989. - Food safety and health effects of Canola oil. - *J. American College of Nutrition*, Vol. 8, n° 5, p. 360-375.
- EGOROV I., 1990. - L'huile de colza dans les rations de volailles. - *Ptitsevodstvo*, n° 7, p. 32-34.
- FOCHEM H., 1990. - High erucic rapeseed in the EEC - Henkel takes the initiative in Germany. - *Oils and Fats International*, Vol. 6, n° 3, p. 23 et 25.
- GREENE F., 1990. - Canola - oil of the nineties. - *Oils and Fats International*, Vol. 6, n° 2, p. 23 et 25.
- GRYNBERG A., ASTORG P.O., LHERMINIER J., 1988. - Statistical analysis of the size of heart mitochondria in rats fed sunflower oil, primor oil or rapeseed oil. - *Biological Structures and Morphogenesis*, Vol. 1, n° 2, p. 77-79.
- HAWRYSH Z.J., MACMULLEN L.M., LIN C., TOKARSKA B., HARDIN R.T., 1990. - Effects of tertiary butylhydroquinone on canola oil thermal stability. - *Canadian Institute of Food Sci. Tech. J.*, Vol. 23, n° 2-3, p. 94-100.
- HILLS M.J., KIEWITT I., MUKHERJEE K.D., 1990. - Lipase from *Brassica napus* L. discriminates against cis-4 and cis-6 unsaturated fatty acids and secondary and tertiary alcohols. - *Biochimica et Biophysica Acta*, Vol. 1042, n° 2, p. 237-240.
- JENSENS S.K., OLSEN H.S., SORENSEN H., 1990. - Aqueous enzymatic extraction of oilseed rape resulting in high quality products without hulls and glucosinolate degradation products. - *Bulletin GCIRC*, n° 6, p. 97.
- KATAN M.B., BEYNEN A.C., 1990. - Dietary fat and health: the role of saturated fat. - *Naringsforskning*, Vol. 34, p. 42-46.
- KORBITZ W., 1990. - Bio-diesel aus Raps: Österreich startet in die Zukunft. - *Raps*, Vol. 8, n° 3, p. 192-195.
- KRALING K., 1990. - Züchtung von Rapsformen mit verbesserter Speiseölqualität. - *Raps*, n° 8, n° 4, p. 212 et 214.
- MENDY F., 1990. - Cinq huiles en compétition. Quinze années d'études chez l'homme. Anciens, nouveaux, futurs paramètres. - *Bulletin GCIRC*, n° 6, p. 98-101.
- MURPHY D.J., CUMMINS I., 1989. - Seed oil-bodies: isolation, composition and role of oil-body apolipoproteins. - *Phytochemistry*, Vol. 28, n° 8, p. 2063-2069.
- MURRAY J.S., 1990, 29 Mai. - Les produits oléo-chimiques du colza. - *Marchés et qualités du colza: l'avenir du colza européen*. Paris, France. p. 15-16.
- OHTA S., SHIMIZU Y., KINUGAWA M., 1990. - On functions of silicone oil in frying oil. X : Restudying on the previous presumptions. - *Yukagaku*, Vol. 39, n° 1, p. 23-28.
- PARMENTIER J., 1990, 29 Mai. - Huile adjuvante pour la protection des cultures. - *Marchés et qualités du colza: l'avenir du colza européen*. Paris, France. p. 09-10.
- PARMENTIER J., 1989. - Intérêts des huiles et des esters végétaux dans les huiles adjuvantes. - *International Symposium on Crop Protection. Gent, Belgique. Meded. Fac. Landbouwwet.* Vol. 54, n° 2a, p. 233-247.
- PONNAMPALAM R., DELISLE J., GAGNE Y., AMIOT J., 1990. - Functional and nutritional properties of acylated rapeseed proteins. - *J.A.O.C.S.*, Vol. 67, n° 8, p. 531-536.
- PREVOT A., PERRIN J.L., LACLAVERIE G., AUGE P., COUSTILLE J.L., 1990. - A new variety of low-linolenic rapeseed oil ; characteristics and room-odor tests. - *J.A.O.C.S.*, Vol. 67, n° 3, p. 161-164.
- RANHOTRA G.S., GELROTH J.A., ASTROTH K., 1990. - Fish oil added to biscuits is a potent hypolipidemic agent in hypercholesterolemic rats. - *Cereal Chemistry*, Vol. 67, n° 2, p. 213-216.
- ROCQUELIN G., 1990. - Comment l'industrie des corps gras peut-elle répondre aux demandes d'aliments d'une valeur santé accrue: perspectives européennes. (mise au point). - *Revue Française des Corps Gras*, Vol. 37, n° 5-6, p. 177-184.
- ROCQUELIN G., JUANEDA P., ASTORG P.O., GRYNBERG A., 1989. - Relationship between lipid parameters and the occurrence and severity of lesions in the heart: a study on rats fed low erucic acid rapeseed oil. - *Reproduction Nutrition Développement*, Vol. 29, n° 3, p. 293-302.
- ROUVINEN K., 1990. - Digestibility of different fats and fatty acids in the mink (*Mustela vison*). - *Acta Agric. Scand.*, Vol. 40, p. 93-99.
- RUDEL P., 1990. - Rapsölkaktivitäten in Österreich. - *Raps*, Vol. 8, n° 2, p. 91-93.
- SCHARMER K., 1990. - Kraftstoff aus Rapsöl - Chancen für die deutsche Landwirtschaft. - *Raps*, Vol. 8, n° 2, p. 86-88.
- SEPPANEN LAAKSO T., LAAKSO I., VANHANEN H., HILTUNEN R., VIIKARI J., 1990. - Effects of rapeseed and olive oil substitution on serum lipids. - *Bulletin GCIRC*, n° 6, p. 130.
- SEPPANEN LAAKSO T., LAAKSO I., VANHANEN H., VIIKARI J., 1990. - Effects of partial rapeseed oil substitution on serum cholesterol. - *Bulletin GCIRC*, n° 6, p. 129.
- STUDER R., 1990. - Carburant indigène d'origine agricole. Le pour et le contre du point de vue de la Suisse. - *Revue Suisse d'Agriculture*, Vol. 22, n° 5, p. 255-259.
- TAUTORUS C.L., MACCURDY A.R., 1990. - Effect of randomization on oxidative stability of vegetable oils at two different temperatures. - *J.A.O.C.S.*, Vol. 67, n° 8, p. 525-530.
- UCCIANI E., RAFARALAHITSIMBA G., CECCHI G., 1990. - Epoxydation catalytique des huiles de colza, soja et tournesol par des hydroperoxydes et des composés de molybdène. - *Revue Française des Corps Gras*, Vol. 37, n° 3-4, p. 97-101.
- VERMEERSCH G., 1990, 29 Mai. - Le développement de la lipochimie : le programme Eclair. - *Marchés et qualités du colza: l'avenir du colza européen*. Paris, France. p. 11.
- WELSH F.W., WILLIAMS R.E., 1989. - The use of vegetable oils to recover compounds from aqueous solutions. - *J. Chemical Technology and Biotechnology*, Vol. 46, n° 3, p. 169-178.
1990. - Rapsöl als Kraftstoff für den Betrieb angepasster Dieselmotoren. - *Raps*, Vol. 8, n° 2, p. 89-90.

- CANOLA COUNCIL, 1989. - Canola Oil. Properties and performance. - *Canola Council of Canada*, 50 p.
- CANOLA COUNCIL, 1990. - Canola. Research summary 1986-1990. - *Canola Council of Canada*, 84 p.
- CETIOM, 1990/1991. - La culture du colza d'hiver. Guide cultural 1990/1991. - *CETIOM*, 33 p.
- CETIOM, 1990. - Les carences des cultures oléagineuses. - *CETIOM*, 16 p. + 57 diapos.
- CETIOM, 1990. - Rapport d'Activité du CETIOM. Département Etudes et Recherches 1989. - *CETIOM*, 72 p.
- CHU Q.R., FANG G.H., 1990. - Proceedings of the symposium of China International Rapeseed Sciences. - *Abstracts. 1990, 24 avril-02 mai*, Schanghai Scientific and Technical Publishers?
- CLANDININ D.R., 1989. - Canola meal for livestock and poultry. - *Canola Council of Canada*, 24 p.
- DEPARTMENT OF PRIMARY INDUSTRIES AND ENERGY, 1989. - Oilseeds Research Council. Annual Report 1988-89. - *Australian Government Publishing Service*, Canberra, 77 p.
- FOP, 1990. - Oléagineux - Protéagineux. Données statistiques de production et de consommation. France - CEE - Monde. - *FOP*, 31 p.
- IDRC, CRDI, CIID, 1990. - Oil crops: Proceedings of the three meetings held at Pantnagar and Hyderabad, India. 4-17 January 1989.
1- The brassica subnetwork II.
2- The other oil crops subnetwork I.
3- The oil crops network steering committee I.
IDRC/CRDI/CIID, 332 p.
- ISTA, 1990. - Oil World Annual 1990. - *ISTA*, 305 p.
- ITERG, 1990. - ITERG. Rapport d'activité 1989. Regards sur 1990. - *ITERG*, 38 p.
- NIWIADOMSKI H., 1990. - Rapeseed Chemistry and Technology. Developments in Food Science 23. - *Elsevier*, 433 p.
- ONIDOL, 1990. - Les huiles végétales alimentaires. Le colza. - *ONIDOL*, 30 p.
- ONIDOL, FOP, 1990. - Diester: le diesel vert. Dossier d'information. - *ONIDOL/FOP*, 24 p.
- ROBBELEN G., DOWNEY R.K., ASHRI A., 1989. - Oil crops of the World. Their breeding and utilization. - *Mc Graw-Hill Publishing Company*, 553 p.
- SHAHIDI F., 1990. - Rapeseed/Canola: Production, Chemistry, Nutrition and Processing Technology. - *Van Nostrand Reinhold Publisher*, 600 p.
- SIDO, CHARLES ROBERT S.A., 1990. - Tourteaux et autres matières riches en protéines. - *SIDO/CHARLES ROBERT S.A.*, 24 p.
- THE ASSOCIATION OF APPLIED BIOLOGISTS, 1989. - Production and protection of oilseed rape and other Brassica crops. Aspects of Applied Biologists. 23. - *The Association of Applied Biologists*, 475 p.