

Following information was collected and classified by
 Danièle RIVAUD and Françoise MARAIS, Documentation, CETIOM,
 174, avenue Victor Hugo - 75116 Paris

Economie - Economy - Wirtschaft

- ASKEW M.F., 1990. - The oilseed rape crop in United Kingdom. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 22-30.
- ASKEW M.F., 1991. - The development of «00» rapeseed in Europe with particular reference to UK. - *Bulletin GCIRC*, n° 7, p. 28-35.
- CARTRYSSE C., CORS F., WATHELET J.P., 1991. - Production et utilisation du colza en Belgique. - *Bulletin GCIRC*, n° 7, p. 13-16.
- CEDELL T., 1991. - Oil crop cultivation in Sweden in 1990. - *Bulletin GCIRC*, n° 7, p. 39-42.
- EORI T., 1991. - Die Lage des Rapsanbaus in Ungarn. - *Bulletin GCIRC*, n° 7, p. 26-27.
- FABRY A., VASAK J., 1991. - La culture du colza en Tchécoslovaquie. - *Bulletin GCIRC*, n° 7, p. 36-38.
- FERRAND M., 1990. - Production et consommation des corps gras concrets. Aspects économiques. - *Revue Française des Corps Gras*, Vol. 37, n° 11-12, p. 369-377.
- FITZPATRICK K.C., 1991. - Recent developments in Canadian canola/rapeseed. - *Bulletin GCIRC*, n° 7, p. 22-24.
- FUGLSANG S., 1991. - Rape seed production in Denmark. - *Bulletin GCIRC*, n° 7, p. 17-19.
- HANSEN K., 1990. - Oilseed rape in Denmark. Development of production and observations of impact on wildlife. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 31-39.
- LUFTENSTEINER H., 1991. - Raps in Osterreich 91/92 : Weiter im Aufwind ! - *Raps*, Vol. 9, n° 3, p. 138-140.
- MUSTAPIC Z., KUNSTEN B., 1990. - Trends in production of oilseeds in SFR of Yugoslavia. - *Uljarstvo*, Vol. 27, n° 3-4, p. 44-50.
- PAHKALA K., HOVINEN S., 1991. - Oilseed crops in Finland in 1990. - *Bulletin GCIRC*, n° 7, p. 20-21.
- POUZET A., 1990. - Oilseed rape situation in France. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 2-6.
- ROBBELEN G., BRAUER D., 1990. - Development and future of rapeseed in the Federal Republic of Germany. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 7-21.
- SCHONE A., 1991. - EG-Rapserte und Rapsvermarktung 1990-91 - Zukunftsaussichten. - *Raps*, Vol. 9, n° 1, p. 46-47.
- WARREN J., 1989. - Canola industry in Western Australia. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. Toowoomba, Australia. p. 01-03.
1991. - Rapeseed. 650 attend quadrennial congress. - *INFORM*, Vol. 2, n° 9, p. 784-794.

Agronomie - Agronomy - Agronomie

- AL MALLAH M.K., DAVEY M.R., COCKING E.C., 1990. - Nodulation of oilseed rape (*Brassica napus*) by rhizobia. - *J. Experimental Botany*, Vol. 41, n° 233, p. 1567-1572.
- ANTONY F., HASSELBAUER R., 1991. - Körner-
raps in Wasserschutzgebieten. - *Raps*, Vol. 9, n° 3, p. 112-116.
- APPEL T., MENGEL K., 1990. - Importance of organic nitrogen fractions in sandy soils, obtained by electro-ultrafiltration or CaCl₂ extraction, for nitrogen mineralization and nitrogen uptake of rape. *Biology and Fertility of Soils*, Vol. 10, n° 2, p. 97-101.
- BAILEY L.D., 1990. - The effects of 2-chloro-6 (trichloromethyl)-pyridine ("N-Serve") and N fertilizers on productivity and quality of Canadian oilseed rape. - *Canadian Journal of Plant Science*, Vol. 70, n° 4, p. 979-986.
- BAILEY L.D., GRANT C.A., 1990. - Fertilizer placement studies on calcareous and non-calcareous chernozemic soils : growth, P-uptake, oil content and yield of Canadian rape. - *Communications in Soil Science and Plant Analysis*, Vol. 21, n° 17-18, p. 2089-2104.
- BAYLIS A.D., HUTLEY BULL P.D., 1991. - The effects of a paclobutrazol-based growth regulator on the yield, quality and ease of management of oilseed rape. - *Annals of Applied Biology*, Vol. 118, n° 2, p. 445-452
- BIN H., BIRD S., KEMBLE R., 1990. - Effects of culture density, conditioned medium and feeder cultures on microspore embryogenesis in *Brassica napus* L. cv. Topas. - *Plant Cell Reports*, Vol. 8, n° 10, p. 594-597
- BLACKSHAW R.E., 1991. - Soil temperature and moisture effects on downy brome vs. winter canola, wheat, and rye emergence. - *Crop Science*, Vol. 31, n° 4, p. 1034-1040.
- BLUETT C.A., 1989. - Effects on rapeseed of a combined topdressing of liquid nitrogen fertiliser and growth regulator. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. Toowoomba, Australia. p. 7-12.
- BOAG B.W.H., GRIFFITHS D.W., 1990. - Observations on the grazing of two oilseed rape and two fodder rape varieties by the wild rabbit *Orytolagus cuniculus* in Scotland. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 46-53.
- BOUTTIER C., MERRIEN A., 1991, 5 février. - Influence des phytohormones sur le développement des fleurs de colza. - *3ème Colloque sur les Substances de Croissance et leurs Utilisations dans les Productions Végétales*. Paris, France. Ed. ANPP, p. 49-59.
- BOUTTIER C., MORGAN D.G., 1991, 9-11 juillet. - Determination of seed number per pod in oilseed rape. - *8ème Congrès International sur le Colza*. - Saskatoon Canada (sous presse)
- BOUTTIER C., MORGAN D.G., 1991, 9-11 juillet. - In vitro development of buds, flowers and pods of oilseed rape. - *8ème Congrès International sur le Colza*. Saskatoon, Canada (sous presse).
- BRANDLE J.E., 1991. - The precision of oilseed rape cultivar evaluation trials in Western Canada. - *Cruciferae Newsletter*. Ed. EUCARPIA, n° 14-15, juin, p. 130-131.
- BROMAND B., 1990. - Diversities in oilseed rape growing within the Western Palaearctic Regional Section. - *Bulletin OILB/Bulletin SROP*. Groupe de travail «Lutte intégrée en culture de colza». Malmö, Sweden. 21-22 March 1988. Ed. OILB, Vol. XIII, n° 4, p. 7-31.
- BROWN A.P., DYER A.F., 1990. - Effects of low temperature storage on the pollen of *Brassica campestris*, *Brassica oleracea* and *Brassica napus*. - *Euphytica*, Vol. 51, n° 3, p. 215-218.
- CABELGUENNE M., YONES C.A., QUINONES H., MARTY J.R., 1990. - Using the EPIC model in the study of cropping systems. I. Comparison of measured and simulated data of five crops managed at different input levels. - *Agricoltura Mediterranea*, Vol. 120, n° 2, p. 138-147.
- CASTLEMAN G.H., 1989. - Effects of cultivation on rooting depth of wheat, peas and rapeseed. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. Toowoomba, Australia. p. 65-71.
- CHAPPLE C.S., GLOVER J.R., ELLIS B.E., 1990. - Purification and characterization of methionine : glyoxylate aminotransferase from *Brassica carinata* and *Brassica napus*. - *Plant Physiology*, Vol. 94, n° 4, p. 1887-1896.
- CHILD R.D., 1990, 5-7 Déc. - Control of canopy structure and improvement of recoverable yields with retardants in oilseed rape. - *First Congress of the European Society of Agronomy*. Ed. ESA COLMAR. session 1 P 73, 2 p.
- CHONE E., 1991. - Colza en Australie : une culture modeste pour une recherche active. - *Oléoscope - Bulletin du CETIOM*, n° 4, juillet, p. 13.

- CLOSSAIS BESNARD N., LARHER F., 1991. - Physiological role of glucosinolates in *Brassica napus*. Concentration and distribution pattern of glucosinolates among plant organs during a complete life cycle. - *J. Sci. Food Agri.*, Vol. 56, n° 1, p. 25-38.
- DARBY R.J., HEWITT M.V., 1990. - A comparison of the effects of single or multiple spring applications of prilled urea or «Nitro-chalk» to winter oilseed rape (*Brassica napus*). - *J. Agri. Sci.*, Vol. 115, n° 4, p. 363-368
- DELPUECH I., EGLES D., MERRIEN A., REUILLE M.J., 1991, 5 FEV. - Paclobutrazol : une nouvelle utilisation pour la régulation des cultures de colza d'hiver. - 3ème Colloque sur les Substances de Croissance et leurs Utilisations dans les Productions Végétales. Paris, France. Ed. ANPP, p. 291-300.
- DEUKER ISERMEYER B., KELLNER G., HOPPE H.H., 1991. - Einsatz von Wachstumsreglern in Winterraps. - *Gesunde Pflanzen*. Vol. 43, n° 9, p. 294-299.
- DUBERT F., FILEK W., 1988. - Changes of ATP content in leaves of normalized grafts of winter rape (*Brassica napus* L. var. oleifera) after grafting onto vernalized stock. - *Bulletin of the Polish Academy of Sciences, Biological Sciences*, Vol. 36, n° 7-9, p. 183-189.
- EISFELD D., 1990. - Roe deer and European hare in the FRG the ecological background for the 00-rapeseed discussion. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 87-93
- ERICSON M.L., MUREN E., GUSTAVSSON H.O., 1991. - Analysis of the promoter region of napin genes from *Brassica napus* demonstrate binding of nuclear protein in vitro to a conserved sequence motif. - *European Journal of Biochemistry*, Vol. 197, n° 3, p. 741-746.
- ESTRAGNAT A., 1991. - Des tensiomètres pour piloter les apports d'eau. - *Oléoscope - Bulletin du CETIOM*, n° 3, mai, p. 20-21
- EVANS D.E., TAYLOR P.E., 1991. - Quantitative analysis of lipids and protein from the pollen of *Brassica napus* L. - *Plant Science*, Vol. 73, n° 1, p. 117-126
- EVANS E.D., SANG J.P., 1990. - A study of phospholipids and galactolipids in pollen of two lines of *Brassica napus* L. (Rapeseed) with different ratios of linoleic to linolenic acid. - *Plant Physiology*, Vol. 93, n° 2, p. 418-424.
- EVANS E.J., BILSBORROW P.E., MILFORD G.F.J., 1990, 5-7 décembre. - The physiological basis of glucosinolate accumulation in the developing seed of oilseed rape (*Brassica napus* L.). - *First Congress of the European Society of Agronomy*. Ed. ESA Colmar. session 4 0 04, 2 p.
- FALISSE A., CARTRYSSÉ C., GERARDY V., 1990. - Effets de l'application automnale de triapenthénol en colza d'hiver. - *Meded. Fac. Landbouwwet.*, Vol. 55, n° 3b, p. 1249-1257.
- FEARE C.J., WADSWORTH J.T., INGLIS I.R., MEYER A.N., 1990. - Field observations on variety preference by vertebrates for oilseed rape in England. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 40-45.
- FERRANTI F., FRENGUELLI G., ROMANO B., 1990. - Accrescimento riproduttivo in *Brassica napus* L. - *Annali della Facoltà di Agraria Università Perugia*, Vol. 42, p. 771-779.
- FILEK W., DUBERT F., 1988. - Influence of exogenous gibberellic acid (GA3) on the generative development of grafts from non-vernalized winter rape (*Brassica napus* L. var. oleifera) grafted on vernalized stock. - *Bulletin of the Polish Academy of Sciences, Biological Sciences*, Vol. 36, n° 7-9, p. 177-182.
- FILEK W., DUBERT F., 1988. - Changes in the content of lipids and the composition of fatty acids in leaves of non-vernalized winter rape (*Brassica napus* L. var. oleifera) grafted on vernalized stock. - *Bulletin of the Polish Academy of Sciences, Biological Sciences*, Vol. 36, n° 7-9, p. 191-199.
- FRENGUELLI G., FERRANTI F., 1990. - Accumulo di sostanza secca in quattro cultivar di *Brassica napus*. - *Annali della Facoltà di Agraria Università Perugia*, Vol. 42, p. 885-897.
- FRIESEN G.H., WALL D.A., 1991. - Residual effects of GCA-131036 and chlorsulfuron on spring-sown rational crops. - *Weed Science*, Vol. 39, n° 2, p. 280-283.
- FRYLESTAM B., BERGSTROM R., SANDEGREN F., 1990. - Oilseed rape and wildlife in Southern Sweden. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 102-116.
- GASSER C.S., KLEE H.J., 1990. - A *Brassica napus* gene encoding 5-enolpyruvylshikimate-3-phosphate synthase. - *Nucleic Acids Research*, Vol. 18, n° 9.
- GAWAD A.A., EL TABBAKH A., 1990. - Effect of nitrogen, phosphorus and potassium fertilization on the yield and yields components of rape plants. - *Annals of Agri. Sci.*, Vol. 35, n° 1, p. 279-293.
- GRAYSTON S.J., GERMIDA J.J., 1990. - Influence of crop rhizospheres on populations and activity of heterotrophic sulfur-oxidizing microorganisms. - *Soil Biology and Biochemistry*, Vol. 22, n° 4, p. 457-463.
- GRIFFITHS D.W., BRADSHAW J.E., TAYLOR J., 1991. - Effect of cultivar and harvest date on the glucosinolate and S-Methylcysteine sulphoxide content of swedes (*Brassica napus* ssp. rapifera). - *J. Sci. Food Agri.*, Vol. 56, n° 4, p. 539-549.

- GUPTA S.K., LABANA K.S., 1991. - Protein harvest index in oilseed rape. - *Cruciferae Newsletter*. Ed. EUCARPIA, n° 14-15, juin, p. 113.
- HABEKOTTE B., 1990, 5-7 décembre. - Crop physiological and simulation research into yield formation of winter oilseed rape (*Brassica napus*). - *First Congress of the European Society of Agronomy*. Ed. ESA COLMAR. session 1 P 79, 2 p.
- HEGE U., 1991. - Stickstoff-Düngeempfehlungen zu Winterraps nach der Calciumchloridmethode (DSK Methode). - *Raps*, Vol. 9, n° 1, p. 11-12.
- HINSINGER P., 1990, 5-7 décembre - Mobilization of structural potassium and magnesium from primary phyllosilicates by roots of rape (*Brassica napus*). - *First Congress of the European Society of Agronomy*. Ed. ESA COLMAR. session 3 P 22, 2 p.
- HOCKING P., RANDALL P., DE MARCO D., BAMFORTH I., SYKES J., 1989. - Preliminary assessment of the nitrogen status of field-grown canola using plant analysis. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. Toowoomba, Australia. p. 96-106.
- HOEGLUND A.S., LENMAN M., FALK A., RASK L., 1991. - Distribution of myrosinase in rapeseed tissues. - *Plant Physiology*, Vol. 95, n° 1, p. 213-221.
- HOGLUND A.S., LENMAN M., 1991. - Distribution of myrosinase in rapeseed tissues. - *Plant Physiology*, Vol. 95, n° 1, p. 213-221.
- HOUDE R.L., ALLI I., 1990. - Purification and characterization of Canola seed (*Brassica sp.*) phytase. - *J. Food Biochemistry*, Vol. 14, n° 5, p. 331-351.
- HUHN M., 1990. - Comments on the calculation of mean harvest indices. - *J. Agronomy and Crop Science*, Vol. 165, n° 2-3, p. 86-93.
- IBRAHIM A.F., ABUSTEIT E.O., 1989. - Response of rapeseed (*Brassica napus* L.) growth, yield, oil content and its fatty acids to nitrogen rates and application times. - *J. Agronomy and Crop Science*, Vol. 162, n° 2, p. 107-112.
- IONESCU S.T., GROZA N., CONSTANTINESCU E., 1989. - Contributions to the development of the cropping technology of winter rape for oil under irrigation, in the South-East of Oltenia. - *Analele*, Vol. 57, p. 301-314.
- JASINSKA Z., MALARZ W., 1989. - Effect of row spacing and sowing date on the development and yields of winter rape. - *Roczniki Nauk Rolniczych*, Vol. 108, n° 1, p. 135-14.
- JOHNSON FLANAGAN A.M., MACLACHLAN G., 1990. - The role of chlorophyllase in degreening canola (*Brassica napus*) seeds and its activation by sublethal freezing. - *Physiologia Plantarum*, Vol. 80, n° 3, p. 460-466.
- JOHNSON FLANAGAN A.M., MACLACHLAN G., 1990. - Peroxidase-mediated chlorophyll bleaching in degreening canola (*Brassica napus*) seeds and its inhibition by sublethal freezing. - *Physiologia Plantarum*, Vol. 80, n° 3, p. 453-459.
- JOHNSON L., 1991. - Selenium uptake by plants as a function of soil type, organic matter content and pH. - *Plant and Soil*, Vol. 133, n° 1, p. 57-64.
- KADKOL G., WHITE K., 1989. - Performance of Australian rapeseed varieties in overseas trials. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. Toowoomba, Australia. p. 28-32.
- KOSEK Z., FILIPEK I., HONS P., 1989. - Optimum dates for application of liquid manure to winter rape. - *Sbornik*, n° 51, p. 183-196.
- KRUGER W., 1990. - Description of the growth stages in oil seed rape. - *Bulletin OILB/Bulletin SROP. Groupe de travail «Lutte intégrée en culture de colza»*. Malmö, Sweden. 21-22 March 1988. Ed. OILB, Vol. XIII, n° 4, p. 01-0
- KULLMAN A., 1989. - Einfluss der N-Versorgung auf einige Ertragskomponenten und Ölqualität bei Raps (*Brassica napus* L.). - *Mitt. Ges. Pflanzenbauwiss.* n° 2, p. 81-84.
- KULLMAN A., 1989. - Stickstoffeffizienz bei Raps (*Brassica napus* L.). - *Mitt. Ges. Pflanzenbauwiss.*, n° 2, p. 20-24.
- LE PAGE R., 1991. - Vous avez dit conditions sèches ? - *Oléoscope - Bulletin du CETIOM*, n° 4, juillet, p. 06-07.
- LETERME P., 1991. - Le «label environnement» des itinéraires techniques. - *Oléoscope - Bulletin du CETIOM*, n° 2, mars, p. 18-19.
- LETERME P., 1991. - Structures du sol et limaces. - *Oléoscope - Bulletin du CETIOM*, n° 4, juillet, p. 14
- LETERME P., 1991, 9-11 Juillet. - Modélisation du fonctionnement du colza d'hiver : utilisation pour la conduite de la culture. - *8ème Congrès International sur le Colza*. Saskatoon, Canada. (sous presse).
- LETERME P., DEBOUZIE D., WAGNER D., 1991, 9-11 juillet. - Présentation d'une base de données relatives aux itinéraires techniques du colza d'hiver. - *8ème Congrès International sur le Colza*. Saskatoon, Canada (sous presse).
- LETERME P., MERRIEN A., REGNAULT Y., 1991, 3-5 décembre. - Note au sujet de l'effet des applications fongicides sur la teneur finale en glucosinolates des graines de colza. - *Troisième Conférence Internationale sur les Maladies des Plantes*. Bordeaux, France. Ed. ANPP, Vol. 3, p. 1011-1017
- LUCAS J.L., CHAMPOLIVIER L., MERRIEN A., 1991. - Colza et régulateurs à l'automne - *Oléoscope - Bulletin du CETIOM*, n° 5, septembre, p. 14.

- LUKACS P., HALASZ G., 1990. - Rape yields trials for 1987 and 1988. - *Olaj, Szappan, Kozmetika*, Vol. 39, n° 4, p. 97-102.
- MACCARTNEY H.A., LACEY M.E., 1991. - Wind dispersal of pollen from crops of oilseed rape (*Brassica napus* L.). - *J. Aerosol Science*, Vol. 22, n° 4, p. 467-477.
- MACFARLANE SMITH W.H., GRIFFITHS D.W., BOAG B., 1991. - Overwinter variation in glucosinolate content of green tissue of rape (*Brassica napus*) in response to grazing by wild rabbit (*Oryctolagus cuniculus*). - *J. Sci. Food Agri.*, Vol. 56, n° 4, p. 511-521
- MACIEJEWSKA U., 1989. - The growth pattern and frost resistance of winter rape plants treated with cold. - *Acta Physiologiae Plantarum*, Vol. 11, n° 4, p. 341-350.
- MACKEE J.M.T., FINCH SAVAGE W.E., 1989. - The effect of abscisic acid on the growth and storage of germinating rape (*Brassica napus* L.) seed dried following selection on the basis of a newly-emerged radicle. - *Plant Growth Regulation*, Vol. 8, n° 1, p. 77-83.
- MAIDL S., LINDINGER W., 1991. - Schwefelmangel in Südbayern. Beobachtungen und Versuchsergebnisse. - *Raps*, Vol. 9, n° 1, p. 14-15.
- MAILLET I., FLEURY A., LETERME P., 1990, 5-7 décembre - Study of unitary biomass of internodes for field modelling of areal number of inflorescences in winter oilseed rape. - *First Congress of the European Society of Agronomy*. Ed. ESA COLMAR. session 1 P 74, 2 p.
- MAKOWSKI N., 1991. - Entwicklung des Winterrapsanbaus in Weissrussland. Bisherige Erfahrungen und Probleme. - *Raps*, Vol. 9, n° 2, p. 82-84.
- MALLET C., BARRAT J., 1990. - Results of surveillance of wildlife in France 00 rapeseed and wild mammals. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 70-72.
- MARQUARD R., GAUDCHAU M., 1991. - Untersuchungen zur Schwefelversorgung bei Raps. - *Raps*, Vol. 9, n° 4, p. 213-215.
- MENINATO R., 1991. - Argentina - After super soya, along comes Canola. - *Oils and Fats International*, Vol. 7, n° 2, p. 18 et 21.
- MERRIEN A., 1991, 13-14 novembre - Diagnostics des risques de malnutrition soufrée chez le colza d'hiver. - *3ème Journées de l'Analyse de Terre*. Blois, France. p. 197-204.
- MERRIEN A., 1991. - Echelle de verse sur colza. - *Oléoscope - Bulletin du CETIOM*, n° 2, mars, p. 16-17.
- MERRIEN A., 1991. - De l'oxygène pour les racines du colza ! - *Oléoscope - Bulletin du CETIOM*, n° 3, mai, p. 19.
- MERRIEN A., CHAMPOLIVIER L., 1991, 5 février. - Principaux résultats concernant l'application de régulateurs de croissance sur colza d'hiver. - *3ème Colloque sur les Substances de Croissance et leurs Utilisations dans les Productions Végétales*. Paris, France. Ed. ANPP, p. 301-311.
- MERRIEN A., CHAMPOLIVIER L., 1991, 9-11 juillet. - Valorisation de l'azote par une culture de colza d'hiver. - *8ème Congrès International sur le Colza*. Saskatoon, Canada (sous presse)
- MERRIEN A., CHAMPOLIVIER L., 1991, 26-27 septembre. - Pratiques de la fertilisation des cultures oléagineuses et qualité des récoltes. *Premier Forum Européen de la Fertilisation Raisonnée. Quelles fertilisations demain ?* Strasbourg, France. Ed. COMIFER, p. 90-97
- MERRIEN A., LE PAGE R., 1991. - Glucosinolates : accumulation et facteurs de variation. - *Oléoscope - Bulletin du CETIOM*, n° 6, novembre, p. 6-7.
- MERRIEN A., MERLE C., QUINSAC A., RIBAILLIER D., MAISONNEUVE C., 1991, 9-11 juillet. - Accumulation of glucosinolates during the ripening period in the seeds and pod walls of winter oilseed rape. - *8ème Congrès International sur le Colza*. Saskatoon, Canada (sous presse)
- MOHR N.A., JAY S.C., 1988. - Nectar- and pollen-collecting behaviour of honeybees on canola (*Brassica campestris* L. and *Brassica napus* L.). - *J. Apicultural Research*, Vol. 27, n° 2, p. 131-136.
- MOLZAHN D., KLEPSCH A., 1989. - Bestimmung von Transferfaktoren von Caesium in der Kette Boden-Raps pflanze-Rapsblüte-Rapshonig. - *Apidologie*, Vol. 20, n° 6, p. 473-483.
- MORRISON M.J., MACVETTY P.B.E., 1991. - Leaf appearance rate of summer rape. - *Canadian Journal of Plant Science*, Vol. 71, n° 2, p. 405-412.
- MOZAHIM K., DAVEY M.R., COCKING E.C., 1990. - Nodulation of oilseed rape (*Brassica napus*) by rhizobia. - *J. Experimental Botany*, Vol. 41, n° 233, p. 1567-1572.
- NATT C., 1990. - Veränderungen der Ertragsstruktur von *Brassica napus* L. in Abhängigkeit vom Anwendungszeitpunkt eines Wachstumsregulators. - *J. Agronomy and Crop Science*, Vol. 165, n° 5, p. 340-348.
- NORTON R., MAHONEY J., 1989. - The effect of nitrogen on canola in the Wimmera. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. Toowoomba, Australia. p. 111-119.
- NORTON R.M., 1989. - Applied nitrogen and water use efficiency of canola. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. Toowoomba, Australia. p. 107-110.

- NUTTALL W.F., BUTTON R.G., 1990. - The effect of deep banding N and P fertilizer on the yield of canola (*Brassica napus* L.) and spring wheat (*Triticum aestivum* L.). - *Canadian Journal of Soil Science*, Vol. 70, n° 4, p. 629-639.
- OFENHITZER O., 1991. - Ertragsstruktur und Glucosinolatgehalt von Körnerraps. - *Raps*, Vol. 9, n° 1, p. 18-20
- OGUNLELA V.B., KULLMANN A., GEISLER G., 1990. - Nitrogen distribution and dry matter accumulation in oilseed rape (*Brassica napus* L.) as influenced by N nutrition. - *J. Agronomy and Crop Science*, Vol. 164, n° 5, p. 321-333.
- OLSSON G., 1990. - Rape yield - production components. - *Svensk Frötidning*, Vol. 59, n° 9, p. 168-169.
- OLSSON G., 1990. - Rape yield - components for high yield II. - *Svensk Frötidning*, Vol. 59, n° 10, p. 194-197
- OLSSON G., CEDELL T., 1991. - Fifty years with increased yields. - *Svensk Frötidning*, Vol. 60, n° 3, p. 14-16, 18
- PALLEAU J.P., 1991. - Des stades repères du colza plus précis. - *Oléoscope - Bulletin du CETIOM*, n° 5, septembre, p. 16-17.
- PALLEAU J.P., TITTONEL E.D., 1991, 9-11 juillet - Apport d'azote à un stade repère de la fleur. Conséquences sur les composantes du rendement. - *8ème Congrès International sur le Colza*. Saskatoon, Canada (sous presse).
- PASCALE N., MURPHY G., MERRIEN A., 1991. - Le colza «00» en Argentine. - *Oléoscope - Bulletin du CETIOM*, n° 6, novembre, p. 14-15.
- PAUL N.K., 1990. - Physiological analysis of nitrogen response in rape and turnip. I: Leaf area, dry matter and growth attributes. - *Acta Agronomica Hungarica*, Vol. 39, n° 1-2, p. 31-36.
- PAUL V.H., 1990. - Results of 7 years' investigations on the effects of growth regulators in double-00 oilseed rape. - *Meded. Fac. Landbouwwet.*, Vol. 55, n° 3b, p. 1259-1266.
- PAUL V.H., HAUMANN G., SAPPOK H., WEICHS B., 1991. - Winterraps - Systemversuch 1989/90. - *Raps*, Vol. 9, n° 2, p. 62-66.
- PIOTROWSKA G., KACPERSKA A., 1990. - Utility of leaf disks cultured in vitro for studies on frost resistance. - *Plant Cell, Tissue and Organ Culture*. - Vol. 22, n° 1, p. 21-26.
- POPA F., BERARU C., TOPAR I., 1989. - Contributions to establishing sowing date, density and row spacing in winter oilseed rape on a weak saline soil. - *Probleme de Agrofitehnie Teoretica si Aplicata*, Vol. 6, n° 3, p. 259-266
- PORTER A.J.R., MORTON A.M., KIDDLE K.J., DOUGHTY K.J., 1991. - Variation in the glucosinolate content of oilseed rape (*Brassica napus* L.) leaves. I. Effect of leaf age and position. - *Annals of Applied Biology*, Vol. 118, n° 2, p. 461-467.
- POUZET A., 1991. - Le colza d'hiver et l'environnement. - *Bulletin GCIRC*, n° 7, p. 61-66.
- PRASIL I., ZAMECNIK J., 1990. - Time course of electrolyte leakage from various samples killed by frost, liquid nitrogen or boiling. - *Biologia Plantarum*, Vol. 32, n° 1, p. 77-80.
- QINZHENG Z., XIAFUA L., 1991. - Conversion of SO₂-4-S and changes in glucosinolate content in leaves of rape seedlings transplanted. - *J. Agronomy and Crop Science*, Vol. 166, n° 2, p. 96-100.
- RAO D.L.N., BURNS R.G., 1990. - Use of blue-green algae and bryophyte biomass as source of nitrogen for oil-seed rape. - *Biology and Fertility of Soils*, Vol. 10, n° 1, p. 61-64.
- RICHTER W.I.F., KLEIN F.W., HOFMANN P., 1990. - Feeding studies with hares and domestic rabbits on different rape varieties in Bavaria. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 94-103.
- ROEDIN J., RASK L., 1990. - The relationship between mature chains and their precursors of cruciferin, the 12S storage protein of *Brassica napus*. - *Plant Science*, Vol. 70, n° 1, p. 57-63.
- RUIZ L., ARVIEU J.C., 1990. - Measurement of pH gradients in the rhizosphere. - *Symbiosis*, vol. 9, n° 1-3, p. 71-75.
- RYAN A.J., ROYAL C.L., HUTCHINSON J., 1989. - Genomic sequence of 12S seed storage protein from oilseed rape (*Brassica napus* c.v. Jet neuf). - *Nucleic Acids Research*, Vol. 17, n° 9.
- SALISBURY P., POTTER T., CASTLEMAN G.H., ROBSON D., HYETT J., 1989. - Potential for a wider maturity range in rapeseed. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. Toowoomba, Australia. p. 33-41.
- SCHNEIDER E., NENNER M., 1990. - The European hare: past, present, future. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 54-69.
- SCHULTZ H., 1991. - Gölledüngung zu Raps. - *Raps*, Vol. 9, n° 1, p. 08-10.
- SCHULZ R.R., BOELKE B., 1991. - Regenerations- und Kompensationsvermögen von Winterraps. - *Raps*, Vol. 9, n° 1, p. 43-45.
- SHRIEF S.A., SHABANA R., 1990. - Variation in seed yield and quality characters of four springoil rapeseed cultivars as influenced by population arrangements and densities. - *J. Agronomy and Crop Science*, Vol. 165, n° 2-3, p. 103-109.

- SINGH P., SINGH D.P., KUMAR A., 1990. - Effect of interspecific hybridization, geographic origin and distribution on light interception, canopy temperature and seed yield of irrigated oilseed brassica. - *Indian Journal of Plant Physiology*, Vol. 33, n° 2, p. 101-107.
- SJODAHL S., RODIN J., RASK L., 1991. - Characterization of the 12S globulin complex of *Brassica napus* evolutionary relationships to other storage globulins. - *European Journal of Biochemistry*, Vol. 196, n° 3, p. 617-621.
- SKUBISZ G., TYS J., BLAHOVEC J., 1989. - Mechanical properties of the stems of winter rape. - *International Agrophysics*, Vol. 5, n° 3-4, p. 205-220.
- SLATTER J., 1989. - Canola in Northern Australia. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. Toowoomba, Australia. p. 16-19.
- SOUM B., 1991. - Colza : l'irrigation dépend des conditions climatiques. - *Oléoscope - Bulletin du CETIOM*; n° 3, mai, p. 06-07.
- SOUM B., 1991. - Colza : une préparation du sol adaptée pour économiser l'eau. - *Oléoscope - Bulletin du CETIOM*, n° 4, juillet, p. 08-12.
- SYKES J., MAILER R., 1989. - The influence of nitrogen on yield and quality of canola. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. - Toowoomba, Australia. p. 90-95
- SZABO J., ROY C., 1991, 5 février. - CGA 163935, nouveau régulateur physiologique pour lutter contre la verse des céréales et du colza. - *3ème Colloque sur les Substances de Croissance et leurs Utilisations dans les Productions Végétales*. Paris, France. Ed. ANPP, p. 63-75.
- TAPPER S., COX R., 1990. - Selection for double zero oilseed rape crops by rabbits, hares and deer grazing at night. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 152-161.
- TATARUCH F., ONDERSCHEKA K., STEINECK T., 1990. - Studies on roe deer and rapeseed in Austria. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 73-86.
- TITTONEL E.D., PALLEAU J.P., 1991, 9-11 juillet. - Development stages of winter oilseed rape (*Brassica napus* L.) from sowing to flowering. - *8ème Congrès International sur le Colza*. Saskatoon, Canada. (sous presse)
- TOMOROGA P., MIHAILESCU I.F., 1989. - Contributions to establishing some technological elements in the winter rape for oil under irrigation in Dobrogea. - *Analele*, Vol. 57, p. 289-300.
- TRIBOI BLONDEL A.M., CASTANO COLABELLI M., MERRIEN A., 1991, 9-11 juillet. - Germinability and viability of rapeseed pollen under the effect of temperature. - *8ème Congrès International sur le Colza*. Saskatoon, Canada. (sous presse)
- VASAKOVA L., VOMASTKOVA M., 1989. - Regulation of glutamate kinase (EC 27211) activity in winter rape by L-proline and Mg²⁺. - *Sbornik*, n° 51, p. 37-50.
- VERESHCHAGIN A.G., 1991. - Comparative kinetic analysis of oil accumulation in maturing seeds. - *Plant Physiology and Biochemistry*, Vol. 29, n° 4, p. 385-393.
- VON KRIES A., 1991. - Zur Sortenwahl bei Körner-Winterraps. - *Raps*, Vol. 9, n° 3, p. 136-137.
- VULLIUD P., 1991. - Colza d'automne. Extrait du rapport d'activité 1988-1989. - *Bulletin GCIRC*, n° 7, p. 86-87.
- WILEN R.W., VAN ROOIJEN G.J.H., PEARCE D.W., 1991. - Effects of jasmonic acid on embryo-specific processes in Brassica and Linum oilseeds. - *Plant Physiology*, Vol. 95, n° 2, p. 399-405.
- WRATTEN N., 1989. - Statistical evaluation of yield in Canola. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. Toowoomba, Australia., p. 25-27.
- YAN D.X., 1991. - Flower bud differentiation and seed structure of rape. - *Acta Agriculturae Shanghai*, Vol. 7, n° 1, p. 33-38.
- ZAMAN M.W., BISWAS K.P., ALI M.M., 1991. - Prospect of Brassica napus cultivation in Bangladesh. - *Cruciferae Newsletter*. Ed. EUCARPIA, n° 14-15, juin, p. 132-133.
1991. - Directive pour l'évaluation biologique des régulateurs de croissance. Contrôle de la verse et modification de la structure de la voûte foliaire du colza. - *Bulletin OEPP*, Vol. 21, n° 1, p. 127-130.
1991. - Directive pour l'évaluation biologique des régulateurs de croissance. Défanants utilisés pour faciliter la récolte du colza. - *Bulletin OEPP*, Vol. 21, n° 1, p. 152-154.

Sélection - Breeding - Züchtung

- AHMAD I., MACDONALD M.V., INGRAM D.S., 1991. - In-vitro selection of primary embryos derived from uv-treated microspores of rapid cycling *Brassica napus* for herbicide tolerance. - *Cruciferae Newsletter*. Ed. EUCARPIA, n° 14-15, juin, p. 86-87
- ALBANI D., ROBERT L.S., 1990. - Characterization of a pollen-specific gene family from *Brassica napus* which is activated during early microspore development. - *Plant Molecular Biology*, Vol. 15, n° 4, p. 605-622.
- ANURADHA G., CHOPRA V.L., 1989. - Genotypic differences in regeneration response of in vitro cultured roots of *Brassica juncea* and *Brassica napus*. - *Genetic Manipulation in Plants*, Vol. 5, n° 1, p. 13-18.
- ASLAM F.N., MACDONALD M.V., 1990. - Rapid-cycling *Brassica* species : inbreeding and selection of *Brassica napus* for anther culture ability and an assessment of its potential for microspore culture. - *Annals of Botany*, Vol. 66, n° 3, p. 331-339.
- ASLAM F.N., MACDONALD M.V., INGRAM D.S., 1990. - Rapid-cycling *Brassica* species : anther culture potential of *Brassica campestris* L. and *Brassica napus* L. - *New Phytologist*, Vol. 115, n° 1, p. 01-09.
- ASLAM F.N., MACDONALD M.V., INGRAM D.S., 1991. - Haploid production in rapid-cycling *Brassica campestris* and *Brassica napus*. - *Cruciferae Newsletter*, Ed. EUCARPIA, n° 14-15, juin, p. 98-99.
- AVJIOGLU A., KNOX R.B., 1989. - Storage lipid accumulation by zygotic and somatic embryos in culture. - *Annals of Botany*, Vol. 63, n° 4, p. 409-420.
- BASZCZYNSKI C.L., FALLIS L., 1990. - Isolation and nucleotide sequence of a genomic clone encoding a new *Brassica napus* napin gene. - *Plant Molecular Biology*, Vol. 14, n° 4, p. 633-635.
- BONES A.M., 1990. - Distribution of beta-thioglucosidase activity in intact plants, cell and tissue cultures and regenerant plants of *Brassica napus* L. - *J. Experimental Botany*, Vol. 41, n° 227, p. 737-744.
- BONHOMME S., BUDAR F., 1991. - A 2.5kb NcoI fragment of *Ogura* radish mitochondrial DNA is correlated with cytoplasmic male-sterility in *Brassica cybrids*. - *Current Genetics*, Vol. 19, n° 2, p. 121-127.
- BRANDLE J.E., MACVETTY P.B.E., 1990. - Geographical diversity, parental selection and heterosis in oilseed rape. - *Canadian Journal of Plant Science*, Vol. 70, n° 4, p. 935-940.
- BURNS D.R., SCARTH R., MACVETTY P.B.E., 1991. - Temperature and genotypic effects on the expression of pol cytoplasmic male sterility in summer rape. - *Canadian Journal of Plant Science*, Vol. 71, n° 3, p. 655-661.
- CHEN J.L., BEVERSDORF W.D., 1990. - Fatty acid inheritance in microspore-derived populations of spring rapeseed (*Brassica napus*). - *Theoretical and Applied Genetics*, Vol. 80, n° 4, p. 465-469.
- CHEN J.L., BEVERSDORF W.D., 1990. - A comparison of traditional and haploid-derived breeding populations of oilseed rape (*Brassica napus* L.) for fatty acid composition of the seed oil. - *Euphytica*, Vol. 51, n° 1, p. 59-65.
- CHEVRE A.M., DELOURME R., EBER F., ARUS P., 1991. - First results of rapeseed variety identification by isozyme electrophoresis. - *Cruciferae Newsletter*, Ed. EUCARPIA, n° 14-15, juin, p. 70-71.
- CHEVRE A.M., THIS P., EBER F., 1991. - Characterization of disomic addition lines *Brassica napus*, *Brassica nigra* by isozyme, fatty acid, and RFLP markers. - *Theoretical and Applied Genetics*, Vol. 91, n° 1, p. 43-49.
- CHUNREN W., HOULI L., 1991. - Selection of rape (*Brassica napus* L.) callus cultures resistant to oxalic acid. - *Cruciferae Newsletter*, Ed. EUCARPIA, n° 14-15, juin, p. 80-81.
- DE SILVA J., LOADER N.M., JARMAN C., 1990. - The isolation and sequence analysis of two seed-expressed acyl carrier protein genes from *Brassica napus*. - *Plant Molecular Biology*, Vol. 14, n° 4, p. 537-548.
- DESLAURIERS C., POWELL A.D., 1991. - Flow cytometric characterization and sorting of cultured *Brassica napus* microspores. - *Biochimica et Biophysica Acta*, Vol. 1091, n° 2, p. 165-172.
- DOWNEY R.K., 1990. - *Brassica* oilseed breeding - achievements and opportunities. - *Plant Breed. Abstr.*, Vol. 60, n° 10, p. 1165-1170.
- EDWARDS K., JOHNSTONE C., 1991. - A simple and rapid method for the preparation of plant genomic DNA for PCR analysis. - *Nucleic Acids Research*, Vol. 19, n° 6.
- ERICKSON L., KEMBLE R., 1990. - Paternal inheritance of mitochondria in rapeseed (*Brassica napus*). - *MGG. Molecular and General Genetics*, Vol. 222, n° 1, p. 135-139.
- FERNANDEZ D.E., TURNER F.R., 1991. - In situ localization of storage protein mRNAs in developing meristems of *Brassica napus* embryos - *Development*, Vol. 111, n° 2, p. 299-313.
- FINKELSTEIN R., SOMERVILLE C., 1989. - Abscisic acid or high osmoticum promote accumulation of long-chain fatty acids in developing embryos of *Brassica napus*. - *Plant Science*, Vol. 61, n° 2, p. 213-217.
- FRAUEN M., BRAUER D., 1991. - Die Marktsituation von Raps in der Europäischen Gemeinschaft - Erfolg und Herausforderung für die Qualitätsrapszüchtung. - *Bulletin GCIRC*, n° 7, p. 43-53.

- GATEHOUSE L.N., EVANS I.M., 1990. - Characterization of a rape (*Brassica napus* L.) extension gene encoding a polypeptide relatively rich in tyrosine. - *Plant Science*, Vol. 71, n° 2, p. 223-231.
- GUERCHE P., DE ALMEIDA R.P., 1990. - Expression of the 2S albumin from *Bertholletia excelsa* in *Brassica napus*. - *MGG. Molecular and General Genetics*, Vol. 221, n° 3, p. 306-314.
- GUPTA S.K., LABANA K.S., AHUJA K.L., 1991. - Isolation of zero glucosinolate F1 hybrids of rapeseed. - *Cruciferae Newsletter*, Ed. EUCARPIA, n° 14-15, juin, p. 125.
- HAIN R., THOMZIK J.E., 1990. - Segregation of triazine-resistant chloroplasts after introduction into winter type oilseed rape (*Brassica napus* L.) by protoplast fusion. - *Zeit. Naturforschung*, Vol. 45, n° 5, p. 478-481.
- HODKIN T., 1990. - In vitro pollen selection in *Brassica napus* L. for resistance to phytotoxic compounds from *Alternaria brassicicola* (Schw.) Wilts. *Sexual Plant Reproduction*, Vol. 3, n° 2, p. 116-120.
- JAIN R.K., JAIN S., 1989. - Plant regeneration from the cotyledon explant calli of oilseed rape (*Brassica napus* L.) and its implications in oilseed Brassica breeding. - *International Journal of Tropical Agriculture*, Vol. 7, n° 3-4, p. 195-198.
- JOHNSON FLANAGAN A.M., HUIWEN Z., THIAGARAJAH M.R., 1991. - Role of abscisic acid in the induction of freezing tolerance in *Brassica napus* suspension-cultured cells. - *Plant Physiology*, Vol. 95, n° 4, p. 1044-1048.
- KLEIN H., BRAUER D., 1991. - Mehrjährige Untersuchungsergebnisse von 00-Winterraps-Saatgutpartien als Voraussetzung für eine marktgerechte Rapsproduktion. - *Bulletin GCIRC*, n° 7, p. 54-60.
- KONDRA Z.P., DEGENHARDT D.F., 1991. - Alto summer rape. - *Canadian Journal of Plant Science*, Vol. 71, n° 2, p. 523-524.
- KOTT L.S., BEVERSDORF W.D., 1990. - Enhanced plant regeneration from microspore-derived embryos of *Brassica napus* by chilling, partial desiccation and age selection. - *Plant Cell, Tissue and Organ Culture*, Vol. 23, n° 3, p. 187-192.
- KRZYMANSKI J., 1991. - Breeding and cultivation of double low winter oilseed rape in Poland. - *Bulletin GCIRC*, n° 7, p. 25.
- KURUTO R., TOYAMA S., 1990. - Studies on culture of cells and tissues of crop plants. II. De differentiation of chloroplasts in synthetic *Brassica napus* mesophyll protoplasts during culture. - *Japanese Journal of Crop Science*, Vol. 59, n° 2, p. 346-353.
- LEON J., 1991. - Heterosis and mixing effects in winter oilseed rape. - *Crop Science*, Vol. 31, n° 2, p. 281-284.
- LIU D., LIU H., 1990. - The gene effects of erucic and eicosenoic acids in *Brassica napus* L. - *Acta Genetica Sinica*, Vol. 17, n° 2, p. 103-109.
- LUCAS M.O., CHEVRE A.M., RENARD M., 1991. - Estimation of ploidy levels in *B. napus* by chloroplast count. - *Cruciferae Newsletter*, Ed. EUCARPIA, n° 14-15, juin, p. 18-19.
- MACDONALD M.V., HADWIGER M.A., ASLAM F.N., 1988. - The enhancement of anther culture efficiency in *Brassica napus* ssp. *oleifera* Metzg. (Sinsk.) using low doses of gamma irradiation. - *New Phytologist*, Vol. 110, n° 1, p. 101-107.
- MAILER R.J., 1989. - Quality of new canola cultivars. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. - Toowoomba, Australia. p. 60-64.
- MASTERSON C., WOOD C., THOMAS D.R., 1990. - Beta-oxidation enzymes in the mitochondria of Arum and oilseed rape. - *Planta*, Vol. 182, n° 1, p. 129-135.
- MESQUIDA J., PHAM DELEGUE M.H., MARILLEAU R., LE METAYER M., RENARD M., 1991. - La sécrétion nectarifère des fleurs de cybrides mâles-stériles de colza d'hiver (*Brassica napus* L.). - *Agronomie*, Vol. 11, n° 3, p. 217-227.
- MESQUIDA J., RENARD M., 1989. - Etude de l'aptitude à germer in vitro du pollen de colza (*Brassica napus* L.) récolté par l'abeille domestique (*Apis mellifica* L.). - *Apidologie*, Vol. 20, n° 3, p. 197-205.
- MIKI B.L., LABBE H., HATTORI J., 1990. - Transformation of *Brassica napus* canola cultivars with *Arabidopsis thaliana* acetohydroxyacid synthase genes and analysis of herbicide resistance. - *Theoretical and Applied Genetics*, Vol. 80, n° 4, p. 449-458.
- MISRA S., 1990. - Transformation of *Brassica napus* L. with a disarmed octopine plasmid of *Agrobacterium tumefaciens*: molecular analysis and inheritance of the transformed phenotype. - *J. Experimental Botany*, Vol. 41, n° 224, p. 269-275.
- MONSALVE R.I., MENENDEZ ARIAS L., 1990. - Beta-Turns as structural motifs for the proteolytic processing of seed proteins. - *FEBS Letters*, Vol. 263, n° 2, p. 209-212.
- NASHAAT N.I., RAWLINSON C.J., 1991. - New sources of resistance to downy mildew in *Brassica napus* ssp. *oleifera*. - *Cruciferae Newsletter*, Ed. EUCARPIA, n° 14-15, juin, p. 146-147.
- ONG E.K., TAYLOR P.E., 1991. - A new improved technique for the large scale collection of viable *Brassica* pollen. - *Cruciferae Newsletter*, Ed. EUCARPIA, n° 14-15, juin, p. 07.
- ORR W., JOHNSON FLANAGAN A.M., KELLER W.A., 1990. - Induction of freezing tolerance in microspore-derived embryos of winter *Brassica napus*. - *Plant Cell Reports*, Vol. 8, n° 10, p. 579-581.

- PLUMPER B., ODENBACH W., 1991. - Exogenous factors affecting efficiency of *Brassica napus* resynthesis by means of in ovule embryo culture. - *Cruciferae Newsletter*, Ed. EUCARPIA, n° 14-15, juin, p. 94-95.
- POMEROY M.K., KRAMER J.K.G., HUNT D.J., 1991. - Fatty acid changes during development of zygotic and microspore-derived embryos of *Brassica napus*. - *Physiologia Plantarum*, Vol. 81, n° 4, p. 447-454.
- POTTER T., MAILER R., WRATTEN N., 1989. - The progression of rapeseed varieties to high yielding canola varieties as shown by the interstate variety trial. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. - Toowoomba, Australia. p. 20-24.
- RAGOLSKY E., THORPE T.A., 1989. - Physiological effects of fluridone on shoot cultures of *Brassica napus* L. and *Beta vulgaris* L. - *J. Plant Physiology*, Vol. 134, n° 5, p. 613-618.
- RENARD M., MESQUIDA J., DELOURME R., VALLEE P., 1991. - Les contraintes de la production de semences hybrides de colza. - *Bulletin FNAMS Semences*, n° 117, automne, p. 63-66.
- RODIN J., ERICSON M.L., 1990. - Characterization of a cDNA clone encoding a Brassica napus 12 S protein (cruciferin) subunit : relationship between precursors and mature chains. - *J. Biological Chemistry*, Vol. 265, n° 5, p. 2720-2723.
- ROSSITER J.T., JAMES D.C., 1990. - Biosynthesis of 2-hydroxy-3-butenylglucosinolate and 3-butenylglucosinolate in *Brassica napus*. - *Phytochemistry*, Vol. 29, n° 8, p. 2509-2512.
- ROUAN D., MONTANE M.H., 1991. - Relationship between protoplast size and critical field strength in protoplast electropulsing and application to reliable DNA uptake in *Brassica*. - *Plant Cell Reports*, Vol. 10, n° 3, p. 139-143.
- ROZHANSKAYA O.A., KOZIENKO G.N., 1989. - Experiment on the in vitro culture of spring swede rape. - *Sibirskii Vestnik Sel'skokhozyaistvennoi Nauki*, n° 3, p. 42-45.
- RUECKER E., 1991. - On the inheritance of seed coat colour in winter oilseed rape (*Brassica napus* L.). - *Cruciferae Newsletter*, Ed. EUCARPIA, n° 14-15, juin, p. 50-51.
- SALISBURY P., 1989. - Potential utilisation of wild crucifer germplasm in oilseed *Brassica* breeding. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. Toowoomba, Australia. p. 51-53
- SAXENA P.K., WILLIAMS D., KING J., 1990. - The selection of chlorsulfuron-resistant cell lines of independent origin from an embryogenic cell suspension culture of *Brassica napus*. - *Plant Science*, Vol. 69, n° 2, p. 231-237.
- SCARTH R., MACVETTY P.B.E., RIMMER S.R., STEFANSSON B.R., 1991. - Hero summer rape. - *Canadian Journal of Plant Science*, Vol. 71, n° 3, p. 865-866.
- SCHWEIGER W., 1991. - Rapszüchtung in Malchow/ Poel. - *Raps*, Vol. 9, n° 1, p. 28-29.
- SHPOTA V.I., BOCHKAREVA E.B., 1990. - Breeding of yellow-seeded varieties of turnip and rape «type 000». - *Dokl. Vses. Akad. S. Kh. Nauk Im. Lenin*, n° 10, p. 25-27
- THEIS R., 1991. - A new gene for male-sterility in rapeseed, *Brassica napus* L. - *Cruciferae Newsletter*, Ed. EUCARPIA, n° 14-15, juin, p. 30.
- TING DONG F., GUANG SHENGY., 1991. - General statement on the studies and utilization of rapeseed heterosis in China. - *Cruciferae Newsletter*, Ed. EUCARPIA, n° 14-15, juin, p. 26-28.
- WRATTEN N., MAILER R.J., COLTON R.T., 1990. - Register of Australian oilseed cultivars. *Brassica napus* (L.) var. *napus* (*Rapeseed, canola*) cv. Barossa. - *Aust. J. Experimental Agriculture*, Vol. 30, n° 3, p. 447-449.
- YARROW S.A., BURNETT L.A., 1990. - The transfer of Polima cytoplasmic male sterility from oilseed rape (*Brassica napus*) to broccoli (*B. oleracea*) by protoplast fusion. - *Plant Cell Reports*, Vol. 9, n° 4, p. 185-188.
- ZAKI M., DICKINSON H.G., 1990. - Structural changes during the first divisions of embryos resulting from anther and free microscope culture in *Brassica napus*. - *Protoplasma*, Vol. 156, n° 3, p. 149-162.
- ZHOU Y., LIU H., 1991. - Selective strategies on the breeding for quality in *Brassica napus*. - *Cruciferae Newsletter*, Ed. EUCARPIA, n° 14-15, juin, p. 58-59.

Désherbage - Weed-Control - Unkrautbekämpfung

- BLACKSHAW R.E., 1989. - Synergistic mixes of DPX-A7881 and clopyralid in canola (*Brassica napus*). - *Weed Technol.*, Vol. 3, n° 4, p. 690-695.
- BRENNECKE R., 1991. - Method for gas chromatographic determination of residues of triapenthenol (RSW 0411) and its metabolites in plant material soil and water. - *Pflanzenschutz Nachrichten Bayer*, Vol. 43, n° 3, p. 159-201.
- FABER M., 1991. - Probleme bei der Unkrautbekämpfung im Winterraps. - *Raps*, Vol. 9, n° 3, p. 120-122 et 124.
- HEMMEN C., KONRADT M., 1991. - Fusilade 2000 - selektives Grasherbizid für Raps und andere breitblättrige Kulturen. - *Gesunde Pflanzen*, Vol. 43, n° 6, p. 189-192.

- KOLESCH D., 1991. - Die Bekämpfung von Problemunkräutern im Winterraps. - *Raps*, Vol. 9, n° 1, p. 34-36.
- KONRADT M., HEMMEN C., 1991. - Einsatz von Raps-Herbiziden, insbesondere in Wasserschutzgebieten. - *Raps*, Vol. 9, n° 3, p. 158-162.
- LUTMAN P.J.W., DIXON F.L., 1990. - The competitive effects of volunteer barley (*Hordeum vulgare*) on the growth of oilseed rape (*Brassica napus*). - *Annals of Applied Biology*, Vol. 117, n° 3, p. 633-644.
- MORRISON I.N., TODD B.G., NAWOLSKY K.M., 1989. - Confirmation of trifluralin-resistant green foxtail (*Setaria viridis*) in Manitoba. - *Weed Technol.*, Vol. 3, n° 4, p. 544-551.
- PERNY R.A., 1991. - La Phélipée rameuse plante parasite du colza. - *Phytoma*, n° 424, janv., p. 45-46.
- PERNY R.A., KROUTI M., QUINSAC A., RIBAILLIER D., 1991. - Crucifères adventices du colza. Incidence sur la qualité des récoltes. - *Phytoma*, n° 426, mars, p. 43-45.
- PERNY R.A., RIBAILLIER D., 1991. - Crucifères adventices dans le colza : danger GLS ! - *Oléoscope - Bulletin du CETIOM*, n° 6, novembre, p. 11.
- THOMZIK J.E., HAIN R., 1991. - Introduction of Metribuzin resistance into German winter oilseed rape of double-low quality. - *Pflanzenschutz Nachrichten Bayer*, Vol. 43, n° 1-2, p. 61-87.
- WAHMHOFF W., 1991. - Strategie für eine integrierte Unkrautbekämpfung im Winterraps. - *Raps*, Vol. 9, n° 3, p. 126-128
- WARREN J., MOORE J., 1989. - Broadleaf weed control in canola. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. Toowoomba, Australia. p. 13-15.

Insectes - Insects - Insekten

- AHLERS D., DAEBELER F., LUCKE W., 1991. - Krankheiten und Schädlinge in Raps im Anbaujahr 90/91 aus süddeutscher Sicht, aus norddeutscher Sicht, aus ostdeutscher Sicht. - *Raps*, Vol. 9, n° 4, p. 188-192.
- BALLANGER Y., CHAMPOLIVIER L., 1991, 9-11 juillet. - Production de charançon de la tige du colza (*Coleoptera : curculionidae*). - *8ème Congrès International sur le Colza*. Saskatoon, Canada (sous presse).
- BALLANGER Y., CHAMPOLIVIER L., 1991, 9-11 juillet. - Comparisons of insecticides against the stem weevil (*Coleoptera : curculionidae*) on winter rape : methods, results). - *8ème Congrès International sur le Colza*. Saskatoon, Canada (sous presse).
- BODNARYK R.P., LAMB R.J., 1991. - Influence of seed size in canola, *Brassica napus* L. and mustard, *Sinapis alba* L., on seedling resistance against flea beetles, *Phyllotreta cruciferae* (Goeze). - *Canadian Journal of Plant Science*, Vol. 71, n° 2, p. 397-404.
- BODNARYK R.P., LAMB R.J., 1991. - Mechanisms of resistance to the flea beetle, *Phyllotreta cruciferae* (Goeze), in mustard seedlings, *Sinapis alba* L. - *Canadian Journal of Plant Science*, Vol. 71, n° 1, p. 13-20.
- BUCHI R., 1991. - Machen Nützlinge Spritzungen gegen Rapsschädlinge überflüssig? - *Raps*, Vol. 9, n° 4, p. 200-202
- BUCHI R., ROOS HUMBEL S., 1991. - Nützlinge reduzieren die Zahl der Rapsschädlinge. - *Landwirtsch. Schweiz.*, Vol. 4, n° 3, p. 69-73.
- BUECHI R., 1990. - Investigations on the use of turnip rape as trap plant to control oilseed rape pests. - *Bulletin OILB/Bulletin SROP - Groupe de travail «Lutte intégrée en culture de colza»*. Malmö, Sweden. 21-22 March 1988. Ed. OILB, Vol. XIII, n° 4, p. 32-39.
- BUTTS R.A., LAMB R.J., 1990. - Comparison of oilseed Brassica crops with high or low levels of glucosinolates and Alfalfa as hosts for three species of Lygus (*Hemiptera : Heteroptera : miridae*). - *J. Economic Entomology*, Vol. 83, n° 6, p. 2258-2262.
- BUTTS R.A., LAMB R.J., 1991. - Seasonal abundance of three Lygus species (*Heteroptera : Miridae*) in oilseed rape and alfalfa in Alberta. - *J. Economic Entomology*, Vol. 84, n° 2, p. 450-456.
- BUTTS R.A., LAMB R.J., 1990. - Injury to canola caused by Lygus bugs and its effect on seed production. - *Research Highlights*. Research Station Lethbridge, Alberta., p. 14-15.
- BUTTS R.A., LAMB R.J., 1991. - Pest status of Lygus bugs (*Hemiptera : Miridae*) in oilseed Brassica crops. - *J. Economic Entomology*, Vol. 84, n° 5, p. 1591-1596.
- CETIOM, 1991. - Insecticides contre «napi» au banc d'essai. - *Oléoscope - Bulletin du CETIOM*, n° 1, p. 14.
- DERRON J.O., GOY G., 1991. - L'altise d'hiver du colza (*Psylliodes chrysocephala* L.) : biologie nuisibilité et moyens de lutte - *Revue Suisse d'Agriculture*, Vol. 23, n° 1, p. 05-09.

- EGAAS E., SVENDSEN N.O., 1991. - Activities and properties of xenobiotic metabolizing enzymes in the peach-potato aphid (*Myzus persicae* sulzer) feeding on paprika (*Capsicum annuum* L.) or swedes (*Brassica napus rapifera* metzger). - *Comparative Biochemistry and Physiology*, Vol. 99, n° 1-2, p. 105-110.
- EKBOM B., 1990. - Flea beetles (*Phyllotreta* spp) in spring oilseed rape in Sweden. - *Bulletin OILB/Bulletin SROP*. Groupe de travail «Lutte intégrée en culture de colza». Malmö, Sweden. 21-22 March 1988. Ed. OILB, Vol. XIII, n° 4, p. 57-61.
- EVANS K.A., ALLEN WILLIAMS L.J., SIMPKINS I., 1991. - Response of cabbage seed weevils (*Ceuthorrhynchus assimilis* Payk.) to rape plant odour in the field and in the laboratory. - *Cruciferae Newsletter*, Ed. EUCARPIA, n° 14-15, juin, p. 158-159.
- GREEN D.B., BENNISON J., EMMETT B., WALTERS K., 1991. - Evaluation of alphacypermethrin and phorate against cabbage stem weevil in autumn-sown oilseed rape. - *Tests of Agrochemicals and Cultivars*, Vol. 118, n° 12, p. 4-7.
- IVANOVA O.V., 1988. - Etude des particularités de l'alimentation des larves de *Mamestra brassicae* et de *Pieris rapae* dans l'optique de la résistance. - *Byull. Vses. Nauch. Issled. Inst. Zashch. Rast.*, n° 70, p. 39-43.
- KOLESCH D., 1991. - Stengelrüsslerbekämpfung - eine der wichtigsten Pflanzenschutzmassnahmen im Rapsanbau. - *Raps*, Vol. 9, n° 1, p. 30-33.
- KORITSAS V.M., LEWIS J.A., FENWICK G.R., 1991. - Wound-induced changes in the glucosinolate content of cruciferous plants. - *Cruciferae Newsletter*, Ed. EUCARPIA, n° 14-15, juin, p. 122-123.
- LERIN J., 1991. - Influence de la phénologie de la plante-hôte sur la reproduction de *Ceuthorrhynchus assimilis* Payk. - *J. Applied Entomology*, Vol. 111, p. 303-310.
- MACCARTNEY H.A., FITT B.D.L., DOUGHTY K.J., NASHAAT N.I., 1991. - Research on pathogens of oilseed rape at Rothamsted. - *Bulletin GCIRC*, n° 7, p. 74-75.
- MAGNUSSON C., GOLINOWSKI W., 1991. - Ultrastructural relationships of the developing syncytium induced by *Heterodera schachtii* (Nematoda) in root tissues of rape. - *Canadian Journal of Botany*, Vol. 69, n° 1, p. 44-52.
- MEAKIN P.J., ROBERTS J.A., 1991. - Anatomical and biochemical changes associated with the induction of oilseed rape (*Brassica napus*) pod dehiscence by *Dasineura brassicae* (Winn.). - *Annals of Botany*, Vol. 67, n° 3, p. 193-197.
- OVERHOFF A., ROESSNER J., 1990. - Einfluss von Bodenbearbeitung auf die Populationsdichte pflanzenparasitärer Nematoden der Gattung *Pratylenchus*. - *Meded. Fac. Landbouwwet.*, Vol. 55, n° 2b, p. 719-728.
- REGNAULT Y., 1991. - Traitements insecticides sur pucerons : quelle stratégie ? - *Oléoscope - Bulletin du CETIOM*, n° 5, septembre, p. 10.
- STECK U., 1991. - Ackerschnecken im Raps bei Feuchtigkeit und im Dunklen unterwegs. - *Raps*, Vol. 9, n° 3, p. 153-155.
- VAN PAEMEL H., 1991. - Pucerons doublement nuisibles pour le rendement. - *Oléoscope - Bulletin du CETIOM*, n° 5, septembre, p. 8-9.
- WEIGL W., 1991. - Blütenschädlinge in Raps - Erfahrungen aus Niederösterreich. - *Raps*, Vol. 9, n° 2, p. 69-71
- WEISS M.J., MACLEOD P., SCHATZ B.G., 1991. - Potential for insecticidal management of flea beetle (*Coleoptera : chrysomelidae*) on Canola. - *J. Economic Entomology*, Vol. 84, n° 5, p. 1597-1603.
- WILLIAMS I.H., 1990. - Monitoring *Dasineura brassicae* by means of pheromone traps. - *Bulletin OILB/Bulletin SROP*. Groupe de travail «Lutte intégrée en culture de colza». Malmö, Sweden. 21-22 March 1988. Ed. OILB, Vol. XIII, n° 4, p. 40-52.

Maladies - Diseases - Krankheiten

- ANSARI N.A., WAJID KHAN M., MUHEET A., 1990. - Evaluation of some fungicides for seed treatment and foliar application in management of damping-off seedlings and blight of rapeseed caused by *Alternaria brassicae*. - *Mycopathologia*, Vol. 110, n° 3, p. 163-167.
- BALLINGER D., SALISBURY P., 1989. - Effectiveness of selection for seedling resistance to blackleg in rapeseed. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. Toowoomba, Australia. p. 86-89
- BANSAL V.K., SEGUIN SWARTZ G., RAKOW G.F.W., PETRIE G.A., 1990. - Reaction of Brassica species to infection by *Alternaria brassicae*. - *Canadian Journal of Plant Science*, Vol. 70, n° 4, p. 1159-1162
- BRENNEMAN T.B., SUMNER D.R., 1991. - *Sclerotinia sclerotiorum* on canola in Georgia and its potential as a pathogen on peanut. - *Plant Disease*, Vol. 31, n° 1, p. 319

- BRUN H., 1991. - Un nouvel agent pathogène du colza en France. - *Oléoscope - Bulletin du CETIOM*, n° 1, p. 8-12.
- CEYNOWA J., LINDENBERG H., 1991. - Epidemiologie und Ertragsrelevanz der Cylindrosporiose an Winterraps. Erfahrungen aus Schleswig-Holstein. - *Gesunde Pflanzen.*, Vol. 43, n° 9, p. 287-293.
- CHAREST P.J., IYER V.N., MIKI B.L., 1989. - Virulence of *Agrobacterium tumefaciens* strains with *Brassica napus* and *Brassica juncea*. - *Plant Cell Reports*, Vol. 8, n° 5, p. 303-306.
- DE KEYZER A., AMBOLET B., STURM K., 1991, 3-5 décembre. - Utilisation du tébuconazole dans la lutte contre les maladies du colza. - *Troisième Conférence Internationale sur les Maladies des Plantes*. Bordeaux, France. Ed. ANPP, Vol. 1, p. 339-346.
- DEVERCHERE J., 1991. - Fongicides : des tests au laboratoire. - *Oléoscope - Bulletin du CETIOM*, n° 6, novembre, p. 20-21.
- DOUGHTY K.J., PORTER A.J.R., MORTON A.M., KIDDLE G., BOCK C.H., 1991. - Variation in the glucosinolate content of oilseed rape (*Brassica napus* L.) leaves. II. Response to infection by *Alternaria brassicae* (Berk.) Sacc. - *Annals of Applied Biology*, Vol. 118, n° 2, p. 469-477.
- EVEILLE V., 1991, 3-5 décembre. - L'association Difénoconazole (125 g m.a./ha), Carbendazime (250 g m.a./ha) sur colza : une action sur les pieds secs. - *Troisième Conférence Internationale sur les Maladies des Plantes*. Bordeaux, France. Ed. ANPP, Vol. 1, p. 265-271.
- GLADDERS P., 1990. - Development of light leaf spot (*Pyrenopeziza brassicae*) in winter oilseed rape in Autumn. - *Bulletin OILB/Bulletin SROP*. Groupe de travail «Lutte intégrée en culture de colza». Malmö, Sweden. 21-22 March 1988. Ed. OILB, Vol. XIII, n° 4, p. 90-96.
- GLADDERS P., DAVIES J.M.L., SLAWSON D., 1990. - *Sclerotinia* development in England. - *Bulletin OILB/Bulletin SROP*. Groupe de travail «Lutte intégrée en culture de colza». Malmö, Sweden. 21-22 March 1988. Ed. OILB, Vol. XIII, n° 4, p. 83-89.
- GLADDERS P., KRUGER W., 1990. - Occurrence of light leaf spot (*Pyrenopeziza brassicae*) in winter oilseed rape. - *Bulletin OILB/Bulletin SROP*. Groupe de travail «Lutte intégrée en culture de colza». Malmö, Sweden. 21-22 March 1988. Ed. OILB, Vol. XIII, n° 4, p. 97-98.
- GOHARI H., BALLESTER F., 1991. - Règles de décision pour la réduction des traitements contre *Sclerotinia sclerotiorum* sur colza en fonction des conditions climatiques. - *Bulletin OEPP*, Vol. 21, n° 2, p. 507-514.
- GRAICHEN K., 1991. - Zum Befall von Winterraps mit dem Westlichen Rübenvergilbung-Virus (beet western yellow virus). - *Raps*, Vol. 9, n° 4, p. 203-206.
- GUGEL R.K., SEGUIN SWARTZ G., PETRIE G.A., 1990. - Pathogenicity of three isolates of *Leptosphaeria maculans* on *Brassica* species and other crucifers. - *Canadian Journal of Plant Pathology*, Vol. 12, n° 1, p. 75-82.
- INGLIS G.D., BOLAND G.J., 1990. - The microflora of bean and rapeseed petals and the influence of microflora of bean petals on white mold. - *Canadian Journal of Plant Pathology*, Vol. 12, n° 2, p. 129-134.
- INMAN A., SIVANESAN A., FITT B.D.L., 1991. - The biology of *Mycosphaerella capsellae* sp. nov., the teleomorph of *Pseudocercospora capsellae*, cause of white leaf spot of oilseed rape. - *Mycol. Res.*, Vol. 95, n° 11, p. 1334-1342.
- KASPERS H., STEBERT R., 1990. - Folicur (tebuconazole) for the control of rape diseases. - *Pflanzenschutz Nachrichten Bayer*, Vol. 42, n° 2-3, p. 121-128
- KERLAN C., 1991. - Les viroses, une étude de longue haleine. - *Oléoscope - Bulletin du CETIOM*, n° 5, septembre, p. 6-7
- KOHN L.M., STASOVSKI E., CARBONE I., ROYER J., ANDERSON J.B., 1991. - Mycelial incompatibility and molecular markers identify genetic variability in field populations of *Sclerotinia sclerotiorum*. - *Phytopathology*, Vol. 81, n° 4, p. 480-485.
- KRUGER W., 1990. - Occurrence and distribution of oil seed rape diseases in the Federal Republic of Germany and outlooks on control. - *Bulletin OILB/Bulletin SROP*. Groupe de travail «Lutte intégrée en culture de colza». Malmö, Sweden. 21-22 March 1988. Ed. OILB, Vol. XIII, n° 4, p. 68-71
- KRUGER W., 1990. - Resistance of oil seed rape to diseases : a means to control them. - *Bulletin OILB/Bulletin SROP*. Groupe de travail «Lutte intégrée en culture de colza». Malmö, Sweden. 21-22 March 1988. Ed. OILB, Vol. XIII, n° 4, p. 72-75.
- KRUGER W., 199. - Forecasting method on *Sclerotinia sclerotiorum* in co-operation with farmers with the aim to reduce spraying in oil seed rape. - *Bulletin OILB/Bulletin SROP*. Groupe de travail «Lutte intégrée en culture de colza». Malmö, Sweden. 21-22 March 1988. Ed. OILB, Vol. XIII, n° 4, p. 80-82.
- LEE J., NORBURY L., 1991. - Effects of herbicide treatments on infection of oil seed rape with light leaf spot. - *Tests of Agrochemicals and Cultivars*, Vol. 118, n° 12, p. 50-51
- LOISON M., 1991. - Pieds secs : la piste *Verticillium*. L'enquête CETIOM confirme le rôle du *Verticillium*. - *Oléoscope - Bulletin du CETIOM*, n° 1, p. 5-7.
- MACROBERTS N., LENNARD J.H., 1991. - The behaviour of three *Alternaria* species in relation to leaf penetration of hosts and non-hosts. - *Cruciferae Newsletter*. Ed. EUCARPIA, n° 14-15, juin, p. 156-157.

- MARCHEGAY P., MARTIN D., 1991, 3-5 déc. - Effets non intentionnels des traitements fongicides dans une rotation colza-blé : incidences sur la mycoflore saprophyte et épiphyte. - *Troisième Conférence Internationale sur les Maladies des Plantes*. Bordeaux, France. Ed. ANPP, Vol. 1, p. 347-354.
- MARCHEGAY P., THORIN N., SCHIAVON M., 1990. - Effets des facteurs climatiques sur l'émission aérienne des spores d'*Alternaria brassicae* (Berk) Sacc et sur l'épidémiologie de l'alternariose dans une culture de colza. - *Agronomie*, Vol. 10, n° 10, p. 831-839.
- MEE E., MERCER P.C., MACGIMPSEY H.C., 1991. - Evaluation of *Alternaria alternata* as a biological agent against *Alternaria brassicae*. - *Tests of Agrochemicals and Cultivars*, Vol. 118, n° 12, p. 142-143.
- MENGISTU A., RIMMER S.R., KOCH E., WILLIAMS P.H., 1991. - Pathogenicity grouping of *Leptosphaeria maculans* isolates based on three cultivars of *Brassica napus*. - *Cruciferae Newsletter*. Ed. EUCARPIA, n° 14-15, juin, p. 152-153.
- MOSS N.A., LUCAS J.A., CRUTE I.R., 1991. - Response of oilseed rape (*Brassica napus*) cultivars to infection by *Peronospora parasitica* (Downy mildew) at the seedling stage. - *Tests of Agrochemicals and Cultivars*, Vol. 118, n° 12, p. 98-99.
- NASHAAT N.I., RAWLINSON C.J., 1991. - New sources of resistance to downy mildew in *Brassica napus* ssp. *Oleifera*. - *Bulletin GCIRC*, n° 7, p. 69-70.
- NOVAK L.A., KOHN L.M., 1991. - Electrophoretic and immunological comparisons of developmentally regulated proteins in members of the sclerotiniaceae and other sclerotial fungi. - *Applied and Environmental Microbiology*, Vol. 57, n° 2, p. 525-534.
- PAUL V.H., 1990. - First experiences with the early method of selection for resistance of winter rape to *Phoma lingam*. - *Bulletin OILB/Bulletin SROP*. Groupe de travail «Lutte intégrée en culture de colza». Malmö, Sweden. 21-22 March 1988. Ed. OILB, Vol. XIII, n° 4, p. 76-79.
- PAUL V.H., GERDIKEN K.J., GUNZELMANN A., 1991. - Neue Erkenntnisse über die Reaktion von 00-Sorten und die Wirkung von Fungiziden auf die Wurzelhals- und Stengelfäule des Winterrapses. - *Nachrichtenbl. Pflanzenschutz.*, Vol. 43, n° 5, p. 89-92.
- PAUL V.H., KRUGER W., 1990. - Contribution to the occurrence and disease development of *Verticillium dahliae* in winter rape. - *Bulletin OILB/Bulletin SROP*. Groupe de travail «Lutte intégrée en culture de colza». Malmö, Sweden. 21-22 March 1988. Ed. OILB, Vol. XIII, n° 4, p. 99-102.
- PENAUD A., 1991, 9-11 juillet. - Reproduction de symptômes de *cylindrosporiose* sur siliques. - *8ème Congrès International sur le Colza*. Saskatoon, Canada (sous presse).
- PENAUD A., 1991. - Les nouvelles maladies du colza. - *Phytoma*, n° 427, avril, p. 15-16 et 18.
- PENAUD A., 1991. - Oïdium sur colza : à surveiller !. - *Oléoscope - Bulletin du CETIOM*, n° 6, novembre, p. 17.
- PENAUD A., ZEDDOUK M., REGNAULT Y., 1991, 9-11 juillet. - Etude du rôle des pétales dans la contamination du colza par *Sclerotinia sclerotiorum*. - *8ème Congrès International sur le Colza*. Saskatoon, Canada (sous presse).
- PERRON G., NOURANI D., 1991, 3-5 décembre. - *Pseudocercospora* du colza : qualification du risque de contamination. - *Troisième Conférence Internationale sur les Maladies des Plantes*. Bordeaux, France. Ed. ANPP, Vol. 2, p. 639-645.
- REGNAULT Y., 1991. - Traitement précoce contre le phoma : à l'étude. - *Oléoscope - Bulletin du CETIOM* - n° 6, novembre, p. 16.
- SALISBURY P., BALLINGER D., HANNAH M., 1989. - Blackleg races in Australia. - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. Toowoomba, Australia. p. 78-85?
- SOME A., ROUXEL F., 1991, 3-5 décembre. - Premiers résultats de caractérisation isoenzymatique de *Plasmodiophora brassicae* Woron, agent de la hernie des crucifères. - *Troisième Conférence Internationale sur les Maladies des Plantes*. Bordeaux, France. Ed. ANPP, Vol. 1, p. 159-167.
- SOULIAC L., 1991, 3-5 décembre. - Arrière effet de fongicides placés à la floraison de colza sur le développement de l'alternariose. - *Troisième Conférence Internationale sur les Maladies des Plantes*. Bordeaux, France. Ed. ANPP, Vol. 1, p. 417-425.
- SOULIAC L., 1991, 3-5 décembre. - Impact des régulateurs de croissance sur les épidémies de sclerotiniose du colza. - *Troisième Conférence Internationale sur les Maladies des Plantes*. Bordeaux, France. Ed. ANPP, Vol. 1, p. 427-432.
- XI K., MORRALL R.A.A., BAKER R.J., 1990. - Relationship between incidence and severity of blackleg disease of rapeseed. - *Canadian Journal of Plant Pathology*, Vol. 12, n° 2, p. 164-169.
- ZHU J., STRUSS D., 1991. - Transfer of *Phoma lingam* resistance from *B. nigra* into *B. napus*. - *Cruciferae Newsletter*, Ed. EUCARPIA, n° 14-15, juin, p. 17.
- ZORN BACH W., 1990. - Untersuchungen zur Pathogenese, Epidemiologie und Bekämpfbarkeit von *Mycosphaerella brassicicola* (DUBY) Lindau, dem Erreger der Ringfleckenkrankheit an Cruciferen. - *Mitteilungen aus der Biologischen Bundesanstalt für Land- und Forstwirtschaft*, n° 262, 105 p.

Analyse - Analysis - Analyse

- AITZETMULLER K., KONKER S., 1991. - Möglichkeiten zum Nachweis einer Hitze einwirkung auf Rapssaat im Zusammenhang mit Glucosinolat-Bestimmungsmethoden. - *Fett Wissenschaft Technologie*, Vol. 93, n° 7, p. 256-264.
- AMAROWICZ R., SHIMOYAMADA M., OKUBO K., 1991. - The content of crude glucosides and glucosinolates in Japanese rapeseed varieties. - *Die Nahrung*, Vol. 35, n° 6, p. 671-673.
- BEZECNA L., TENKL L., KONRADOVA M., 1991. - The determination of oil content in winter oilseed rape by MNR method keeping the biological properties of seed. - *Rostlinna Vyroba*, Vol. 37, n° 1, p. 75-80.
- CHARPENTIER N., COIC J.P., FAUDUET H., LEHENAFF P., 1991. - Etude des glucosinolates du tourteau de colza, production de glucosinolates intacts. - *CRITT Valicentre*. Colloque annuel. Blois France, p. 57-66.
- DAVIS J.B., AULD D.L., ERICKSON D.A., 1991. - Glucosinolate content and composition of eight Brassicaceae species. - *Cruciferae Newsletter*. Ed. EUCARPIA, n° 14-15, juin, p. 118-119.
- DAVIS J.B., HALL M.H., ECKERT J.W., CORSINI J.A., AULD D.L., 1991. - Comparison of near-infrared reflectance analyses with GC analyses of glucosinolate concentration in rapeseed. *Cruciferae Newsletter*. Ed. EUCARPIA, n° 14-15, juin, p. 120-121.
- DIETZ H.M., KING R.D., HARRIS R.V., 1991. - The aqueous extraction of glucosinolates from rapeseed. - *International Journal of Food Science and Technology*, Vol. 26, n° 1, p. 53-63.
- ERICSON M.L., RODIN J., 1989. - An immunocytochemical localization of the *Brassica napus* storage protein napin in developing seed embryos. - *European Journal of Cell Biology*, Vol. 49, n° 1, p. 213-217.
- FIEBIG H.J., 1991. - Desulphation of glucosinolates - Potential pitfalls of the HPLC method for double zero rapeseed. - *Fett Wissenschaft Technologie*, Vol. 93, n° 7, p. 264-267.
- FIEBIG H.J., JORDEN M., 1990. - HPLC of desulfoglucosinolates. - *J. High Resolution Chromatography*, Vol. 13, n° 5, p. 377-379.
- GARDRAT C., COUSTILLE J.L., 1989. - Identification of 3-indolylacetone nitrile in rape seeds. - *J. High Resolution Chromatography*, Vol. 12, n° 9, p. 626-627.
- HILLS M.J., KIEWITT I., MUKHERJEE K.D., 1991. Synthetic reactions catalyzed by immobilized lipase from oilseed rape (*Brassica napus* L.). - *Applied Biochemistry and Biotechnology*, Vol. 27, n° 2, p. 123-129.
- HORVATH E., SENKALSZKY AKOS E., 1990. - Protein analysis of double zero rape seeds. - *Olaj, Szappan, Kozmetika*, Vol. 39, n° 4, p. 106-109.
- KERSHAW S.J., JOHNSTONE R.A.W., 1990. - Modification of a mini-column method for rapid routine determination of total glucosinolate content of rapeseed by glucose release. - *J.A.O.C.S.*, Vol. 67, n° 11, p. 821-826
- KLEPACKA M., 1990. - Infrared spectroscopic study of interactions between phytate and protein in rapeseed. - *Acta Alimentaria*, Vol. 19, n° 4, p. 295-304.
- LANGE R., LINOW F., 1991. - Zur Kenntnis der Schwefelverbindungen in Raps- (*Brassica napus*) Varietäten und Verarbeitungsprodukten. 5. Mitt. Bestimmung des Gesamtglucosinolatgehaltes über die Glucosinolat-Palladium-Komplexbildung. - *Die Nahrung*, Vol. 35, n° 4, p. 379-384.
- LANGE R., PETRZIKA M., RAAB B., LINOW F., 1991. - Zur Kenntnis der Schwefelverbindungen in Raps- (*Brassica napus*) Varietäten und Verarbeitungsprodukten. 6. Mitt. Hochleistungsflüssigkeitschromatographisch-massenspektrometrische Erfassung der Glucosinolates. - *Die Nahrung*, Vol. 35, n° 4, p. 385-389.
- LENMAN M., RODIN J., JOSEFSSON L.G., RASK L., 1990. - Immunological characterization of rapeseed myrosinase. - *European Journal of Biochemistry*, Vol. 194, p. 747-753
- MACFARLANE W.H., GRIFFITHS D.W., BOAG B., 1990. - Glucosinolate content and S-methyl cysteine sulphoxide (SMCO) content of green tissue of various *Brassica* spp. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEC, p. 136-142.
- MARQUARD R., 1990. - Glucosinolate, nitrate and protein content in green matter of rapeseed (*Brassica napus*) and their possible effects on wildlife. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEC, p. 143-151.
- MICHAELSEN S., MOLLER P., SORENSEN H., 1991. - High performance capillary electrophoresis: a fast, cheap and simple method of analysis for determination of individual glucosinolates. - *Bulletin GCIRC*, n° 7, p. 97-106.
- MILFORD G.F.J., FIELDSSEND J.K., EVANS E.J., BILSBORROW P.B., 1991. - Factors that determine levels of glucosinolates in oilseed rape. - *Bulletin GCIRC*, n° 7, p. 71-73.
- MONSALVE R.I., VILLALBA M., 1991. - Structural analysis of the small chain of the 2S albumin, napin III, from rapeseed. Chemical and spectroscopic evidence on an intramolecular bond formation. - *Biochimica et Biophysica Acta*, Vol. 1078, n° 2, p. 265-272.
- MURPHY D.J., CUMMINS I., KANG A.S., 1989. - Synthesis of the major oil-body membrane protein in developing rapeseed (*Brassica napus*) embryos: integration with storage-lipid and storage-protein synthesis and implications for the mechanism of oil-body formation. - *Biochemical Journal*, Vol. 258, n° 1, p. 285-293.

- PRZYBYLSKI R., ESKIN N.A.M., 1991. - Phospholipid composition of canola oils during the early stages of processing as measured by TLC with flame ionization detector. - *J.A.O.C.S.*, Vol. 68, n° 4, p. 241-245.
- QUINSAC A., 1991. - Nouveaux colzas, nouvelles méthodes de dosage. - *Oléoscope - Bulletin du CETIOM*, n° 6, novembre, p. 08-09.
- QUINSAC A., DANG K.H., BONANGE L., MERLE C., RIBAILLIER D., 1991, 17-19 sept. - Dosage de la S-méthylcystéine sulfoxyde et autres acides aminés libres dans les crucifères. *Les rayons-X et leurs applications. RX GAMS 91*. Blois, France, 6 p.
- QUINSAC A., DREUX M., RIBAILLIER D., 1991, 9-11 juillet. - Extraction et dosage de la vinyl-5-oxazolidine-1,3-thione-2 (5-VOT) dans les fluides et tissus biologiques. - *8ème Congrès International sur le Colza*. Saskatoon, Canada, GCIRC, (sous presse).
- QUINSAC A., DREUX M., RIBAILLIER D., 1991, 17-19 septembre. - Extraction et dosage de la 5-vinyl-1,3-oxazolidine-2-thione (5-VOT) dans des fluides et tissus biologiques. *Les rayons-X et leurs applications. - RX GAMS 91*. Blois France, 6 p.
- QUINSAC A., HUONG DANG K., BONANGE L., MERLE C., RIBAILLIER D., 1991, 9-11 juillet. - Dosage de la S-méthylcystéine sulfoxyde dans les crucifères. - *8ème Congrès International sur le Colza*. Saskatoon, Canada, GCIRC, (sous presse).
- RIBAILLIER D., 1991, 12-15 mai. - The standardization of analytical methods, a factor of progress for research and marketing in France, in Europe and in the World. - *82nd American Oil Chemists' Society Annual Meeting*, Chicago, Etats-Unis. 20 p.
- RIBAILLIER D., 1991. - Glucosinolates : qualité de la récolte 1991. - *Oléoscope - Bulletin du CETIOM*, n° 6, novembre, p. 10-11.
- RIBAILLIER D., MERLE C., QUINSAC A., 1991, 9-11 juillet. - La spectrométrie de fluorescence X, une méthode rapide de dosage des glucosinolates des graines de colza. - *8ème Congrès International sur le Colza*. Saskatoon, Canada, GCIRC, (sous presse).
- RIBAILLIER D., QUINSAC A., KROUTI M., 1991, 17-19 septembre. - La fluorescence X : une méthode rapide de dosage des glucosinolates des graines de colza. *Les rayons-X et leurs applications. RX GAMS 91*. Blois, France, p. 167-172.
- RIBAILLIER D., QUINSAC A., MERLE C., 1991, 9-11 juillet. - Stabilité des glucosinolates à la chaleur : étude dans les graines et tourteaux. - *8ème Congrès International sur le Colza*. Saskatoon, Canada, (sous presse).
- RIBAILLIER D., RUBEL G., 1991, 9-12 septembre. - Determination of oil in oleaginous seeds using pulsed NMR. Applications of Pulsed NMR Techniques for Food Analyses. - *Skorping*, Denmark. 25 p.
- RIHS T., HERZOG W., BLUM J., 1991. - Variation of S-Methyl-L-Cysteine Sulfoxide content in fresh plants of 0- and 00-Rape varieties. - *Bulletin GCIRC*, n° 7, p. 88-92.
- SCHWENKE K.D., KIM Y.H., KROLL J., LANGE E., MIETH G., 1991. - Modification of low-molecular weight basic albumin fraction from rapeseed (*Brassica napus* L.) by acetylation. Part 2. Selected functional properties. - *Die Nahrung*, Vol. 25, n° 3, p. 293-301.
- SVENDEN I., NICOLOVA D., GOSHEV I., 1989. - Isolation and characterization of a trypsin inhibitor from the seeds of *Brassica napus* var *rapifera* belonging to the napin family of storage proteins. - *Carlsberg Research Communication*, Vol. 54, n° 6, p. 231-239.
- TATARUCH F., KLANSEK E., 1990. - Konzentrationen von S-Methylcysteinsulfoxid (SMCO) in Raps (*Brassica napus* var. *napus*). - *Bodenkultur*, Vol. 41, n° 2, p. 137-144.
- THIES W., 1991. - Determination of the phytic acid and sinapic acid esters in seeds of rapeseed and selection of genotypes with reduced concentrations of these compounds. - *Fett Wissenschaft Technologie*, Vol. 93, n° 2, p. 49-52.
- TRUSCOTT R.J.W., THOLEN J.T., BUZZA G., 1989. - Total glucosinolate content in rapeseed using a new digital reflectance meter (The tru blu glu meter). - *7th Workshop. Australian Rapeseed Agronomists and Breeders*. Toowoomba, Australia. p. 57-59.
- VELISEK J., DAVIDEK J., MICHOVA J., POKORNY J., 1990. - Rapid gas chromatographic determination of volatile degradation products of glucosinolates in rapeseed oil. - *J. Chromatography*, Vol. 502, n° 1, p. 167-170.
- WARNER K., MOUNTS T.L., 1990. - Analysis of tocopherols and phytosterols in vegetable oils by HPLC with evaporative light-scattering detection. - *J.A.O.C.S.*, Vol. 67, n° 11, p. 827-831.
- WATHELET J.P., QUINSAC A., MARLIER M., SEVERIN M., RIBAILLIER D., WAGSTAFFE P.J., 1991, 9-11 juillet. - Collaborative studies organized by ISO and the Community Bureau of Reference (BCR-CEE) to improve analytical methods concerning glucosinolates in rapeseed. - *8ème Congrès International sur le Colza*. Saskatoon, Canada, (sous presse).
- WATHELET J.P., SEVERIN M., RIBAILLIER D., QUINSAC A., MERLE C., WAGSTAFFE P.J., 1991, 9-11 juillet. - Stability of glucosinolates in seeds and in rapeseed extracts under different packaging conditions. - *8ème Congrès International sur le Colza*. Saskatoon, Canada, (sous presse).
- WHITE J., COOKE R.J., 1991. - Methods for glucosinolate analysis. - *Bulletin GCIRC*, n° 7, p. 76.
- WHITE J., COOKE R.J., 1991. - Glucosinolate levels in UK, 1990. - *Bulletin GCIRC*, n° 7, p. 77.
- ZHANG Q.Z., XI H.F., LAN X.F., 1991. - Changes in content of glucosinolates and its accumulation in siliquae and seeds of oil rape (*Brassica napus*). - *J. Agronomy and Crop Science*, Vol. 166, n° 3, p. 152-156.

Technologie - Technology - Technologie

- CENKOWSKI S., MUIR W.E., 1990. - Simulation of canola and barley drying in deep bed. - *J. Food Progress Engineering*, Vol. 12, n° 3, p. 171-190.
- CETIOM, 1991. - Colza : le débouché extrusion. - *Oléoscope - Bulletin du CETIOM*, n° 1, p. 13.
- COLEMAN A.A., OORAIKUL B., 1989. - Characteristics of pure culture canola sauce fermentation. - *J. Food Processing and Preservation*, Vol. 13, n° 4, p. 245-256.
- DECLERCQ D.R., DAUN J.K., TIPPLES K.H., 1990. - Quality of Western Canadian Canola 1990. - *Crop Bulletin*, n° 187, p. 3-14.
- GWIAZDA S., DABROWSKI K.J., KLEPACKA M., 1989. - Preparation and functional properties of acetylated rapeseed proteins. - *Acta Alimentaria*, Vol. 18, n° 4, p. 353-360.
- HIRSINGER F., 1990. - Oilseed crops : present situation and future developments for oleochemical applications. - *Agric. Refin. : Bridge Farm. Ind.* EUR 11583, p. 49-56.
- KHALYFA A., KERMASHA S., 1990. - Partial purification and characterization of lipoxigenase of canola seed (*Brassica napus* var Westar). - *J. Agri. Food Chem.*, Vol. 38, n° 11, p. 2003-2008.
- KROLL J., 1991. - Selected functional properties of detoxified rapeseed protein preparations effected by phytic acid. - *Die Nahrung*, Vol. 35, n° 6, p. 619-624.
- KROLL J., KUJAWA M., SCHNAAK W., 1991. - Preparation of rapeseed proteins by extraction, ultrafiltration and diafiltration. - *Fett Wissenschaft Technologie*, Vol. 93, n° 2, p. 61-65.
- KRYGIER K., RUTKOWSKI A., 1991. - The content of sulphur compounds in solvent extraction products of winter type low and high glucosinolate rapeseed. - *Fett Wissenschaft Technologie*, Vol. 93, n° 4, p. 153-154.
- LENMAN M., RODIN J., JOSEFSSON L.G., 1990. - Immunological characterization of rapeseed myrosinase. - *European Journal of Biochemistry*, Vol. 194, n° 3, p. 747-753.
- MANG T., 1991. - Schmierstoffe und Funktionsflüssigkeiten auf Pflanzenölbasis. - *Raps*, Vol. 9, n° 1, p. 04-07.
- MESHEHDANI T., POKORNY J., DAVIDEK J., PANEK J., 1991. - Interactions of oxidized lipids with protein. Part 17. Effect of protein on the decomposition of products of the lipoxigenase-catalyzed oxidation in oilseeds. - *Die Nahrung*, Vol. 34, n° 10, p. 915-925.
- OTTEN L., BROWN R.B., VOGEL K.F., 1989. - Thin-layer drying of canola. Paper - *American Society of Agricultural Engineers*, n° 89-6100, 9 p.
- OWUSU ANSAH Y.J., MARIANCHUK M., 1991. - Microwave inactivation of myrosinase in Canola seeds : a pilot plant study. - *J. Food Sci.*, Vol. 56, n° 5, p. 1372-1374.
- PATHAK P.K., AGRAWAL Y.C., SINGH B.P.N., 1991. - Effect of elevated drying temperature on rapeseed oil quality. - *J.A.O.C.S.*, Vol. 68, n° 8, p. 580-582.
- SCHARMER K., 1991. - Kraftstoffe aus Pflanzenöl für Dieselmotoren. - *Raps*, Vol. 9, n° 4, p. 177-180.
- SCHNEIDER F.H., RUTTE U., 1991. - Resthexan in Raps-Schroten I: Zur Entstehung einer intrazellulären Mizella. - *Fett Wissenschaft Technologie*, Vol. 91, n° 9, p. 319-328.
- SCHWENKE K.D., RAAB B., PAEHTZ W., 1989. - Modification of low-molecular weight basic albumin fraction from rapeseed (*Brassica napus* L.) by acetylation. I, Chemical and physicochemical aspects. - *J. Food Biochemistry*, Vol. 13, n° 5, p. 321-334.
1991. - AIDA und Euro-Biodiesel. Bewertung eines europäischen Projektes aus deutscher Sicht. - *Raps*, Vol. 9, n° 2, p. 77-79.

Huile - Oil - Öl

- APFELBECK R., 1990. - Rapsöl in Pflanzennömotoren und in Heizungsanlagen. - *VDI-Berichte*, Vol. 794, p. 91-96.
- ASHWIN J.L., HARRIS P.G., 1991. - Effects of thermally oxidized canola oil and chronic low ethanol consumption on aspects of hepatic oxidative stress in rats - *Nutrition Research*, Vol. 11, n° 1, p. 79-90.
- BACKE W., BUSCH C., 1991. - Einsatz von Rapsölen im mobilhydraulischen Systemen. - *Raps*, Vol. 9, n° 4, p. 184-187.
- BENJELLOUN B., TALOU T., DELMAS M., GASET A., 1991. - Oxidation of rapeseed oil : effect of metal traces. - *J.A.O.C.S.*, Vol. 68, n° 3, p. 210-211
- BURGHART P., CARRE P., LE BRUN J., BAR C., DESNOS G., 1991, 9-11 juillet. - Usage d'huile de colza comme additif antipoussière dans la manipulation des céréales. - *8ème Congrès International sur le Colza*. Saskatoon, Canada, (sous presse).
- BURGSTALLER G., LANG K., JATSCH C., 1991. - Zum Einsatz von Rapsöl im Vergleich zu Sojaöl im Mischfutter für Mastschweine und zum Einfluss dieser Futteröle auf das Fettsäuremuster des Schweinefettes. - *Fett Wissenschaft Technologie*, Vol. 93, n° 10, p. 391-399.
- CHO AH YING F., DE MAN J.M., 1991. - Adsorptive removal of sulfur from canola oil. - *Fett Wissenschaft Technologie*, Vol. 93, n° 4, p. 132-135.
- DOTSON K., 1991. - Canola gaining U.S. market share, eventual role is evolving. - *INFORM*, Vol. 2, n° 7, p. 610-622, 627-628.
- ERICKSON D.B., BASSIN P., 1990. - Rapeseed and crambe: alternative crops with potential industrial uses. - *Kansas Agric. Exp. Stn. Bull.*, n° 656, 33 p.
- EVARD J., 1991. - Huile de colza : adapter sa composition à de nouveaux usages. - *Oléoscope - Bulletin du CETIOM*, n° 4, juillet, p. 22-23.
- EVARD J., PERRIN J.L., PICKARD M.D., 1991, 9-11 juillet. - Influence de la teneur en acide linoléique sur la room-odor des huiles de colza. - *8ème Congrès International sur le Colza*. Saskatoon, Canada, (sous presse).
- GUTH H., GROSCH W., 1990. - Comparison of stored soya-bean and rapeseed oils by aroma extract dilution analysis. - *Lebensmittel Wissenschaft Technologie*, Vol. 23, n° 1, p. 59-65.
- HAUMANN B.F., 1991. - Work continues on new oils for industrial use. - *INFORM*, Vol. 2, n° 8, p. 678-703.
- KLEIN T., SCHULZ S., 1989. - Phase equilibria in mixtures of glycerides and carbon dioxide and application of continuous thermodynamics to mixtures of rapeseed oil and carbon dioxide. - *Fluid Phase Equilibria*, Vol. 50, n° 1-2, p. 79-100.
- MIKLE J., FEDEC P., 1991. - Low erucic acid rapeseed and the edible oil industry. - *Lipid Technology*, Vol. 3, n° 2, p. 47-51.
- MOSER F., SCHLOEGL H., 1991. - Traktorbetrieb mit Rapsmethylester. - *Erdöl, Erdgas, Kohle*, Vol. 107, n° 5, p. 221-227.
- OGUNLELA V.B., KULLMANN A., GEISLER G., 1990. - Fatty acid composition of oil from erucic acid-free summer rape seed (*Brassica napus L.*) in relation to nitrogen nutrition and raceme position. *J. Agronomy and Crop Science*, Vol. 165, n° 1, p. 61-69.
- PAVERO C., CASELLI C., BERNARD A., CARLIER H., 1990. - Absorption and intestinal metabolism of erucic acid in the rat. - *Revue Française des Corps Gras*, Vol. 37, n° 9/10, p. 301-307.
- PRIOR E.M., VADKE V., SOSULSKI F.W., 1991. - Effect of heat treatments on canola press oils. 1. Non-triglyceride components - *J.A.O.C.S.*, Vol. 68, n° 6, p. 401-406.
- PRIOR E.M., VADKE V.S., SOSULSKI F.W., 1991. - Effect of heat treatments on canola press oils. 2. Oxidative stability. - *J.A.O.C.S.*, Vol. 68, n° 6, p. 407-411.
- RIBAROV D., 1991. - Qualitätsanforderungen an Rapsöle für den Non Food-Bereich. - *Raps*, Vol. 9, n° 2, p. 74-76.
- RUPP M., 1990. - Verarbeitung von Rapsöl in Minealölraffinerien. - *VDI-Berichte*, Vol. 794, p. 97-111.
- SALISBURY P., MAILER R., SANG J., 1991. - Potential reduction in Australian canola quality from weedy crucifer contamination. - *Cruciferae Newsletter*. Ed. EUCARPIA, n° 14-15, juin, p. 128-129.
- TEREAO J., NAGAO A., SUZUKI H., 1991. - Effect of dietary fats (perilla oil, lard, rapeseed oil) on peroxidizability of mouse brain lipids. - *J. Agri. Food Chem.*, Vol. 39, n° 8, p. 1477-1481.
- VAN DYNE D.L., BLASE M.G., 1990. - Process design, economic feasibility, and market potential for nylon 1313 produced from erucic acid. - *Biotechnology Progress*, Vol. 6, n° 4, p. 273-276.
- VERMEERSCH G., 1991. - Utilisation non alimentaire des huiles végétales. - *Bulletin GCIRC*, n° 7, p. 67-68.
- WOLTER F.P., BERNERTH R., LOHDEN I., SCHMIDT V., 1991. - Biochemische und molekularbiologische Ansätze zur Veränderung der Fettsäurezusammensetzung des Rapsöls. - *Fett Wissenschaft Technologie*, Vol. 93, n° 8, p. 288-290.
1991. - Rapsmethylester für umweltfreundliches Taxifahren. - *Raps*, vol. 9, n° 4, p. 182-183.
1991. - Erucic acid standards may tighten on Canadian canola seed. - *Oil Mill Gazetteer*, March, p. 28.

Tourteaux - Meal - Schrote

- ABDOU DADE B., AGUIRRE P., BLANC D., 1990. - Incorporation du colza 00 sous forme de tourteau ou d'amande dans les aliments de la truite arc-en-ciel (*Oncorhynchus mykiss*) : performance zootechnique et digestibilité. - *Bulletin Fr. Pêche Piscic.*, Vol. 63, n° 317, p. 50-57.
- BELL J.M., KEITH M.O., 1991. - A survey of variation in the chemical composition of commercial canola meal produced in Western Canadian crushing plants. - *Canadian Journal of Animal Science*, Vol. 71, n° 2, p. 469-480.
- BELL J.M., KEITH M.O., HUTCHESON D.S., 1991. - Nutritional evaluation of very low glucosinolate canola meal. - *Canadian Journal of Animal Science*, Vol. 71, n° 2, p. 497-506.
- BJERGEGARRD C., EGGUM B.O., JENSEN S.K., SORENSEN H., 1991. - Dietary fibres in oilseed rape : physiological and antinutritional effects in rats of isolated IDF and SDF added to a standard diet. - *J. Anim. Physiol. and Anim. Nutrition*, Vol. 66, n° 2, p. 69-79.
- BOEHNEL H., 1990. - Preliminary results of investigations in clostridial enterotoxaemia in wildlife and its alleged connection with increased oilseed rape cultivation in Germany. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 221-233.
- BUSATO A., BESTETTI G.E., ROSSI G.L., 1991. - Effects of feeding rapeseed-meal on liver and thyroid gland function and histomorphology in growing pigs. - *J. Anim. Physiol. and Anim. Nutrition*, Vol. 66, n° 1, p. 12-27.
- DAVIES S.J., MACCONNELL S., BATESON R.I., 1990. - Potential of rapeseed meal as an alternative protein source in complete diets for tilapia (*Oreochromis mossambicus* Peters). - *Aquaculture*, Vol. 87, n° 2, p. 145-154.
- DOUVILLE DE FRANSPU P., 1990. - Controlled feeding trial on captive hares with rapeseed. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 203-210.
- ETIENNE M., DOURMAD J.Y., OBIDZINSKI W., EVRARD J., 1991, 9-11 juillet. - Effects of low glucosinolate rapeseed meal in sow pregnancy diet. - *8ème Congrès International sur le Colza*. Saskatoon, Canada, (sous presse).
- EVRARD J., 1991. - Nouvelles perspectives d'emploi offertes pour les tourteaux de colza à très faible teneur en glucosinolates. - *Bulletin GCIRC*, n° 7, p. 107-111.
- GAGLIOSTRO G., CHILLIARD Y., 1991. - Duodenal rapeseed oil infusion in early and midlactation cows. 4. In vivo and in vitro adipose tissue lipolytic responses. - *J. Dairy Sci.*, Vol. 74, n° 6, p. 1830-1843.
- GAGLIOSTRO G., CHILLIARD Y., DAVICCO M.J., 1991. - Duodenal rapeseed oil infusion in early and midlactation cows. 3. Plasma hormones and mammary apparent uptake of metabolites. - *J. Dairy Sci.*, Vol. 74, n° 6, p. 1893-1903.
- GRENET E., BARRY P., 1990. - In vivo and in sacco digestibility and rumen microbial degradation of cell walls of soyabean and rape integuments and of dehydrated beet pulp in sheep, observed by scanning electron microscopy. - *J. Agri. Sci.*, Vol. 115, n° 4, p. 429-435.
- GUILLAUME B., OTTERBY D.E., STERN M.D., LINN J.G., JOHNSON D.G., 1991. - Raw or extruded soybeans and rumen-protected methionine and lysine in alfalfa-based diets for dairy cows. - *J. Dairy Sci.*, Vol. 74, n° 6, p. 1912-1922.
- HOZLOWSKA H., ZADERNOWSKI R., NOWAK H., 1991. - The influence of selected technological processes on the improvement of rapeseed meal and flour feed quality. Part 1. The influence of hydrothermal treatment and ethanol extraction on chemical composition of rapeseed products. - *Die Nahrung*, Vol. 35, n° 5, p. 485-489.
- JOST M., 1991. - 00-Rapsextraktionsschrot in der Ferkelaufzucht. - *Bulletin GCIRC*, n° 7, p. 93-96.
- KHORASANI G.R., KENNELLY J.J., 1991. - Quality of canola meal protein is improved by acid treatment. - *70th Annual Feeders' Day Report*, May, p. 37-38.
- KHORASANI G.R., ROBINSON P.H., DE BOER G., KENNELLY J.J., 1991. - Influence of canola fat on yield, fat percentage, fatty acid profile, and nitrogen fractions in Holstein milk. - *J. Dairy Sci.*, Vol. 74, n° 6, p. 1904-1911.
- KOZLOWSKI M., FARUGA A., 1991. - Use of rape seeds in feeding of broiler chickens. - *Acta Acad. Agric. Tech. Olstenensis*, n° 34, p. 169-181.
- KOZLOWSKI M., FARUGA A., 1991. - Fattening and slaughter effects of broiler chickens fed diets with rapeseed oilmeal from the double improved varieties. - *Acta Acad. Agric. Tech. Olstenensis*, n° 34, p. 183-193.

- KROLL J., PRZYBILSKI H., 1991.** - Toxicological evaluation of rapeseed protein products by means of a thyroidea stimulating test. - *Fett Wissenschaft Technologie*, Vol. 93, n° 6, p. 228-231.
- LACROIX M., AMIOT J., DE LA NOUE J., 1989.** - Microbial degradation of phenolic compounds extracted from canola flour. - *Microbiologie, Aliments, Nutrition*, Vol. 7, n° 3, p. 239-249.
- LACROIX M., AMIOT J., DE LA NOUE J., 1989.** - Nutritive value of rapeseed protein hydrolyzed with esterase and protease. - *Microbiologie, Aliments, Nutrition*, Vol. 7, n° 4, p. 395-405.
- LANCASTER L.L., HUNT C., WMILLER J.C., AULD D.L., NELSON M.L., 1990.** - Effects of rapeseed silage variety and dietary level on digestion and growth performance of beef steers. - *J. Animal Science*, Vol. 68, n° 11, p. 3812-3820.
- LESSIRE M., BAUDET J.J., HALLOUIS J.M., CONAN L., 1991, 9-11 juillet.** - Metabolizable energy content and protein digestibility of rapeseed hulls in adult cockerels. - *8ème Congrès International sur le Colza*. Saskatoon, Canada, (sous presse).
- LESSIRE M., CONAN L., HALLOUIS J.M., VIDIEZ J.L., 1989.** - Compte rendu d'expérimentation, 1989 : valeur énergétique et digestibilité des enveloppes d'oléagineux. - *CETIOM/INRA*, n° 9250 A, p. 01-05.
- LESSIRE M., CONAN L., HALLOUIS J.M., VIDIEZ J.L., 1989.** - Compte rendu d'expérimentation 1989 : valeur nutritionnelle des nouveaux tourteaux de colza à très basse teneur en glucosinolates. - *CETIOM/INRA*, n° 9250 A, p. 06-32.
- MATRAS J., BARTLE S.J., PRESTON R.L., 1990.** - Effects of ruminal escape proteins and canola meal on nitrogen utilization by growing lambs. - *J. Animal Science*, Vol. 68, n° 8, p. 2546-2554.
- MICHALET DOREAU B., BAUDET J.J., 1991, 9-11 juillet.** - Influence du mode de trituration des tourteaux sur leur valeur azotée pour les ruminants. *8ème Congrès International sur le Colza*. Saskatoon, Canada, (sous presse).
- MURPHY J.J., MACNEILL G.P., CONNOLLY J.F., 1990.** - Effect on cow performance and milk fat composition of including full fat soyabeans and rapeseeds in the concentrate mixture for lactating dairy cows. - *J. Dairy Res.*, Vol. 57, n° 3, p. 295-306.
- NAIR V.C., LAFLAMME J., DUVNJAK Z., 1991.** - Production of phytase by *Aspergillus ficuum* and reduction of phytic acid content in canola meal. - *J. Sci. Food Agri.*, Vol. 54, n° 3, p. 355-365.
- NDEMANISHO E., BRUCE J., EIK L.O., 1991.** - Comparison of hay only and hay/rape silage as roughages for dairy goats. - *Norsk Landbruksforskning*, Vol. 5, n° 4, p. 355-358.
- NENNER M., SCHNEIDER E., 1990.** - A survey of mortality of the European hare in the Federal Republic of Germany. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 162-173.
- PEGEL M., 1990.** - Studies in Hesse (FRG) on European hare : population and habitat. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 174-184.
- PEGEL M., 1990.** - Controlled feeding studies on European hare in FRG. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 192-202.
- PETRAK M., UHL H.G., 1990.** - Food selection by hares in the field. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 185-192.
- QUINSAC A., LESSIRE M., KROUTI M., 1991.** - Valeurs nutritionnelles d'extraits de tourteau de colza riches ou pauvres en glucosinolates. - *CRITT Valicentre*. colloque annuel. Blois, France, p. 67-73.
- RODE L.M., CROY D.S., DOW T.J., 1990.** - Effect of feeding oilseeds to lactating dairy cows on milk production and composition. - *Research Highlights*. Research Station Lethbridge, Alberta. p. 38-39.
- SCHADEREIT R., PASTUSZEWSKA B., JANOWSKA G., 1991.** - The influence of selected technological processes on the improvement of rapeseed meal and flour feed quality. Part 2. Effect of hydrothermal treatment and ethanol extraction on the nutritional value of rapeseed products. - *Die Nahrung*, Vol. 35, n° 6, p. 559-566.
- SIMÕES NUNES C., GALIBOIS I., 1991.** - Hepatic and portal-drained viscera balances of amino acids, insulin, glucagon and gastrin in the pig after ingestion of casein or rapeseed proteins. - *Reproduction Nutrition Développement*, Vol. 31, n° 3, p. 217-231.
- STOLL P., 1991.** - 00-Rapskuchenmehl bzw. 00-Rapsextraktionsschrot in der Schweinemast. - *Bulletin GCIRC*, n° 7, p. 78-85.
- UECKERMANN E., LUTZ W., MARQUARD R., 1990.** - Controlled feeding studies on roe, red and fallow deer. - *Rapeseed 00 and Intoxication of Wild Animals*. Ed. CEE, p. 234-241.
- WETSCHEREK W., LETTNER F., 1990.** - Einsatz von Rapsexpeller in der Geflügelmast. - *Archiv für Geflügelkunde*, Vol. 54, n° 2, p. 57-61.

- AFRC, 1991. - Rothamsted Long Ashton. Broom's Barn. Institute of Arable Crop. - *Research Report for 1990*. AFRC, 144 p.
- ALFORD D.V., COOPER D.A., WILLIAMS I.H., 1991. - HGCA Oilseeds Research. Review n° OS1. - *Insect pests of oilseed rape*. Home-Grown Cereals Authority, 130 p.
- ANPP, 1991. - Les substances de croissance. Guide des produits et usages. ANPP, 241 p.
- BOYELDIEU J., 1991. - Produire des grains oléagineux et protéagineux. - *Lavoisier Tech. et Doc*, 234 p.
- CANOLA COUNCIL OF CANADA, 1991. - 9th Project Report. Research on Canola seed oil and meal. - Canola Council of Canada, 618 p.
- CENTRE REGIONAL D'INNOVATION ET DE TRANSFERT DE TECHNOLOGIE, 1991. - Valicentre. Colloque annuel. Blois 1991. - *CRITT*, 80 p.
- CETIOM, 1991. - Rapport d'Activité CETIOM 1990. - *CETIOM*, 53 p.
- CETIOM, 1991. - La culture du colza d'hiver - *Guide cultural 1990/1991*. CETIOM, 33 p.
- CLOSSAIS BESNARD N., 1991. - Aspects analytiques et physiologiques de l'accumulation des glucosinolates chez le colza (*Brassica napus L.*). - Université de Rennes, 110 p.
- COMAPRA, 1991. - Résultats des essais colza et tournesol. - *Rapport desynthèse*. 1987-1990. COMAPRA, 90 p.
- COMMISSION DES COMMUNAUTÉS EUROPÉENNES, 1991. - La situation de l'agriculture dans la Communauté. - *Rapport 1990*. CCE, 292 p.
- COMMISSION OF THE EUROPEAN COMMUNITIES, 1990. - Agriculture - Rapeseed 00 and intoxication of wild animals. - *CEC*, 261 p.
- DEMES H., 1989. - Etudes sur la teneur en glucosinolates, en nitrates et protéines du colza vert en relation avec le génotype, l'environnement et les stades végétatifs. - *Justus-Liebig-Universität*, 151 p.
- FEDIOL, 1991. - Statistiques 1990 - FEDIOL, 218 p.
- FOP, 1991. - De la production à la consommation. Statistiques des oléagineux et protéagineux 1990. France - Europe - Monde. - *FOP*, 55 p.
- GEVES, 1991. - Bulletin des variétés plantes à fibres et oléagineuses, crucifères fourragères. 1991. Fiches descriptives et caractéristiques agronomiques des nouvelles variétés inscrites au Catalogue français. - *GEVES*, 239 p.
- ITERG, 1990. - ITERG. Rapport d'activité des laboratoires 1990. - *ITERG*, 100 p.
- OHLSSON I., KUMAR P.R., 1990. - Research on Rapeseed and Mustard. Proceedings of an Indo-Swedish Symposium, September 4-6, 1989, Uppsala. - *Swedish Univ. Agricultural Sci.*, 156 p.
- NIAB, 1991. - Varieties of Oilseed crops. 1991. Farmers leaflet n° 9. - *NIAB*, 14 p.
- RINGOT, 1991. - Passeport pour «95» du 05 au 08 février 1991. - *RINGOT*, 50 p.