

GIS Based Integrated Decision Support System for Mustard Crop in India

Ajaya Kumar Sahu¹ and Dr. H. B. Singh²

1:- Research Scholar 2:- Director & Head
Mustard Research & Promotion Consortium
307, Jyoti Shikar Building, 8, District Centre,
Janakpuri, New Delhi-110058, India
Email: mrpc_india@rediffmail.com

Abstract: -

In India Decision support system for oilseed sector is still a big challenge. Mustard crop is one of the major oilseed crops of India. The information on spatial distribution of mustard crop, production and estimates and creation of spatial database for major mustard producing state Rajasthan (Alwar & Bharatpur), is being conducted through remote sensing and GIS. The generation of spatial & non-spatial data through field survey, GPS methods, thematic data using high resolution satellite images (IRS-P6-LISS-III), topographic data using SOI toposheets and collateral data from various organizations. All integration leads to the development of GIS based crop and yield estimation. The Web based Decision Support System (DSS), which can supports the users like Farmers, Traders, Processors, Mandi, Transporters, Industries, for their advance planning of crop management, procurement, stock, availability and post harvesting decision like where & when to sell the seeds. The integrated agronomic data for mustard crop advisories to help producers and policy makers properly and agencies involved in policy developments like import, export, minimum support price etc. This single platform website which can implement the functional, explicit & user friendly menu screens for database maintenance, information query on spatial & non-spatial database using SQL, ASP dot NET, JAVA software. This decision support system will prove as an indispensable tool in making of oil import policy timely and as a factor in deciding oil prices as it give estimation of mustard production before its harvesting.

Key Words: - GIS, Rapeseed Mustard Estimation, Yield Estimation, DSS Agricultural Information, Web Based GIS Application Related Programming.

Introduction: -

Rapeseed-Mustard being the winter crop is facing a large number of problems because of small size and high mobility of the seed. It is expose to various external vagaries, just during harvesting and after harvesting, responsible for various types of seed losses and seed damages. There are various factors responsible for loss and damage of mustard seeds via, time of harvesting, time period for sun drying, method and efficiency of threshing, distance from field to threshing floor, type of threshing method, type of threshing floor used, type of cleaning, method of transportation, storage types etc. The stages that have been covered under this survey are Shattering, Handling, Cleaning, Transportation, Storage and Processing. Whereas, the levels mainly covered for the said stages were Farmers at Farm level, Traders/Commission agents at Mandi level, Storage at farmers, Transporters & Processors level and Mustard oil units at Industries & Processors level.

Decision support system for various applications in major oilseeds is still a big challenge in India. Various policies like import, internal stock assessment, availability, regional distribution, crop


protection system etc. are purely based on strong scientific and technology based support system. Spatial distribution of agricultural crops and their price policy and fluctuations thereof is nowhere in Indian agriculture or policy-making system. Therefore, to cater the needs of Indian mustard producers, traders, processors, policy makers, crop advisory agencies and various Govt. Departments etc. it is important to develop an integrated decision support system. This support system is categorized into three major heads like, involvement of remote sensing and GIS and field survey, creation of spatial database for crop estimation/forecast, weather forecast, and market price fluctuations and development of a portal which will integrate the whole information for the end users.

Study Area Description: -

This study area figure shows the location for Alwar and Bharatpur district of Rajasthan State for Mustard oil seed Crop acreage estimation and Yield estimation, during Rabi season of the year 2007-08 to 2009-10. Rajasthan state, contributes nearly 35 percent to the all India Mustard Production.

Geographically, Alwar district is situated in the north-east of Rajasthan between 27°04' to 28°04' north Latitudes and 76°07' to 77°13' east Longitude. Its greatest length from south to north is about 137 km. and greatest breadth from east to west about 110 km. The district was divided into 12 administrative units like Sub-divisions, Tehsils, and 14 Panchayat Samitis (Blocks) each under one governing authority of a Sub Divisional Officers (SDOs), Tehsildar, Block Development Officer (BDO) respectively. Mustard seeds and other agricultural products come to market through mandies established by Anaj Mandi Samiti. These Anaj Mandies are in Alwar, Khairtal, Kherli, Lachhamngarh, and Rajgard.

Geographically, Bharatpur district is situated in the eastern part of Rajasthan between 26°22' to 27°83' north Latitudes and 76°53' to 78°17' east Longitude. Its greatest length from south to north is about 125 km. and greatest breadth from east to west about 71 km. The district was divided into 10 administrative units called Tehsils, each under one governing authority of a Tehsildar. Mustard seeds and other agricultural products come to market through mandies established by Krishi Upaj Mandi Samiti (KUMS). These Krishi Upaj Mandies are in Bharatpur, Nadbai, Weir, Deeg, Kaman, Bayana, Nagar, Roopwas and Bhusawar.



Material and Methodology: -

In this Research work, there are different types of materials can used, which were collected from different Government Organizations as well as some Private Organizations also. There are some

Primary Data's as well as some Secondary Data's were used for this Project work, they are described as below.

Primary Data: -

Satellite Data: - Last 3 years (2007-08, 2008-09, 2009-10) study area RESOURCESAT-1 (IRS-P6) LISS-III satellite images were purchased from National Remote Sensing Center (NRSC).

Agro-Metrological Data: - All Agro-Metrological Data's were collected from Indian Metrological Department (IMD) Data center, Pune. All data should be in Daily basis with the parameters of temperature (minimum & maximum), soil moisture, and rainfall (minimum & maximum) observations of our study areas.

Mandi Information Data: - During the field visiting time, collecting of all Mandi information with detail contacts, addresses, location of mandi's, progressive farmers, Traders, Industries and processors in each district wise has been done. Other then this collection, some secondary source like internet, some published magazines and AGMARK web site.

Field Survey Work: - Real time data of Mustard crop field data should be collect year wise during Rabi crop season in our study area. The field work data should be collected through Global Position System (GPS) instrument of GARMIN eTrax- 4.2 version of hand instrument. Primarily the 10-15, GPS location waypoints were taken each district wise and gradually increase in year wise up to 25-30 waypoints of each study area districts. It can also indicates the geographical location, elevation and direction of field as per globally. Simontaneously we collected the non-mustard field also, for our accuracy assessment, with a distance of 15-20 km. During the field work time also collected all crop field length and width, Crop Variety, and Height of Plant, Health or Quality (Poor/good/very good) and quantity of plants per Sq. Meter area.

Ancillary Data: -

During the work, some secondary data's were collected from different Government organizations. The Details are as in below-

Toposheets: - For the Base map preparation we collected all Study area toposheets from Survey of India (SOI) with a scale of 1:50,000.

Soil Maps: - The study area soil maps were purchased from National Bureau of Soil Survey and Land Use Planning (NBSS&LUP) Nagpur. The maps were used for study area soil characters as well as conditions and effects on their respective mustard agriculture crop area.

Software's Used: -

In this work, different types of software's were used for the data analysis, digital image processing (DIP), data storing, data capturing, data entering, statistical analysis, validation of work and data creation for web application, uploading, storage etc. There are mainly 7 categories software's used under with 8 main types.

Sl. No.	Type of Software	Purpose of Uses	Name of Software with Versions
1	GIS Software	GIS Work	Arc-GIS (9.2), Arc-View (3.2a), Gram ++ (2.1)
		Digital Image Processing	EARDAS Imagine (9.1),

			ENVI (4.6)
2	Statistical Software	Statistical Work	SYSTAT (13)
3	Validation Software	Validation Work	Info CROP (1.1), DSSAT (4.2)
4	GPS Software	Field Survey Work	Garmin eTrex Vista (4.0)
5	Development Software	Web Portal Development Work	ASP.NET-3.5, SQL Server-2005, JAVA Script, HTML,
6	Animation & Design Software	Design, Animation Work	Macromedia Flash (8), Adobe Photoshop CS2, CorelDraw Graphics Suits (12), Adobe Dreamweaver CS3
7	Server Used	Map OPEN SOURCE SERVER	

Crop & Yield Estimation Procedures: -

For the Mustard Crop estimation, administrative boundary of Alwar and Bharatpur district was overlaid over the remote sensing image with super-imposed of Field survey GPS location points, with the respective taluk. The Mustard crop area was identified and estimated from the unsupervised classified images with the pixel grid values. From the Spatial Sampling Technique using Remote Sensing and GIS digital data, in the form of Normal Difference Vegetation Index (NDVI) has been used as an auxiliary character for the crop yield estimation purpose. This ratio involves sums of and differences between spectral bands, Defined in terms of the near infrared (NIR) and Red (R) bands as:

$$\text{NDVI} = \frac{\text{NIR} - \text{R}}{\text{NIR} + \text{R}}$$

Is preferred to simple red: near-infrared ratio by many works because the ratio values are not affected by the absolute pixel values in the near-infrared (NIR) and Red (R) bands. The Values can vary in between -1 to +1 only, in their respective output attribute. The last 3 year mustard crop areas with their respective Yield estimation are as follows:-

Tabulation for Crop Area Estimation:

Sl. No	Study Area	Total Area (In sq.km)	Crop Estimation As Per -2007-08 (in hector)	Crop Estimation As Per -2008-09 (in hector)	Crop Estimation As Per -2009-10 (in hector)
1.	ALWAR	8459.884	217825.5168	293724.6336	265273.92
2.	BHARATPUR	4326.626	122306.2272	214933.7664	122710.5216
			= 3, 40,131.75	= 5, 08,658.40	= 3, 87,984.44

Crop Production Estimation for the Year 2007-08/2008-09/2009-10:

Sl. No.	Study Area	Crop Production Estimation 2007-08 (in tone/hector)	Crop Production Estimation 2008-09 (in tone/hector)	Crop Production Estimation 2009-10 (in tone/hector)
1	ALWAR	4.744	8.627	7.037
2	BHARATPUR	1.495	4.619	1.505

Crop Yield Estimation for the Year 2007-08:

Sl. No.	Study Area	Crop Production Estimation 2007-08 (in tone/hector)	Crop Area Estimation 2007-08 (in hector)	Yield Estimation 2007-08 (kg/hector)
1	ALWAR	4.744	217825.51	0.0217789
2	BHARATPUR	1.495	122306.22	0.0122234

Crop Yield Estimation for the Year 2008-09:

Sl. No.	Study Area	Crop Production Estimation 2008-09 (in tone/hector)	Crop Area Estimation 2008-09 (in hector)	Yield Estimation 2008-09 (kg/hector)
1	ALWAR	8.627	293724.63	0.029371
2	BHARATPUR	4.619	214933.76	0.021490

Crop Yield Estimation for the Year 2009-10:

Sl. No.	Study Area	Crop Production Estimation 2009-10 (in tone/hector)	Crop Area Estimation 2009-10 (in hector)	Yield Estimation 2009-10 (kg/hector)
1	ALWAR	7.037	265273.92	0.0265273
2	BHARATPUR	1.505	122710.52	0.0122646

Forecast Crop Area and Yield Estimation:

The ground level/ field survey estimates of Area, Production, and Yield and price comparison of mustard is as follows:

Year	Govt. Estimates of Mustard***			Ph.D Research Work Estimates of Mustard		
	Area (Million hectares)	Production (Million tons)	Yield (Kilograms)	Area (Million hectares)	Production (Million tons)	Yield (Kilograms)
2007-08	5.83	5.833	1001	5.02	4.81	958
2008-09	7.12	7.201	1011	6.57	6.88	1047
2009-10	6.82	6.590	966	6.67	6.72	1007
2010-11*				6.85	6.96	1016

* Advance estimates of 2010-11 taken under this Research Work.

➤ ** Director of Economics & Statistics; Dept. of Agric & cooperation; Ministry of Agriculture

Development of Web Based Information System: -

Web based GIS are evolved from different Web maps and client-server architecture to distributed ones. As such, Internet reshapes all functions of information systems including: gathering, storing, retrieving, analyzing, and visualizing data. Moreover, disseminating spatial information on the Internet improves the decision making processes.

Development of the Web and expansion of the Internet provide two key capabilities that can greatly help the stakeholders. First, the Web allows visual interaction with data. By setting up a Web Server, clients can produce maps. Since the maps and charts are published on the Internet, other clients can view these updates, helping to speed up the evaluation process. Second, because of the near ubiquitous nature of the Internet, the geospatial data can be widely accessible. Clients can work on it from almost any location. The combination of easy access to data and visual presentation of it addresses some of the primary difficulties in performing geosciences evaluations. Web GIS is not without its challenges. The primary problem is speed; GIS relies on extensive use of graphics. Connection speeds over the Internet can make heavy use of graphics intolerably slow for users.

This facility, to view maps with administrative and other necessary overlays. The site have facilitate user in query regarding crops and growing environments.

GIS Map Viewer: - This functionality has display shape files along with attributes stored in the shape file's database. There will be basic user controls like zoom in/out, pan, identify and layer on/off buttons. User can click or mouse over on the desired area of the map and will get a data sheet right on the map face.

Weather News Windows: - This will show updates on weather for important locations; representative of important crop growing areas. This window will be linked to weather information provider which will be selected based on regularity and use condition (paid/free).

Market News Windows: - This will display commercial aspect of the crop under consideration like present market price, difference from previous price etc. If needed stock quotes may also be flashed. Beside these specific windows, there will be regular tabs like home, profile, about us, career, events


etc, as the client may suggest and provide data for display.

Result and Discussion from the Web based Information System: -

Web Portal development is under process for which the Crop & Yield Estimation including the real time changing; through GIS web portal is done. Mainly it will represent all previous, current and future estimation related information, market price, mandi information, trader's information as well as all oil Manufacture Industries related to Mustard Oil. It will also provide information on soil characters, metrological activities, which will help farmer to take appropriate decisions i.e. method and time of showing, harvesting, and selling the seed to nearest mandi as well as industries, from where they can get maximum values for their products. Crop, Yield, Farmers Suggestion, journal, lab-testing information is also available on payment basis from this web side. This web site is very useful for fetching information about RAPESEED MUSTARD. After up-loading of this website in web server any one can asses some general information, and after getting registered to the site one can assess all downloading, queries and get all real time data information about this oil seed crop. This web portal can attach in the form of open source in Google, some Specific Agricultural, or linking web site as:-



For getting any information user can register freely in the FORMS tools, then they can access all useful material, which pops up as a separate window. *THIS WEB SITE IS UNDER CONSTRUCTION.....*



Conclusions and Recommendations: -

This application is a software independent system that users do not have to buy GIS software and this system can be viewed through all internet browsers. The response time for generating map based

information related to the server configuration and network connection. However users are able to retrieve location based agriculture information within minutes.

The web based Rapeseed mustard GIS system built for the Farmers, Traders, Industries, District wise Mandi's and Processors community in the Alwar and Bharatpur districts of Rajasthan State, with the required functionality farming community's requirements. This system will also help to generation of user satisfaction with this system, areas that need to be improved will be addressed in the future of this system.

Acknowledgement:-

The output of this Research work is a subset of the major R&D project sponsored and funded by Department of Science and Technology (DST) - Natural Resources Data Management System (NRDMS) under National Spatial Data Infrastructure (NSDI). Mustard Research and Promotion Consortium record its sincere thanks to the NRDMS-DST, Government of India for providing the necessary financial support funds, for completion of this research project.

References: -

Potdar,B.,M., Manjunath,R.,K., Purohit,L.,N., Development and Validation of Spectrometrological Yield Models of Mustard Oil Seed Crop in Rajasthan State, Journal of the Indian Society of Remote Sensing, Volume 27, No. 4, 1999, P.205-215.

ISSN 1464-7141, Choi,Jin-Yong, Bernard, A., Engel and Richard L. Farnsworth, Web-based GIS and spatial decision support system for watershed management, Journal of Hydroinformatics, Volume 7, No. 3, 2005, P. 165-174.

Sharma, A., S., Bhatt,P., H., Ajai, Nanavaty, Sandeep., Rapeseed-Mustard Acreage Estimation Using IRS LISS-II Data, Journal of the Indian Society of Remote Sensing, Volume 19, No. 1, 1991, P.59-65.

Nik Norasma Che Ya*, Abdul Rashid Mohamed Shariff*, Mohd Amin Mohd Soom*, Ahmad Rodzi Mahmud**, Generating online GIS Decision Support System for Paddy Precision Farming, www.gsdi.org/gsdiconf/gsdi11/papers/pdf/225.pdf.

Andreas Jarfe*, Armin Werner*, Development of a GIS-based management system for precision agriculture, www.preagro.de/Veroeff/USA_Management.pdf.

<http://www.agmarknet.nic.in>

<http://www.rsamb.rajasthan.gov.in>

<http://www.gis.rajasthan.gov.in>

<http://www.rajasthan.gov.in>

<http://www.rajamb.com>